

References and literature cited

- Arkansas Freshwater Mollusk Council. Davidson, C.L., J.L. Harris, A.D. Christian, M.Fuhr, W.R. Posey. 28 September 2004. Mussel Species Status/Habitat Peer Review.
- Arkansas Freshwater Mollusk Council. Posey, W. R., J.L. Harris, C.L. Davidson, A.D. Christian M.Fuhr. 19 November 2004. Mussel Species Status/Habitat Peer Review.
- Arkansas Freshwater Mollusk Council. Posey, W. R., J.L. Harris, C.L. Davidson, A.D. Christian, M. Fuhr. 15 December 2004. Mussel Species Status/Habitat Peer Review.
- Arkansas Freshwater Mollusk Council. Posey, W. R., J.L. Harris, C.L. Davidson, A.D. Christian, M. Fuhr. 25 January 2005 . Mussel Species Status/Habitat Peer Review.
- Arkansas Game and Fish Commission (AGFC). 1991-1999. Annual mussel harvest reports. Arkansas Game and Fish Commission, Little Rock.
- Ahlstedt, S.A.; Jenkinson, J.J. 1987. Distribution and abundance of *Potamilus capax* and other freshwater mussels in the St. Francis River system, Arkansas and Missouri. Final report for Memphis District, U.S. Army Corps of Engineers. 67 p. + field notes.
- Ahlstedt, S.A.; Jenkinson, J.J. 1991. Distribution and abundance of *Potamilus capax* and other freshwater mussels in the St. Francis River system, Arkansas and Missouri, U.S.A. Walkerana 5(14):225-261.
- Arkansas Highway and Transportation Department (AHTD). 1984. Relocation of the pink mucket pearly mussel (*Lampsilis orbiculata*) in the Spring River near Ravenden, Lawrence County, Arkansas. Report submitted to U.S. Fish and Wildlife Service, Endangered Species Report 2.
- Arkansas Highway and Transportation Department (AHTD). 1987. Survey of mussels (Pelecypoda: Unionidae) in the White River at the proposed Arkansas Highway 59 bridge near Guion, Arkansas. Environmental Division, Little Rock. 8 pp.
- Arkansas Highway and Transportation Department (AHTD). 1989. Relocation of the Arkansas fatmucket, *Lampsilis powelli* (Lea, 1852) at the Arkansas Highway 291 bridge, Saline River, Saline-Grant counties, Arkansas. Environmental Division, Little Rock. 9 pp.
- Arkansas Highway and Transportation Department (AHTD). 1994. Biological assessment of the Arkansas fatmucket (*Lampsilis powelli*) at the Arkansas Highway 84 bridge, Clark County, Arkansas. Environmental Division, Little Rock. 9 pp. + appendix.
- Albritton, J.B.L. 1981. A taxonomic survey of the amphibians and reptiles of Bradley County, Arkansas. M.S. Thesis. Northeast Louisiana Univ., Monroe. 103 pp.
- Allen, R.T. and C.E. Carlton. 1988. Two new Schaphinotus from Arkansas with notes on other Arkansas species (Coleoptera: Carabidae: Cychrini). J. New York Entomol. Soc. 96(2):129-139.

- Allen, R.T., C.E. Carlton, and S.A. Tedder. 1988. A new species of *Acalypta* (Hemiptera: Tingidae). *J. Kansas Entomol. Soc.* 61(1):126-130.
- Alterman, L.E.; Bednarz, J.C. 2002. Pilot Study of Effects of Group-Selection Harvest on Nest Success and Postfledging Dispersal and Survival of Neotropical Migratory Birds in the Ouachita Mountains of Arkansas. Arkansas State University, State University
- Anders, A.D.; Faaborg J.; Thompson, F.R., III. 1998. Postfledging Dispersal, Habitat Use, Home-Range Size of Juvenile Wood Thrushes. *Auk* 115:349-358 pp.
- Anderson, J.D. 1965. *Ambystoma annulatum*. *Cat. Amer. Amphib. Rept.* 19.1-19.2.
- Anderson, P. 1965. *The Reptiles of Missouri*. Univ. Missouri Press, Columbia, 330 pp.
- Arkansas Natural Heritage Inventory (ANHI). 2003. Arkansas element of occurrence records.
- Annand, E.M.; Thompson, F.R., III. 1997. Forest bird response to regeneration practices in central hardwood forests. *Journal of Wildlife Management.* 61(1): 159-171.
- Anthony, C.D. 1993. Recognition of conspecific odors by *Plethodon caddoensis* and *P. ouachitae*. *Copeia* 1993:1028-1033.
- Anthony, C.D. 1995. Competitive interactions within and between two species of *Plethodon* in the Ouachita Mountains: effects of territoriality and parasitism. Ph.D. Dissertation, Univ. Southwestern Louisiana, Lafayette.
- Anthony, C.D.; Mendelson J.R., III; Simons, R.R. 1994. Differential parasitism by sex on plethodontid salamanders and histological evidence for structural damage to the nasolabial groove. *American Midland Naturalist.* 132:302-307.
- Anthony, C.D., Wicknick, J.A.; Jaeger, R.G. 2002. Site tenacity and homing in the Rich Mountain salamander, *Plethodon ouachitae* (Caudata: Plethodontidae). *Southwestern Naturalist.* 47:401-408.
- Anthony, C.D.; Wicknick, J.A. 1993. Aggressive interactions and chemical communication between adult and juvenile salamanders. *Journal of Herpetology.* 27:261-264.
- Arkansas Audubon Society. accessed 2005. Bird records database. Arkansas Audubon Society, Little Rock, AR. <http://www.arbirds.org/data/index.html>
- Arnold, S.J. 1977. The evolution of courtship behavior in New World salamanders with some comments on Old World salamandrids. Pp. 141-183, in *The Reproductive Biology of Amphibians* (D.H. Taylor and S.I. Guttman, eds.). Plenum Press, New York.
- Askins, R.A. 2001. Sustaining biological diversity in early successional communities: the challenge of managing unpopular habitats. *Wildl. Soc. Bull.* 29:407-412. Also, succession of articles following, through page 494.
- Askins, R.A. 2002. *Restoring North America's birds, lessons in landscape ecology* (2nd edition). Yale Univ. Press, New Haven. 332 pp.

- Atwill, R.A.; Trauth, S.E. 1988. Mandibular dentition in six species of salamanders, genus *Plethodon* (Caudata: Plethodontidae), from Arkansas using scanning electron microscopy. *Proceedings of the Arkansas Academy of Science*. 42: 24-25.
- Austin, J.E.; and Miller, M.R. 1995. Northern Pintail (*Anas acuta*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 163. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.
- Avery, M.L. 1995. Rusty Blackbird (*Euphagus carolinus*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 200. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.
- Bacon, E.J.; Anderson, Z.M. 1976. Distributional records of amphibians and reptiles from the Coastal Plain of Arkansas. *Proceedings of the Arkansas Academy of Science*. 30:14-15.
- Bader, T.J.; and Bednarz, J.C. 2005. Reproductive success, causes of nesting failures, and habitat use of Swallow-tailed and Mississippi Kites in the White River National Wildlife Refuge, Arkansas. 2004 Annual Report. Arkansas State University. 26 p.
- Baerg, W.J. 1927. Summer birds of Mount Magazine, Arkansas. Research Paper No. 70, Journal Series, University of Arkansas. Fayetteville, AR.
- Arkansas Department of Pollution Control and Ecology (ADPCE). 1987. Physical, chemical, and biological characteristics of least-disturbed reference streams in Arkansas' ecoregions. Volume I: data compilation. State of Arkansas, Arkansas Dept. of Pollution
- Baker, J. 1994. Proc. Symposium on Ecosystem Management in the Ouachita Mountains; pretreatment conditions and preliminary findings. 1993. October 2627. Hot Springs, AR. Genl. Tech. Rpt. SO-112. New Orleans, LA. USDA Forest Service, So. For. Exp. Sta., 25
- Baker, Robert J.; Ward, Claud M. 1967. Distribution of bats in southeastern Arkansas. *Journal of Mammalogy*. 48(1):130-132.
- Ball, S. K. 1980. Ecology and distribution of herpetofauna on the Red River and associated Oxbow lakes from Index, Arkansas to Shreveport, Louisiana. M.S. Thesis. Henderson State Univ., Arkadelphia, Arkansas. 30 pp.
- Bannor, B.K.; and Kiviat, E. 2002. Common Moorhen (*Gallinula chloropus*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 685. The Birds of North America, Inc., Philadelphia, PA.
- Barr, T.C., Jr. 1974. The eyeless beetles of the genus *Arianops* Brendel (Coleoptera: Pselaphidae). *Bull. Amer. Mus. Nat. Hist.* 154:1-51.
- Bart, H.L. 1989. Fish habitat association in an Ozark stream. *Env. Biol. Fish.* 24: 173-186.
- Bates, J.M.; Dennis S.D. 1983. Mussel (naiad) survey: St. Francis, White, and Cache rivers, Arkansas and Missouri. Final Report (Contract No. DACW66-78-C-0147), U.S. Army Corps of Engineers, Memphis District. 89 pp.
- Bat Conservation International. 2001. Bats in eastern woodlands.

- Beaupre, S.J.; Zaidan II, F. 2001. Scaling of CO₂ production in the timber rattlesnake (*Crotalus horridus*), with comments on cost of growth in neonates and comparative patterns. *Physiol. Biochem. Zool.* 74:757-768.
- Bent, A.C. 1964. Life histories of the North American woodpeckers. Dover Publications, Inc. New York. 334p.
- Bent, A.C. 1989. Life histories of the North American cuckoos, goatsuckers, hummingbirds, and their allies. Dover Publications, Inc. New York. 334p.
- Benz, G.W.; Clark, Joseph D.; Harvey, M.J. 1997. Imperiled mammalian fauna of aquatic ecosystems in the southeast: A management perspective. George W. and D.E. Collins. *Aquatic fauna in peril: The Southeastern Perspective*. Decatur, GA: Southeast Aquatic R
- CWCS Bird Team Meeting, Little Rock AR, AGFC. Jan 11-12, 2005. Bill Holimon, Allan Mueller, Catherine Rideout, Steve Duzan.
- CWCS Bird Team Meeting, Little Rock AR, AGFC. May 9, 2005. Catherine Rideout, Karen Rowe, Allan Mueller, and Jane Anderson.
- CWCS Bird Team Meeting, Bayou Meto. Sept. 12, 2004. Bill Holimon, Allan Mueller, Catherine Rideout, Karen Rowe. CWCS List and Threats
- Bishop, S.C. 1943. Handbook of Salamanders. Comstock Publ. Co., Ithaca, New York. 555 pp.
- Black, J.D. 1934. *Myotis grisescens* and *Myotis sodalis* in Arkansas. *Journal of Mammalogy*. 13:67-68.
- Black, J.D. 1936. Mammals of northwestern Arkansas. *Journal of Mammalogy*. 17(1):29-35.
- Black, J.D.; Dellinger, S.C. 1938. Herpetology of Arkansas. Part Two: The amphibians. *Occ. Pap. Univ. Arkansas Mus.* No. 2, 30 pp.
- Black, J.H.; Sievert, G. 1989. A Field Guide to Amphibians of Oklahoma. Oklahoma Department of Wildlife Conservation, Oklahoma City. 80 pp.
- Blair, A.P. 1957. A comparison of living *Plethodon ouachitae* and *P. caddoensis*. *Copeia* 1957:47-48.
- Blair, A.P.; Lindsay, H.L. 1965. Color pattern variation and distribution of two large *Plethodon* salamanders endemic to the Ouachita Mountains of Oklahoma and Arkansas. *Copeia* 1965:331-335.
- Bleakney, S.; Cook, F. 1957. Additional records of the four-toed salamander, *Hemidactylium scutatum*, from Nova Scotia. *Copeia* 1957:142-143.
- Bonati, R.L. 1980. The amphibians and reptiles of northwest Arkansas: a report on their distribution and abundance. M.S. Thesis. Univ. Arkansas, Fayetteville. 165 pp.
- Boschung, H.T.; Nieland, D. 1986. Biology and conservation of the slackwater darter, *Etheostoma boschungii* (Pisces: Percidae). *Southeastern Fishes Council Proceedings* 4(4):1-4.
- Bouchard, R.W. 1978. Taxonomy, distribution, and general ecology of the genera of North American crayfishes. *Fisheries*. 3(6): 11-19.

- Bouchard, R.W.; Robison, Henry W. 1980. An inventory of the decapod crustaceans (crayfishes and shrimps) of Arkansas with a discussion of their habitats. *Proceedings of the Arkansas Academy of Science*. 34:22-30.
- Boundy, J. 1995. Maximum lengths of North American snakes. *Bull. Chicago Herpetol. Soc.* 30:109-122.
- Bowers, A.K.; Lucio, L.D.; Clark, D.W.; Rakow, S.P.; Heidt, G.A. 2001. Early history of the wolf, black bear, and mountain lion in Arkansas. *Proceedings of the Arkansas Academy of Science*. 55:22-27.
- Bowler, J.K. 1977. Longevity of reptiles and amphibians in North American collections. *Soc. Study Amphib. Rept. Misc. Publ. Herpetol. Circ.* 6:1-32.
- Boyd, C.E.; Vickers, D.H. 1963. Distribution of some Mississippi amphibians and reptiles. *Herpetologica* 19:202-206.
- Bozeman, Sue. 1994. Bat hibernation surveys, 1988-1994. *Oklahoma Underground*. 17:40-43.
- Brack, Virgil W. 1983. The nonhibernating ecology of bats in Indiana with emphasis on the endangered Indiana bat, *Myotis sodalis*: Purdue University.
- Brack, Virgil Jr.; LaVal, Richard K. 1985. Food habits of the Indiana bat in Missouri. *Journal of Mammalogy*. 66(2):308-315.
- Brady, John T. 1983. Use of dead trees by the endangered Indiana bat. Snag habitat management: *Proceedings of the symposium; Northern Arizona University, Flagstaff. USDA Forest Service, General Technical Report RM-99*. Pg 111-114.
- Bragg, A.N. 1942. Observations on the ecology and natural history of *Anura*. X. The breeding habits of *Pseudacris streckeri* Wright and Wright, in Oklahoma including a description of the eggs and tadpoles. *Wasmann Collector* 5:47-62.
- Brandon, R.A. 1965. *Typhlotriton*, *T. nereus*, *T. speleaus*. *Cat. American Amphib. Rept.* 20.
- Brandon, R.A. 1970. *Typhlotriton*, *T. speleaus*. *Cat. American Amphib. Rept.* 84.1-84.2.
- Brandon, R.A. 1971. Correlation of seasonal abundance with feeding and reproductive activity in the grotto salamander (*Typhlotriton speleaus*). *American Midland Naturalist*. 86:93-100.
- Brandon, R.A.; Black, J.H. 1970. The taxonomic status of *Typhlotriton braggi* (Caudata, Plethodontidae). *Copeia* 1970:388-391.
- Brann, W.P. 1947. Fresh-water mussel shells, the basis for an Arkansas industry. *University of Arkansas Bulletin*. 40(20):1-37.
- Branson, B.A. 1973. Significant pelecypod records from Oklahoma. *The Nautilus* 87(1)8-10.
- Branson, B.A. 1982. The mussels (Unionacea: Bivalvia) of Oklahoma - Part 1 – Ambleminae. *Proc. Proceedings of the Oklahoma Academy of Science*. 62:38-45.
- Branson, B.A. 1983. The mussels (Unionacea: Bivalvia) of Oklahoma - Part 2: The Unioninae, Pleurobemini and Anodontini. *Proceedings of the Oklahoma Academy of Science*. 63:49-59.

- Branson, B.A. 1984. The mussels (Unionaceae: Bivalvia) of Oklahoma - Part 3: Lampsilini. Proc. Proceedings of the Oklahoma Academy of Science. 64:20-36.
- Branson, B.A.; Baker, E.C. 1974. An ecological study of the queen snake, *Regina septemvittata* (Say) in Kentucky. Tulane Stud. Zool. Bot. 18:153-171.
- Brennan, L.A. 1991. How Can We Reverse the Northern Bobwhite Decline? Wildlife Society Bulletin. 19: 544-555.
- Brennan, L.A. 1999. Northern Bobwhite (*Colinus virginianus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 397. The Birds of North America, Inc., Philadelphia, PA.
- Briggler, J.T.; Puckette, W.L. 2003. Observations on the reproductive biology and brooding behavior of the Ozark zigzag salamander, *Plethodon angusticlavius*. Southwestern Naturalist. 48:96-100.
- Briskie, James V. 1993. Smith's Longspur. In: Poole, A.; Stettenheim, P.; and Gill, F., eds. The Birds of North America, No. 34. Philadelphia: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union.
- Britton, J.M. 1981. Microhabitat distribution and its effect on prey utilization in sympatric populations of *Plethodon glutinosus* and *Plethodon dorsalis* in northwestern Arkansas. Proceedings of the Arkansas Academy of Science. 35:26-28.
- Britzke, Eric R; Harvey, Michael J.; Loeb, Susan C. 2003. Indiana bat, *Myotis sodalis*, maternity roosts in the southern United States. Southeastern Naturalist 2(2):235-242.
- Brown, A.V.; Brown, K.B. 1989. Stream inventory of *Lampsilis powelli* populations on national forest lands. A report to the U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs. 28 p. + Appendices.
- Brown, B.T. 1993. Bell's Vireo. In: Poole, A.; Stettenheim, P.; and Gill, F., eds. The Birds of North America, No. 35. Philadelphia: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union.
- Brown, R.E.; and Dickson, J.G. 1994. Swainson's Warbler (*Limnothlypis swainsonii*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 126. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Brown, R.E.; Dickson, J.G., 1994. Swainson's Warbler (*Limnothlypis swainsonii*). The Birds of North America, No. 126 [Poole, A.; Gill, F., eds.]. Philadelphia: The Academy of Natural Sciences; Washington, DC. The American Ornithologists' Union.
- Brown, W.S. 1982. Overwintering body temperatures of timber rattlesnakes (*Crotalus horridus*) in northeastern New York. J. Herpetol. 16:145-150.
- Brown, W.S. 1991. Female reproductive ecology in a northern population of the timber rattlesnake, *Crotalus horridus*. Herpetologica 47:101-115.
- Brown, W.S. 1993. Biology, status, and management of the timber rattlesnake (*Crotalus horridus*): a guide for conservation. Soc. Study Amphib. Rept. Herpetol. Circ. No. 22, 78 pp.

- Bruenderman, S.A., J.S. Faiman and A.C. Buchanan 2001. Survey for the Curtis pearly mussel, *Epioblasma florentina curtisi* (Utterback 1914) and other mussel species in Little Black River, Missouri. Final Report U.S. Fish and Wildlife Service. 23 pp.
- Brussock, P.P., III; Brown, A.V. 1982. Selection of breeding ponds by the ringed salamander, *Ambystoma annulatum*. Proceedings of the Arkansas Academy of Science. 36:82-83.
- Buchanan, A.C. 1980. Mussels (naiades) of the Meramec River basin. Missouri Dept. of Conservation, Aquatic Series 17. 76 p.
- Buehler, D.A. 2000. Bald Eagle (*Haliaeetus leucocephalus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 506. The Birds of North America, Inc., Philadelphia, PA.
- Bunch, Mary; Dye, Amy. 1998. Rafinesque's big-eared bat surveys and prelisting recovery: final report.
- Burbanck, W.D.; Edwards, J.P.; Burbank, M.P. 1948. Toleration of lowered oxygen tension by cave and stream crayfish. Ecology 29(3): 360-367.
- Burch, J.B. and J.L. Tottenham. 1980. North American freshwater snails. Walkerana 1(3):81-215.
- Burns & McDonnell, Inc. 1992. Distribution of the Arkansas fatmucket mussel (*Lampsilis powelli*) in the North Fork of the Saline River. Prepared for Hope Engineers, Benton, AR.
- Burns & McDonnell, Inc. 1992a. Report on surveys for the Arkansas fatmucket mussel. Prepared for Hope Engineers and the Saline County Rural Development Authority, Benton, AR.
- Burr, B.M.; Mayden, R.L. 1992. Phylogenetics and North American freshwater fishes. In: R.L. Mayden, ed. Systematics, historical ecology, and North American freshwater fishes. Stanford Univ. Press. Stanford, CA 18-75.
- Burr, B.M.; Stoeckel, J.N. 1999. The natural history of madtoms (Genus *Noturus*), North America's diminutive catfishes. Amer. Fish. Soc. Sym. 24: 51-101.
- Burt, C.E. 1935. Further records of the ecology and distribution of amphibians and reptiles in the middle west. American Midland Naturalist. 16:311-336.
- Butler, R.S.; DiStefano, R.J.; G.A. Schuster. 2003. Crayfish: an overlooked fauna. Endangered Species Report 2.
- Butterfield, B.P.; Meshaka, W.E.; Trauth, S.E. 1989. Fecundity and egg mass size of the Illinois chorus frog, *Pseudacris streckeri illinoensis* (Hylidae), from northeastern Arkansas. Southwestern Naturalist. 34:556-657.
- Byrd, W.; Hanebrink, E.L. 1974. Geographic Distribution. *Rana areolata circulosa*. Herpetol. Rev. 5:69.
- Caire, William; LaVal, Richard K.; LaVal, Margaret L.; Clawson, Richard. 1979. Notes on the ecology of *Myotis keenii* in Eastern Missouri. The American Midland Naturalist. 102(2):404-407.

- Caldwell, B. and R. Tumlison. 2004. Geographic distribution: *Ambystoma talpoideum*. Herp. Review 35(4):402.
- Call, R.E. 1895. A study of the Unionidae of Arkansas, with incidental references to their distribution in the Mississippi Valley. Trans. Acad. Sci. St. Louis 7:1-65.
- Callahan, Edward V. 1993. Indiana bat summer habitat requirements. Columbia, Missouri: University of Missouri-Columbia.
- Callahan, Edward V.; Drobney, Ronald D.; Clawson, Richard L. 1997. Selection of summer roosting sites by Indiana bats in Missouri. Journal of Mammalogy. 78(3):818-825.
- Camp, C.D. 1988. Aspects of the life history of the southern red-back salamander, *Plethodon serratus* Grobman, in the southeastern United States. American Midland Naturalist. 119:93-110.
- Carlton, C.E. and R.T. Cox. 1990. A new species of *Arianops* from central Arkansas and biogeographic implications of the Interior Highlands arianops species (Coleoptera: Pselaphidae). Coleop. Bull. 43(1):59-69.
- Carlyle, J.C.; Sanders, D.E.; Plummer, M.V. 1998. Natural history notes: *Eurycea lucifuga*. Reproduction. Herpetol. Rev. 29:37-38.
- Carr, A.F.; Goin, C.J. 1943. Neoteny in Florida salamanders. Proc. Florida Acad. Sci. 6:3740.
- Carraway, Leslie N.; Verts, B. J.; Whitaker, John O. Jr.; Kennedy, Michael L. 2000. Diet of the southeastern shrew (*Sorex longirostris*) in Tennessee. Journal of Tennessee Academy of Science. 75(1-2):42-43.
- Carrie, N.R. 1996. Swainson's Warblers Nesting in Early Seral Pine Forests in East Texas. Wilson Bulletin. 108(4): 802-804 pp.
- Carter, W.A. 1968. First record of *Hemidactylium scutatum* in Oklahoma. Herpetologica 24:328.
- Carter, Timothy C. 2003. Summer habitat use of roost trees by the endangered Indiana bat (*Myotis sodalis*) in the Shawnee National Forest of Southern Illinois. Southern Illinois University; Carbondale, Illinois.
- Carter, M.F.; Hunter, W.C.; Pashley, D.N.; and Rosenberg, K.V. 2000. Setting conservation priorities for landbirds in the United States: the Partners in Flight approach. Auk 117:541-548.
- Cawley, E.T. 1993. Sampling adequacy in population studies of freshwater mussels. Pages 168-172 in K. S. Cummings, A. C. Buchanan, and L. M. Koch, editors. Conservation and management of freshwater mussels. Proceedings of a symposium, 12-14 October 1992,
- Ceas, Patrick A. and Lawrence M Page. 1997. Systematic Studies of the *Etheostoma spectabile* complex (Percidae; subgenus *Oligocephalus*) with descriptions of four new species. Copeia. 1997 (3):496-522.
- Chandler, D.S. 1988. A cladistic analysis of the world genera of *Tychini* (Coleoptera: Pselaphidae). Trans. Amer. Entomol. Soc. 114:147-165.

- Chaney, A.H. 1949. The life history of *Desmognathus fuscus auriculatus*. M.S. Thesis. Tulane University. New Orleans, Louisiana.
- Christian, A.D. 1995. Analysis of the commercial mussel beds in the Cache and White rivers in Arkansas. M.S. thesis, Dept. Biological Sciences, Arkansas State University, State University, AR. 197 p.
- Christian, A.D. and J.L. Harris 2004. Status Survey for the Pink Mucket (*Lampsilis abrupta* (Say, 1831)), Winged Mapleleaf (*Quadrula fragosa* (Conrad, 1835)) and Ouachita Rock Pocketbook (*Arkansia wheeleri* Ortmann and Walker, 1912) in the Little Missouri River, Arkansas. Final Report. 108 pp.
- Christian, A.D.; Davidson, C.L.; Posey II, W.R.; Rust, P.J.; Farris, J.L.; Harris, J.L.; Harp, G.L. 2000. Growth curves of four species of commercially valuable freshwater mussels (Bivalvia: Unionidae) in Arkansas. Proceedings of the Arkansas Academy of Science.
- Christian, A. D., S. E. Trauth, and B. A. Wheeler. 2005. Ozark Hellbender habitat characterization and assessment in the Eleven Point and Spring Rivers in Arkansas. Unpubl. final report, Arkansas Game and Fish Commission. 86 pp. + appendices.
- Cink, C.L. 2002. Whip-poor-will (*Caprimulgus vociferus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 620. The Birds of North America, Inc., Philadelphia, PA.
- Cink, C.L.; and Collins, C.T. 2002. Chimney Swift (*Chaetura pelagica*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 646. The Birds of North America, Inc., Philadelphia, PA.
- Clark, Brenda S. 1991. Activity patterns, habitat use, and prey selection by the Ozark big-eared bat (*Plecotus townsendii ingens*). Stillwater, OK: Oklahoma State University.
- Clark, Bryon K.; Clark, Brenda S. 1997. Seasonal variation in use of caves by the endangered Ozark big-eared Bat in Oklahoma. American Midland Naturalist. 137:388-392.
- Clark, Joseph D.; Harvey, M.J. 1986. An investigation of the summer distribution and status of Indiana bats in Missouri. Federal Aid Project W-13-R-50 (1996).
- Clark, Joseph D.; Harvey, M.J. 1996. Indiana bat summer habitat patterns in Missouri. Federal Aid Project W-13-R-50 (1996).
- Clark, Joseph D.; Harvey, M.J. 1997. Imperiled mammalian fauna of aquatic ecosystems in the southeast: A management perspective. Benz, George W. and D.E. Collins. Aquatic fauna in peril: The Southeastern Perspective. Decatur, GA: Southeast Aquatic Research
- Clark, D.W.; White, S.C.; Bowers, A.K.; Lucio, L.D.; Heidt, G.A. 2002. A survey of recent accounts of the mountain lion (*Puma concolor*) in Arkansas. Southeastern Naturalist. 1(3):269-278.
- Clark, Brenda S.; Bowles, John B.; Clark, Bryon K. 1987. Summer occurrence of the Indiana bat, Keen's Myotis, Evening Bat, Silver-haired Bat and Eastern Pipistrelle in Iowa. Proceedings of the Iowa Academy of Science. 94(3):89-93.

- Clark, Bryon K.; Bowles, John B.; Clark, Brenda S. 1987. Summer status of the endangered Indiana bat in Iowa. *American Midland Naturalist*. 118(1):32-39.
- Clark, Brenda S.; Leslie, David M. Jr.; Carter, Tracy S. 1993. Foraging activity of adult female Ozark big-eared bats in summer. *Journal of Mammalogy*. 74(2):422-427.
- Clark, Bryon K.; Clark, Brenda S.; Leslie, David M. Jr.; Gregory, Mark S. 1996. Characteristics of caves used by the endangered Ozark big-eared bat. *Wildlife Society Bulletin*. 24(1):8-14.
- Clark, Brenda S.; Puckette, William L.; Clark, Bryon K.; Leslie, David M. Jr. 1997. Status of the Ozark Big-eared bat in Oklahoma, 1957-1995. *The Southwestern Naturalist*. 42 (1):20-24.
- Clark, Donald R. 1981. Bats and environmental contaminants: a review. Washington, DC: USDI, Fish and Wildlife Service. Special Scientific Report—Wildlife No. 235.
- Clarke, A.H. 1985. Mussel (naiad) study: St. Francis and White rivers. Final Report (Contract No. DACW66-84-M-1666-R), U.S. Army Corps of Engineers, Memphis District. 28 pp.
- Clarke, A.C. 1987. Status survey of *Lampsilis streckeri* Frierson (1927) and *Arcidens wheeleri* (Ortmann and Walker, 1912). Ecosearch, Inc., Final report to the U.S. Fish and Wildlife Service, Jackson, MS. 24 p + Appendix.
- Clarke, A.H.; Obermeyer, B.K. 1996. A survey of rare and possibly endangered freshwater mussels (Mollusca: Unionidae) of the Spring River basin (with observations on the Elk River basin), in Missouri. A report prepared by ECOSEARCH, Inc. for the U.S. Fish
- Clawson, R.L. 1982. The status, distribution, and habitat preferences of the birds of Missouri. Missouri Department of Conservation Terrestrial Series, No. 11
- Coker, R.E. 1919. Fresh-water mussels and mussel industries of the United States. *Bull. U. S. Bur. Fish*. 36:13-89.
- Collins, J.T. 1974. Amphibians and Reptiles in Kansas. 1st Ed. Univ. Kansas Mus. Nat. Hist. Publ. Edu. Ser. 1:1-283.
- Collins, J.T. 1991. Viewpoint: a new taxonomic arrangement for some North American amphibians and reptiles. *Herpetol. Rev.* 22:4243.
- Collins, J.T. 1993. Amphibians and Reptiles in Kansas. 3rd Ed. Univ. Kansas Mus. Nat. Hist. Publ. Edu. Ser. No. 13:1-397.
- Collins, Ken. 1998. Leopard darter (*Percina pantherina*) surveys: Oklahoma and Arkansas: 1996-1997. USFWS report. Tulsa, Oklahoma. 33pp.
- Collins, P.W. 1999. Rufous-crowned Sparrow (*Aimophila ruficeps*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 472. The Birds of North America, Inc., Philadelphia, PA.
- Colwell, M.A.; and Jehl, J.R., Jr. 1994. Wilson's Phalarope (*Phalaropus tricolor*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 83. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.

- Conant, R. 1958. A Field Guide to Reptiles and Amphibians of the United States and Canada East of the 100th Meridian. Houghton Mifflin, Boston. 366 pp.
- Conant, R. 1960. The queen snake, *Natrix septemvittata*, in the Interior Highlands of Arkansas and Missouri, with comments upon similar disjunct distributions. Proc. Acad. Nat. Sci. Philadelphia. 112:25-40.
- Conant, R.; Collins, J.T. 1991. A Field Guide to Reptiles and Amphibians of Eastern and Central North America. 3rd Ed. Houghton Mifflin Co., Boston. 450 pp.
- Conant, R.; Collins, J.T. 1998. A Field Guide to Reptiles and Amphibians of Eastern and Central North America. 3rd Ed. Expanded. Houghton Mifflin Co., Boston. 616 pp.
- Conner, R.N.; Rudolph, D.C.; Walters, J.R. 2001. The red-cockaded woodpecker: surviving in a fire-maintained ecosystem. University of Texas Press, Austin, TX. 363p.
- Cook, C. and J.J. Daigle. 1985. *Ophiogomphus westfalli* spec. nov. from the Ozark region of Arkansas and Missouri, with a key to the *Ophiogomphus* species of eastern North America (Anisoptera: Gomphidae). Odonatologica 14(2): 89-99.
- Cooper, C.M. 1984. The freshwater bivalves of Lake Chicot, an oxbow of the Mississippi in Arkansas. The Nautilus 98:142-145.
- Cooper, J.M. 1994. Least Sandpiper (*Calidris minutilla*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 115. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Cope, E.D. 1869. A review of the species of the Plethodontidae and Desmognathidae. Proc. Acad. Nat. Sci. Philadelphia 21: 93-118.
- Cope, E.D. 1886. Synonymic list of the North American species of *Bufo* and *Rana*, with descriptions of some new species of *Batrachia*, from specimens in the National Museum. Proc. Amer. Philos. Soc. 23:514-526.
- Cope, E.D. 1887. The hyoid structure in the ambystomid salamanders. American Midland Naturalist. 21:87-88.
- Cope, E.D. 1889. The batrachia of North America. Bull. U. S. Nat. Mus. 34:1-525.
- Cope, James B.; Whitaker, John O. Jr.; Gummer, Sherry L. 1991. Duration of bat colonies in Indiana. Proceedings of the Indiana Academy of Science. 99:199-201.
- Cope, J.B.; Humphrey, S.R. 1977. Spring and autumn swarming behavior in the Indiana bat, *Myotis sodalis*. Journal of Mammalogy. 58(1):93-95.
- Cope, James B.; Richter, Andreas R.; Mills, Richard S. 1973. A summer concentration of the Indiana bat, *Myotis sodalis*, in Wayne County, Indiana. Indiana Academy of Science. 83:482-484.
- Costa, R.; Stevens, E.E.; McKay N.T.; Engstrom, R.T. 1996. A bibliographic resource for the red-cockaded woodpecker. National Fish and Wildlife Foundation, Washington, D.C. 105p.

- Coulter, M.C.; Rodgers, J.A.; Ogden, J.C.; and Depkin, F.C. 1999. Wood Stork (*Mycteria americana*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 409. The Birds of North America, Inc., Philadelphia, PA.
- Cram, D.S.; Masters, R.E.; Guthery, F.S.; Engle, D.M.; Montague, W.G. 2002. Northern Bobwhite population and habitat response to pine-grassland restoration. *Journal of Wildlife Management*. 66:1031-1039.
- Crandall, K.A.; Fitzpatrick, J.F., Jr. 1996. Crayfish molecular systematics: using a combination of procedures to estimate phylogeny. *Sys. Biol.* 45(1): 1-26.
- Creaser, E. P.; Ortenburger, A.I. 1933. The decapod crustaceans of Oklahoma. University of Oklahoma Biological Survey Publication. 5(2):13-47.
- Cross, Frank B. and Joseph T Collins. 1995. Fishes in Kansas. University of Kansas Press, Lawrence. 315pp.
- Crump, B.G. 18 June 2003. Species Viability Evaluation (SVE) Species List Compilation from ANHI, OKHI, OOHA, TNC, ONF PETS, Endemics and locally rare species lists.
- Csiki, I., C. Lam, A. Key, E. Coulter, J. D. Clark, R. M. Pace III, K. G. Smith, and D. D. Rhoads. 2003. Genetic variation in black bears in Arkansas and Louisiana using microsatellite DNA markers. *Journal of Mammalogy* 84:691-701.
- Cummings, K.S.; Mayer C.A. 1992. Field guide to freshwater mussels of the midwest. Illinois Natural History Survey Manual 5.
- Cundall, D.; Beaupre, S.J. 2001. Field records of predatory strike kinematics in timber rattlesnakes, *Crotalus horridus*. *Amphibia-Reptilia* 22:492-498.
- Dames and Moore. 1977. Mussel populations in the White River near the Independence Steam Electric Station site. Arkansas Power and Light Co., Little Rock. 10 pp. 194 p.
- Davidson, C.L. 1997. Analysis of mussel beds in the Little Missouri and Saline rivers, Blue Mountain, Ozark and Dardenelle lakes, Arkansas. M.S. thesis, Dept. Biological Sciences, Arkansas State University, State University, AR. 156 p.
- Davidson, C.L. and S.A. Clem 2004. The freshwater mussel (Bivalvia:Unionacea) resources in a selected segment of the Saline River: Location, Species composition and status of mussel beds. Addendum 2 Arkansas Highway 15 to Felsenthal National Wildlife Refuge. Final Report to AGFC. 26 pp.
- Davidson, C.L.; Gosse, D. 2001. Status and distribution of freshwater mussels (Bivalvia: Unionacea) inhabiting the Saline River/Holly Creek Bottoms area, Saline County, Arkansas. Prepared for the Nature Conservancy in cooperation with ALCOA. Little Rock,
- Davidson, C.L.; Harp, G.L.; Harris, J.L. 1997. A survey of Mollusca (Bivalvia: Unionacea) inhabiting Myatt Creek, Fulton County, Arkansas. *Proceedings of the Arkansas Academy of Science*. 51:193-196.
- Davidson, C.L.; Stoeckel, J.N.; Hilburn, C. 2000. Location and notes on freshwater mussels (Bivalvia: Unionacea) inhabiting Big Piney Creek within the Ozark-St. Francis National Forest, Arkansas. *Annual Proc. Texas Chapter, American Fisheries Soc.* 22:19-2

- Davis, W.E., Jr. 1993. Black-crowned Night-Heron (*Nycticorax nycticorax*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 74. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Davis, B.J.; Hollenback, H. 1978. New records for the bird-voiced treefrog, *Hyla avivoca* (Hylidae), from Arkansas and Louisiana. Southwestern Naturalist. 23:161-162.
- Davis, Wayne H.; Lidicker, William Z. 1955. *Myotis subulatus leibii* in Missouri. Journal of Mammalogy. 36(2):288-289.
- Davis, Wayne H.; Lidicker, William Z. Jr.; Sealander, John A., Jr. 1955. *Myotis austroriparius* in Arkansas. Journal of Mammalogy. 36(2):288.
- DeGraaf, R.M. 1991. Effects of Even-Aged Management on Forest Birds at Northern Hardwood Stand Interfaces. Forest Ecology and Management; Vol. 47, Nos.1/4: 95-110.
- Dellinger, S.C.; Black, J.D. 1938. Herpetology of Arkansas: part one, the reptiles. Occas. Pap. Univ. Arkansas Mus. No. 1: 1-47.
- Dellinger, S.C.; Black, J. D. 1940. Notes on Arkansas Mammals. Journal of Mammalogy. 21:187-191.
- Dickson, J.G.; Conner, R.N.; Williamson, J.H. 1983. Snag Retention Increases Bird Use of a Clear-Cut. Journal of Wildlife Management 47(3): 799-803.
- Dimmick, R.W.; Gudlin, M.J.; McKenzie, D.F. 2002. The Northern Bobwhite Conservation Initiative. Miscellaneous publication of the Southeastern Association of Fish and Wildlife Agencies, South Carolina. 96.
- Dodd, C.K. 1980. Notes on the feeding behavior of the Oklahoma salamander, *Eurycea tynnerensis* (Plethodontidae). Southwestern Naturalist. 25:111-113.
- Dodd, C.K. 1982. Correction: *Typhlotriton speleaus* not *Eurycea tynnerensis*. Southwestern Naturalist. 27:367-368.
- Douglas, Neil H. 1972. *Noturus taylori*, a new species of madtom (Pisces, Ictaluridae) from the Caddo River, southwest Arkansas. Copeia. 1972(4):785-789.
- Dowling, H.G. 1956. Geographic relations of Ozarkian amphibians and reptiles. Southwestern Naturalist. 1:174-189.
- Dowling, H.G. 1957. A review of the amphibians and reptiles of Arkansas. Occas. Pap. Univ. Arkansas Mus. No. 3. 51 pp.
- Duncan, R.; Highton, R. 1979. Genetic relationships of the eastern large Plethodon of the Ouachita Mountains. Copeia 1979:95-110.
- Dundee, H.A. 1958. Habitat selection by aquatic plethodontid salamanders of the Ozarks with studies on the life histories. Ph.D. Dissertation. Univ. Michigan. Ann Arbor. 185 pp.
- Dundee, H.A. 1965a. *Eurycea multiplicata*. Cat American Amphib. Rept. 21.1-21.2.

- Dundee, H.A. 1968. First records of the four-toed salamander, *Hemidactylium scutatum*, in Mississippi with comments on its disjunct distribution in Arkansas and Louisiana. *J. Herpetol.* 1:101-103.
- Dundee, H.A.; Rossman, D.A. 1989. *The Amphibians and Reptiles of Louisiana*. Louisiana State Univ. Press, Baton Rouge. 300 pp.
- Dunivan, James D.; Tumlison, C. Renn; McDaniel, V. Rick. 1982. Cave fauna of Arkansas: further records. *Arkansas Academy of Science Proceedings.* 36:87-88.
- Dunn, E.R. 1926. *The Salamanders of the Family Plethodontidae*. Smith College. Northampton, Massachusetts. 446 pp.
- Dunn, E.R.; Heinze, A.E. 1933. A new salamander from the Ouachita Mountains. *Copeia* 1933:121-122.
- Dunning, Jr., J.B.; 1993. Bachman's Sparrow. *The Birds of North America*, No. 38; [Poole, A.; Stettenheim, P.; Gill, F., eds.] Philadelphia: The Academy of Natural Sciences; Washington, DC. The American Ornithologists' Union.
- Dunning, Jr., J.B.; Borgella, Jr., R.; Clements, K.; Meeffe, G.K. 1995. Patch Isolation, Corridor Effects, and Colonization by a Resident Sparrow in a Managed Pine Woodland. *Conservation Biology.* 9: 542-550.
- Echelle, A.A.; Schnell, G.D. 1976. Factor analysis of species associations among fishes of the Kiamichi River, Oklahoma. *Amer. Fish. Soc.* 105(1): 17-31.
- Ecological Consultants, Inc. 1984. *Handbook of the mussels of the St. Francis, White and Cache rivers, Arkansas and Missouri. Supplement to the Final Report (Contract No. DACW66-78-C-0147), U.S. Army Corps of Engineers, Memphis District.* 62 pp.
- Elder, William H.; Gunier, Wilbur J. 1978. Sex ratios and seasonal movements of Gray Bats in Southwestern Missouri and adjacent states. *American Midland Naturalist.* 99(2):463-472.
- Elder, W.H.; Gunier, W.J. 1981. Dynamics of a gray bat population (*Myotis grisescens*) in Missouri. *American Midland Naturalist.* 105(1):193-195.
- Eley, R.; Randolph, J.; Carroll, J. 1981. A comparison of pre-and post-impoundment fish populations in the Mountain Fork River in southeastern Oklahoma. *Proceedings of the Oklahoma Academy of Science.* 61: 7-14.
- Elliot, W.R. 1994. Conservation of western Oklahoma bat caves. *Oklahoma Underground.* 17:44-53.
- Elphick, C.S.; and Klima, J. 2002. Hudsonian Godwit (*Limosa haemastica*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 629. The Birds of North America, Inc., Philadelphia, PA.
- Elphick; C.S.; and Tibbitts, T.L. 1998. Greater Yellowlegs (*Tringa melanoleuca*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 355. The Birds of North America, Inc., Philadelphia, PA.
- Elrod, D. A., E. G. Zimmerman, P. D. Sudman, and G. A. Heidt. 2000. A new subspecies of pocket gopher (genus *Geomys*) from the Ozark Mountains of Arkansas with comments on its historical biogeography. *Journal of Mammalogy* 81:852-864

- Emst, C.H. 1992. Venomous Reptiles of North America. Smithsonian Institution Press, Washington, D. C. 236 pp.
- Engel, James M. 1976. The Indiana bat, *Myotis sodalis*, a bibliography. Washington, DC: US Fish and Wildlife Service; Special Scientific Report—Wildlife No. 196.
- Erdle, S.Y.; Hobson, C.S. 2001. Current status and conservation strategy for the eastern small-footed *Myotis* (*Myotis leibii*). Richmond, VA: Virginia Department of Conservation and Recreation, Division of Natural Heritage; Natural Heritage Technical Report.
- Ernst, C.H. 2002a. *Regina septemvittata*. Cat. Amer. Amphib. Rept. 757.1-757.5.
- Evans, K.E.; Kirkman, R.A. 1980. Guide to Bird Habitats of the Ozark Plateau. U. S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. Gen.Tech NC-68.
- Evans Ogden, L.J.; and Stutchbury, B.J. 1994. Hooded Warbler (*Wilsonia citrina*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 110. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Farris, J.L., J.H. Seagraves and J.L. Harris. 2003. Reproductive biology and habitat characterization of the federally endangered freshwater mussel, *Arkansia wheeleri* in the Little and Ouachita Rivers, Arkansas. Final Report. U.S. Fish and Wildlife Service. 41 pp. + append.
- Federal Register, November 23,1998. Endangered and Threatened Wildlife and Plants; Final Rule to List the Arkansas River Basin Population of the Arkansas River Shiner (*Notropis girardi*) as Threatened. 63 FR 225: 64772-64799.
- Federal Register, June 23,1999. Endangered and Threatened; Revision of Species Candidate List Under the Endangered Species Act. 64 FR 120: 33466-33468.
- Fesperman, W. 1986. Geographic Distribution. *Pseudacris streckeri streckeri*. Herpetol. Rev. 17:91.
- Fetzner, J.W., Jr. 1993. Biochemical systematics of the crayfish genus *Orconectes*: relationships among subgenera. M.S. Thesis. Southern Illinois Univ. Carbondale.
- Figg, Dennis E.; Lister, Kenneth B. 1989. Status and distribution of the Ozark big-eared bat (*Plecotus townsendii ingens*) in Missouri.
- Filipek, S. Ecobasins defined. Aquatic habitat team meeting. October 12, 2004
- Finch, D.M. 1991. Population Ecology, Habitat Requirements, and Conservation of Neotropical Birds. GTR RM-205. Fort Collins, CO. U. S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 26p.
- Finch, D.M.; Stangel, P.W. 1993. Status and management of neotropical migratory birds. GTR RM-229. Fort Collins, CO. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 422 p.
- Finnell, J.C.; Jenkins; R.M.; Hall, G.E. 1956. The fishery resources of the Little River system, McCurtain County, Oklahoma. Fish. Res. Lab. No. 55. Norman, OK. 82 p.

- Flint, O.S., Jr. 1967. The first record of the Paduniellini in the New World. Proc. Entomol. Soc. Wash. 69(4):31-311.
- Fitch, H.S. 1955. Habits and adaptations of the Great Plains skink (*Eumeces obsoletus*). Ecol. Monogr. 25:59-83.
- Fitch, H.S. 1985. Variation in clutch and litter size in New World reptiles. Univ. Kansas Mus. Nat. Hist. 76:1-76.
- Fitch, H.S.; Pisani, G.R. 1993. Life history traits of the western diamondback rattlesnake (*Crotalus atrox*) studied from roundup samples in Oklahoma. Univ. Kansas Mus. Nat. Hist. Occ. Pap. No. 156:1-24.
- Fitzgerald, J.A. 2000. Partners in Flight Bird Conservation plan for The Ozark/Ouachitas (Physiographic Area 19). 81p. ALLBIRDS
- Fitzpatrick, J.F., Jr. 1965. A new subspecies of the crawfish *Orconectes leptogonopodus* from the Ouachita River drainage in Arkansas. Tulane Studies in Zoology 12(3): 87-91.
- Fitzpatrick, J.F., Jr. 1987. The subgenera of the crawfish genus *Orconectes* (Decapoda: Cambaridae). Proc. Biol. Soc. Wash. 100: 44-74.
- Fitzpatrick, John W.; Lammertink, Matjan; Luneau, Jr., M. David; Gallagher, Tim W., and others. 2005. Ivory-Billed Woodpecker (*Campephilus principalis*) persists in continental North America. Scienceexpress. 28 April 2005.
- Fletcher, Milford R. 1985. Endangered bat protection at Buffalo National River, Arkansas. Missouri Speleology. 25(1-4):147-150.
- Fletcher, M.D.; Cochran, B.G.; Trauth, S.E.; Saugey, D.A. 1992. Distribution of the southern red-backed salamander, *Plethodon serratus* (Caudata: Plethodontidae), in the Ouachita Mountain region of Arkansas. Proceedings of the Arkansas Academy of Science.
- Floyd, T.M. 2003. Effects of prescribed fire on herpetofauna within hardwood forests of the Upper Piedmont of South Carolina. M.S. Thesis, Clemson University, SC. 127p.
- Ford, N.B. 1982. Courtship behavior of the queen snake, *Regina septemvittata*. Herpetol. Rev. 13:72.
- Ford, W.M.; Russell, K.R.; Moorman, C.E., eds. 2002. Proceedings: the role of fire for nongame wildlife management and community restoration: traditional uses and new directions; 2000 September 15; Nashville, TN. Gen. Tech. Rep. NE-288. Newton Square, PA:
- Foster, Garry W.; Humphrey, Stephen R.; Humphrey, Pamela P. 1978. Survival rate of young southeastern brown bat, *Myotis austroriparius*, in Florida. Journal of Mammalogy. 59(2):299-304.
- Foti, T.L.; Bukenhofer, G.A. 1998. A description of the sections and subsections of the Interior Highlands of Arkansas. Proceedings of the Arkansas Academy of Science. 52:53-62.

- Foti, T.L. and J.M. Guldin. 1994. Multivariate analysis of the ground cover layer, shrub layer, and midstory and overstory of the Ozark/Ouachita National Forests. Pp. 61-73 in J. Baker, comp. 1994. Proc. Symposium on Ecosystem Management in the Ouachita M
- Foti, T. L. 2005. Terrestrial Habitat Committee meeting. August 5, 2005. Tom Foti, Elizabeth Murray, Duzan, Jeff Johnston and Jane Anderson. Little Rock, Arkansas
- Foti, T. L. 2005. Terrestrial Habitat Committee meeting. February 8, 2005. Tom Foti, Ken Smith, Jeff Holmes, Jeff Johnston and Jane Anderson. Little Rock, Arkansas
- Fowler, H.W.; Dunn, E.R. 1918. Notes on salamanders. Proc. Acad. Nat. Sci. Philadelphia 69:7-28.
- Frazer, K.S. and S.C. Harris. 1991. Cladistic analysis of the *Ochrotrichia shawnee* group (Trichoptera: Hydroptilidae) and description of a new member from the Interior Highlands of northwestern Arkansas. J. Kansas Entomol. 64(4):363-371.
- Frederick, P.C.; and Siegel-Causey, D. 2000. Anhinga (*Anhinga anhinga*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 522. The Birds of North America, Inc., Philadelphia, PA.
- Fuller, S.L.H. 1974. Macroinvertebrates in Environmental Impact Statement for Independence Steam Electric Station site. Arkansas Eastman Co., Little Rock. 120 pp.
- Fulmer, T.; Tumilson, R. 2002. Geographic Distribution. *Hyla avivoca*. Herpetol. Rev. 33: 220.
- Gagen, C.J.; Standage, R.W.; Stoeckel, J. N. 1998. Ouachita madtom (*Noturus lachneri*) metapopulation dynamics in intermittent Ouachita mountain streams. Copeia. (4): 874-882.
- Gagen, C.J.; Stoeckel, J. N. 1994. Dry season habitat use and reproductive biology of the Ouachita madtom. Final project report to U.S. Forest Service. Hot Springs. 26 p.
- Gagen, Charlie J. and Joseph N. Stoeckel. 1994. Dry season habitat use and reproductive biology of the Ouachita madtom. Final report for USDA Forest Service, Ouachita National Forest. Hot Springs, Arkansas. 26pp.
- Gann, J. and R. Tumilson. 2004. Geographic distribution: *Terrapene ornata*. Herp. Review 35(4):407.
- Gardner, James Eugene. 1978a. Activity patterns of bats in the Delta Region of Northeast Arkansas. Jonesboro: Arkansas State University.
- Gardner, James E.; McDaniel, R. Rick. 1978. Distribution of bats in the Delta Region of Northern Arkansas. Proceedings of the Arkansas Academy of Science. 32:46-48.
- Gardner, James E.; Hofmann, Joyce E.; Garner, James D. 1989. Progress Report: 1988 investigations of *Myotis sodalis* (Indiana bat) distribution, abundance, habitat use, and status in Illinois.

- Gardner, James E.; Garner, James D.; Hofmann, Joyce E. 1990. Summer roost selection by *Myotis sodalis*. Bat Research News. 79.
- Gardner, James E.; Garner, James D.; Hofmann, Joyce E. 1991. Summer roost selection and roosting behavior of *Myotis sodalis* (Indiana bat) in Illinois. Final Report.
- Gardner, James E.; Hofmann, Joyce E.; Garner, James D. 1996. Summer distribution of the federally endangered Indiana bat (*Myotis sodalis*) in Illinois. Transactions of the Illinois State Academy of Science. 89(3):187-196.
- Garland, Diana A.; Heidt, Gary A. 1989. Distribution and status of shrews in Arkansas. Proceeding Arkansas Academy of Science. 43:35-38
- Garner, James D. 1990. Determination of summer distribution and habitat utilization of the Indiana bat (*Myotis sodalis*) in Illinois. Bat Research News.
- Garton, J.S.; Harris, E.W.; Brandon, R.A. 1970. Descriptive and ecological notes on *Natrix cyclopion* in Illinois. Herpetologica 26:454-461.
- Gates, E.E. 1977. More on the earthworm genus *Diplocardia*. Megadrilogica 3(1):1-47.
- George, S.G.; Slack, W.T.; Douglas, N.H. 1996. Demography, habitat, reproduction, and sexual dimorphism of the crystal darter, *Crystallaria asprella*, from south-central Arkansas. Copeia 1996: 68-78.
- Gibbs, J.B.; Faaborg, J. 1990. Estimating the Viability of Ovenbird and Kentucky Warbler Populations in Forest Fragments. Conservation. Biology. 4:193-196.
- Gibbs, J.P.; Melvin, S.; and Reid, F.A. 1992. American Bittern. In: Poole, A.; Stettenheim, P.; and Gill, F., eds. The Birds of North America, No. 18. Philadelphia: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union.
- Gibbs, J.P.; Reid, F.A.; and Melvin, S.M. 1992. Least Bittern. In: Poole, A.; Stettenheim, P.; and Gill, F., eds. The Birds of North America, No. 17. Philadelphia: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union.
- Gill, F.B.; Canterbury, R.A.; and Confer, J.L. 2001. Blue-winged Warbler (*Vermivora pinus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 584. The Birds of North America, Inc., Philadelphia, PA.
- Goodrich, C.; van der Schalie, H. 1944. A revision of the Mollusca of Indiana. American Midland Naturalist. 32:257-326.
- Gordon, M.E. 1979. Mollusca of the Illinois River, Arkansas. Proceedings of the Arkansas Academy of Science. 33:35-37.
- Gordon, M.E. 1980. Freshwater mollusca of the Elk River, White River above Beaver Reservoir, and Frog Bayou Drainages of the southwestern Ozarks. M.S. thesis, Dept. Zoology, Univ. Arkansas, Fayetteville. 265 pp.
- Gordon, M.E. 1980a. Recent mollusca of Arkansas with annotations to systematics and zoogeography. Proceedings of the Arkansas Academy of Science. 34:58-62.

- Gordon, M.E. 1982. Mollusca of the White River, Arkansas and Missouri. Southwestern Naturalist. 27(3):347-352.
- Gordon, M.E. 1985. Mollusca of Frog Bayou, Arkansas. The Nautilus 99(1):6-9.
- Gordon, M.E.; Brown A.V. 1980. Significant additions to the molluscan fauna of the Illinois River, Arkansas. Proceedings of the Arkansas Academy of Science. 34:113-114.
- Gordon, M.E.; Harris, J.L. 1983. Distribution and status of fourteen species of freshwater mussels considered rare or endangered in Arkansas. Arkansas Natural Heritage Commission, Little Rock. Project #G6301. 23 pp. + appendices I-II.
- Gordon, M.E.; Harris, J.L. 1985. Distribution of *Lampsilis powelli* (Lea) (Bivalvia: Unionacea). The Nautilus 99(4): 142-144.
- Gordon, M.E.; Kraemer, L.R. 1984. *Lampsilis reeveiana* and *Lampsilis streckeri* (Bivalvia: Unionacea): some clarification. Malacological Review 17:99-100.
- Gordon, M.E.; Brown, A.V.; Kraemer, L.R. 1979. Mollusca of the Illinois River, Arkansas. Proceedings of the Arkansas Academy of Science. 33:35-37.
- Gordon, M.E.; Kraemer, L.R.; Brown, A.V. 1980. Unionacea of Arkansas: historical review, checklist, and observations on distributional patterns. Bull. Am. Malacol. Union, Inc. 1979:31-37.
- Gordon, M.E.; Chordas III, S.W.; Harp, G.L.; Brown, A.V. 1994. Aquatic Mollusca of the White River National Wildlife Refuge, Arkansas, U.S.A. Walkerana. 1993-1994, 7(17/18):1-9.
- Grady, J.M.; LeGrande, W.H. 1992. Phylogenetic relationships, modes of speciation and historical biogeography of the madtom catfishes, genus *Noturus* Rafinesque (Siluriformes: Ictaluridae). In: R.L. Mayden, ed. North American freshwater fishes. Stanford Univ.
- Graening, Gary O, Horton H. Hobbs III, Michael E. Slay, Brian K. Wagner, and Charles L. Brickey. In progress. Status update of the endangered Hell Creek Cave crayfish, *Cambarus zophonastes* (Decapoda: Cambaridae). The Nature Conservancy, Arkansas Field Office.
- Graening, G. O.; Slay, M.; Brown, A. 2001. Subterranean biodiversity in the Ozark Plateaus of Arkansas. Section 6 Report to AGFC.
- Graham, Gary L. 1976. A western extension of the southeastern shrew, *Sorex longirostris* (Soricidae). Southwestern Naturalist. 21(3):405.
- Graham, R.T.; McCaffrey, S., Jain, T.B. (tech eds.) 2004. Science basis for changing forest structure to modify wildfire behavior and severity. Gen. Tech. Rep. RMRS-GTR-120. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Stat.
- Grandmaison, David, Mayasich; J. and Etnier D. 2003. Crystal darter status assessment report. NRRI Technical Report # NRRI/TR-2003/19. 37pp+figures.
- Gratto-Trevor, C.L. 1992. Semipalmated Sandpiper (*Calidris pusilla*). The Birds of North America Online. Poole, A. ed. Ithaca: Cornell Laboratory of Ornithology; Retrieved from The Birds of North American Online database: http://bna.birds.cornell.edu/BNA/demo/account/Semipalmated_Sandpiper/.

- Graves, Gary R. 2002. Habitat characteristics in the core breeding range of the Swainson's Warbler. *Wilson Bulletin* 114(2):210-220.
- Graves, Frank F. Jr.; Harvey, Michael J. 1974. Distribution of Chiroptera in western Tennessee. *Journal of the Tennessee Academy of Science*. 49(3):106-109.
- Graves, R. C., and D. L. Pearson. 1979. The tiger beetles of Arkansas, Louisiana, and Mississippi (Coleoptera: Cicindelidae). *Transactions of the American Entomological Society* 99: 157-203.
- Greenlaw, J.S. 1996. Eastern Towhee (*Pipilo erythrophthalmus*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 262. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Gregory, S.V.; Swanson, F.J.; McKee, M.A.; Cummins, K.W. 1991. An ecosystem perspective of riparian zones: focus on links between land and water. *Bioscience* 41(8):540-550.
- Griffith, M.B.; Perry, S.A.; Perry, W.B. 1994. Secondary production of macroinvertebrate shredders in headwater streams with different baseflow alkalinity. *J. North Am. Benthol. Soc.* 13:345-356.
- Grigsby, Everett Monroe. 1980. The gray bat, *Myotis grisescens*, in the southwest portion of the Ozark plateau: movement patterns, maternity colonies, hibernacula and philopatry: University of Oklahoma.
- Grigsby, Everett M.; Puckette, William L.; Martin, Keith W. 1993. Comparative numbers of gray bats (*Myotis grisescens*) at four maternity caves in Northeastern Oklahoma in 1981 and 1991. *Proceedings Oklahoma Academy of Science*. 73:35-37.
- Grobman, A.B. 1944. The distribution of the salamanders of the genus *Plethodon* in eastern United States and Canada. *Ann. New York Acad. Sci.* 45:261-316.
- Gunier, W.J. 1970. Ecological behaviour and homing ability of the gray bat (*Myotis grisescens*) with a review of banding techniques. Kirksville, MO: Northeast Missouri State College.
- Guthrie, Mary J. 1933. Notes on the seasonal movements and habits of some cave bats. *Journal of Mammalogy*. 14(1):1-19.
- Guyette, R.P.; Spetich, M.A. 2003. Fire history of oak-pine forests in the Lower Boston Mountains, Arkansas, USA. *Forest Ecology and Management* 180:463-474.
- Hackney, C.T., S.M. Adams, and W.H. Martin. 1992. Biodiversity of the southeastern United States: aquatic communities. John Wiley. NY 779 p.
- Haggerty, T.M. 1988. Aspects of the Breeding Biology and Productivity of Bachman's Sparrow in Central Arkansas. *Wilson Bulletin*. 100(2): 247-255.
- Haig, Susan M., and Elliott-Smith, E. 2004. Piping Plover. *The Birds of North America Online*. Poole, A. ed. Ithaca: Cornell Laboratory of Ornithology; Retrieved from *The Birds of North American Online database*: http://bna.birds.cornell.edu/BNA/account/Piping_Plover/.

- Hall, John S. 1962. A life history and taxonomic study of the Indiana bat, *Myotis sodalis*. Reading, PA: Reading Public Museum and Art Gallery; Scientific Publication Number 12.
- Hall, E. R. 1981. The Mammals of North America, Vols. I & II. John Wiley & Sons, New York, New York. 1181 p.
- Hall, J.S.; Wilson, N. 1966. Seasonal populations and movements of the Gray bat in the Kentucky area. *American Midland Naturalist*. 75(2):317-324.
- Hamel, Paul B. 1992. Land manager's guide to the birds of the South. The Nature Conservancy, Southeastern Region, Chapel Hill, NC. 437 pages.
- Hamel, Pual B. 2000. Cerulean Warbler (*Dendroica cerulea*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 511. The Birds of North America, Inc., Philadelphia, PA.
- Hamlett, B.E.; Strecker, A.G.; Trauth, S.E. 1998. Caudal courtship glands in the cave salamander, *Eurycea lucifuga* (Caudata: Plethodontidae). *Proceedings of the Arkansas Academy Science*. 52:124-128.
- Hanebrink, E.; Byrd, W. 1986. Species composition and diversity of water snake (*Nerodia* sp.) populations in northeastern Arkansas. *Bull. Chicago Herpetol. Soc.* 21:72-78.
- Hanners, L.A.; and Patton, S.R. 1998. Worm-eating Warbler (*Helminthos vermivorus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 367. The Birds of North America, Inc., Philadelphia, PA.
- Hardin, K.I.; Baskett, T.S.; Evans, K.E. 1982. Habitat of Bachman's Sparrows Breeding on Missouri Glades. *Wilson Bulletin*. 94(2): 208-212.
- Hardin, K.I.; Probasco, G.E. 1983. The Habitat Characteristics and Life Requirements of Bachman's Sparrow. *Birding* 15(4/5): 189-197.
- Hardy, L.M.; Raymond, L.R. 1980. The breeding migration of the mole salamander, *Ambystoma talpoideum*, in Louisiana. *J. Herpetol.* 14:327-335.
- Hargrave, Chad W. 1998. Status of Arkansas Darter (*Etheostoma cragini*) and Least Darter (*Etheostoma microperca*) in Arkansas. Arkansas Cooperative Fish and Wildlife Research Unit, Fayetteville. Publication #30. 113pp.
- Harris, J.L. 1986. Relocation of the fat pocketbook pearly mussel (*Proptera capax*) in the St. Francis River at Madison, Arkansas. Performed in cooperation with the Arkansas Game and Fish Commission, Little Rock. 14 p.
- Harris, J.L. 1987. Survey of mussel beds in the White River between river miles 90-94 and 240-243. Prepared for Mobley Construction Company, Inc., Morrilton, AR. 40 p.
- Harris, J.L. 1989a. Survey of mussels in the Black River at proposed Soil Conservation Service work site LA-1 near Clover Bend, Lawrence County, Arkansas. Prepared for the USDA Soil Conservation Service, Little Rock, AR. 7 p.
- Harris, J.L. 1989b. Mussel survey of the Ouachita River near Arkadelphia, Clark County, Arkansas in the vicinity of the proposed Bowater Paper Plant. Prepared for Sirrene Environmental Consultants, Greenville, SC. 19 p.

- Harris, J.L. 1989c. Mussel survey of the Caddo River below the DeGray Reservoir reregulating dam near Caddo Valley, Clark County, Arkansas. Prepared for JDJ Energy Co., Inc., Little Rock, AR. 11 p.
- Harris, J.L. 1989d. Mussel survey of the White River at DeValls Bluff at the proposed Arkansas Game and Fish Commission boat ramp. Prepared for the Arkansas Game and Fish Commission, Little Rock, AR. 8 p.
- Harris, J.L. 1990a. Survey of the St. Francis River for the endangered fat pocketbook (*Potamilus capax*) at the proposed crossing for the Oklahoma - Arkansas pipeline project, St. Francis County, Arkansas. Prepared for Woodward - Clyde Consultants, Houston.
- Harris, J.L. 1990b. Survey of Tulot Seep Ditch and Ditch 60 for the fat pocketbook (*Potamilus capax*) in the vicinity of Trumann, Poinsett County, Arkansas. Prepared for Crist Engineers, Inc., Little Rock, AR. 14 p.
- Harris, J.L. 1990c. Survey of the White River for endangered mussels at the proposed crossing for the Oklahoma - Arkansas pipeline project, White - Woodruff counties, Arkansas. Prepared for Woodward - Clyde Consultants, Houston, TX. 11 p.
- Harris, J.L. 1991a. Survey for *Lampsilis powelli* at Site 2, South Fork Watershed Project, Montgomery County, Arkansas. Prepared for U.S. Department of Agriculture, Soil Conservation Service, Little Rock, AR. 18 p.
- Harris, J.L. 1991b. Survey for *Lampsilis streckeri* in the Middle Fork Little Red River at the proposed NOARK pipeline crossing, Van Buren County, Arkansas. Prepared for ENSR Consulting and Engineering, Houston, TX. 10 p.
- Harris, J.L. 1991c. A mussel survey of Lake Dardanelle in the vicinity of the proposed River Mountain Pumped Storage Project. Prepared for CPS Arkansas, Inc., Greenwich, CT. 19 p.
- Harris, J.L. 1991d. Survey for *Lampsilis rafinesqueana* in the Illinois River at the proposed Siloam Springs water intake structure. Prepared for McClelland Consulting Engineers, Inc., Fayetteville, AR. 10 p.
- Harris, J.L. 1992a. Status of *Lampsilis streckeri* in segments of the Middle, South, and Archey forks of the Little Red River, Stone and Van Buren Counties, Arkansas. Prepared for the U.S. Fish and Wildlife Service, Endangered Species Office, Jackson, MS.
- Harris, J.L. 1992b. Survey of the freshwater mussels (Mollusca: Unionidae) of the South Fourche LaFave River and major tributaries. Prepared for the U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs, AR. 18 p. + field notes.
- Harris, J.L. 1992c. Temporary relocation of the speckled pocketbook (*Lampsilis streckeri*) at the NOARK pipeline crossing, Middle Fork Little Red River, Van Buren County, Arkansas. Prepared for ENSR Consulting and Engineering, Houston, TX. 10 p. + Appendix
- Harris, J.L. 1993. Habitat characterization and species associates of the speckled pocketbook (*Lampsilis streckeri* Frierson) in the Middle Fork Little Red River, Arkansas. Prepared for the U.S. Fish and Wildlife Service, Endangered Species Office, Jackson, MS.

- Harris, J.L. 1994a. Microhabitat and population analysis of *Lampsilis powelli* (Lea, 1852) in the South Fork Ouachita River, Montgomery County, Arkansas. Prepared for U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs, AR. 26 p. + Appendices.
- Harris, J.L. 1994b. Survey of the freshwater mussels (Mollusca: Unionidae) of the Poteau River drainage in Arkansas. Prepared for the U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs, AR. 23 p. + Appendices.
- Harris, J.L. 1994c. Mussel survey of the White River between river miles 260.0 - 264.0 in Independence and Jackson counties, Arkansas. Prepared for Mobley Construction Co., Inc., Morrilton, AR. 11 p.
- Harris, J.L. 1995. Mussel survey of the White River between river miles 264.0 - 274.0 near Oil Trough, Independence County, Arkansas. Prepared for Mobley Construction Co., Inc., Morrilton, AR. 14 p.
- Harris, J.L. 1996. The freshwater mussel resources of the Buffalo National River, Arkansas: Phase I qualitative survey: Location, species composition and status of mussel beds. Prepared for the U.S.D.I., Buffalo National River, Harrison, AR. 19 p. + Appendix.
- Harris, J.L. 1997a. A population assessment of recolonization by the fat pocket-book mussel of dredged habitat in the St. Francis Floodway, Arkansas. Final report to the U.S. Fish and Wildlife Service, Jackson, MS. 14 p. + appendices.
- Harris, J.L. 1997b. Status survey of *Lampsilis rafinesqueana* Frierson, the Neosho mucket, in Arkansas. Prepared for the U.S. Fish and Wildlife Service, Vicksburg, MS. 6 p. + Appendices.
- Harris, J.L. 1997c. Evaluation of impacts of commercial gravel dredging to three unionid bivalve aggregations in the White River, Arkansas. Prepared for Mobley Construction Co., Inc. 10 p. + Appendices A-C.
- Harris, J.L. 1999. Freshwater mussel survey: Carpenter-Remmel project, FERC No. 271. Final Report. Prepared for Entergy Arkansas, Inc. by Welch/Harris, Inc., Little Rock, AR.
- Harris, J.L. 1999a. Status of aquatic resources: aquatic animals and their habitats: diversity of mussels in U.S. Department of Agriculture, Forest Service Ozark-Ouachita Highlands Assessment: aquatic conditions. Report 3 of 5. Gen. Tech. Rep. SRS-33.
- Harris, J.L. 2001. Distribution and relative abundance of freshwater bivalves (Unionacea) in sections of the Fourche La Fave River and Petit Jean River, Arkansas. Report to U. S. Department of Agriculture, Ouachita National Forest, Hot Springs, AR. 18 p.
- Harris, J.L. 2001a. Freshwater mussel survey of Lower Buffalo Creek, St. Francis River Basin, Mississippi County, Arkansas. Prepared for Memphis District Corps of Engineers. 10 p.
- Harris, J.L. 2001b. Freshwater mussel survey of State Line Outlet Ditch, St. Francis River Basin, Mississippi County, Arkansas with population estimate for *Potamilus capax*. Prepared for Memphis District Corps of Engineers. 15 p.

- Harris, J.L. 2002. Freshwater mussel survey of the White River and Lafferty Creek, Arkansas in the vicinities of Lock and Dam 1, Lock and Dam 2, and Lock and Dam 3. Prepared for Crist Engineers, Inc., Little Rock, AR. 14 p. + Appendix A (field data sheets).
- Harris, J.L. 2002a. Translocation report of *Potamilus capax* (Green, 1832), fat pocketbook, for AHTD Job Number 110288, St. Francis River Structure and Approaches, U. S. Highway 64, Cross County, Arkansas. Environmental Division, Arkansas Highway & Transpo
- Harris, J.L. and Doster, R.H. 1992. Survey for the Arkansas fatmucket, *Lampsilis powelli* (Lea), in the Caddo River at Interstate 30, Clark County, Arkansas. Environmental Division, Arkansas Highway and Transportation Department, Little Rock. 10 pp. + appendi
- Harris, J.L. and Gordon, M.E. 1985. Survey of the Ouachita River in Arkadelphia, Arkansas for the endangered freshwater mussel *Lampsilis orbiculata* (Hildreth). Report prepared for Arkansas Louisiana Gas Company. 8 pp.
- Harris, J.L. and Gordon, M.E. 1987. Distribution and status of rare and endangered mussels (Mollusca: Margaritiferidae, Unionidae) in Arkansas. Proceedings Arkansas Academy of Science 41(1987):49-56.
- Harris, J.L. and Gordon, M.E. 1988. Status survey of *Lampsilis powelli* (Lea, 1852). Prepared for the U.S. Fish and Wildlife Service, Office of Endangered Species, Jackson, MS. 44 p. + Appendices.
- Harris, J.L. and Gordon, M.E. 1990. Arkansas Mussels. Arkansas Game and Fish Commission, Little Rock, AR. 32 p.
- Harris, J.L. and Milam, C.D. 2002a. Field identification notebook: mussels of the White River from Newport to the Arkansas River. Prepared for the Memphis District, U. S. Army Corps of Engineers, Memphis, TN. 100 p. + Appendix I.
- Harris, J.L. and Milam, C.D. 2002. Field identification notebook: mussels of the St. Francis River Basin Arkansas and Missouri. Prepared for the Memphis District, U. S. Army Corps of Engineers, Memphis, TN. 76 p. + Appendix I.
- Harris, J.L.; Doster, R.H.; and McLean, J. 1992. Relocation of the Arkansas fatmucket, *Lampsilis powelli* (Lea), at the U.S. Highway 270 bridge in Mt. Ida, Montgomery County, Arkansas. Final report prepared by the Environmental Division, Arkansas Highway and T
- Harris, J.L.; Rust, P.; and Chordas, III, S.W.; Harp, G.L. 1993. Distribution and population structure of freshwater mussels (Unionidae) in Lake Chicot, Arkansas. Proc. AR Acad. Sci. 47:38-43.
- Harris, J.L.; Rust, P.J.; Christian, A.D.; Posey, II, W.R.; Davidson, C.L.; and Harp, G.L. 1997. Revised status of rare and endangered Unionacea (Mollusca: Margaritiferidae, Unionidae) in Arkansas. J. AR Acad. Sci. 51:66-89.
- Harris, J.L., W.R. Hoeh, A.D. Christian, J. Walker, J.L. Farris, R.D. Johnson and M.E. Gordon. 2004. Species Limits and Phylogeography of Lampsilinae (Bivalvia; Unionoida) in Arkansas with Emphasis on Species of *Lampsilis*. Final Report. Arkansas Game and Fish Commission. 80 pp.

- Harris, R.N and Gill, D.E. 1980. Communal nesting, brooding behavior and embryonic survival of the four-toed salamander *Hemidactylium scutatum*. *Herpetologica* 36:141-144.
- Hart, C.W. and Jr.; Clark, J. 1989. An interdisciplinary bibliography of freshwater crayfishes (Astacoidea and Parastacoidea) from Aristotle through 1985. Smithsonian Institution Press. Washington, D.C.
- Harvey, M.J. 1975. Endangered Chiroptera of the southeastern United States. Proceedings of the 29th Annual Conference of the Southeastern Association of Game and Fish Commissioners; pp. 429-433.
- Harvey, M.J. 1975a. Status of endangered bats in the Blanchard Springs Caverns Area. 1st National Cave Management Symposium; pp. 63.
- Harvey, M.J. 1980. Status of the endangered bats, *Myotis sodalis*, *M. grisescens*, and *Plecotus townsendii ingens* in the southern Ozarks. Proceedings of the Fifth International Bat Research Conference; pp. 221-223.
- Harvey, M.J. 1984. Protection of endangered gray bat (*Myotis grisescens*) colonies in Arkansas. *Arkansas Academy of Science Proceedings*. 38:96.
- Harvey, M.J. 1987. Recent population declines and recovery efforts for the endangered Indiana bat, *Myotis sodalis*, in Arkansas and Tennessee. (3-4): 35.
- Harvey, M.J. 1991. Management of endangered bat caves in Arkansas. 1995 National Cave Management Symposium Proceedings; pp 150-154.
- Harvey, M.J. 1991a. Status of endangered bats in the eastern United States. 1991 National Cave Management Symposium Proceedings; Bowling Green, KY. pp 351-355.
- Harvey, M.J. 1994. Status of endangered gray bat (*Myotis grisescens*) hibernating populations in Arkansas. *Proceedings of the Arkansas Academy of Science*. 48:250-251.
- Harvey, M.J. 1996. Status and management of endangered bats in Arkansas. Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies. 50:246-253.
- Harvey, M.J. 1997. Status of bats in the United States. *American Caves*. 10(1):10-13.
- Harvey, M.J. and Barkley, S.W. 1990. Management of the Ozark big-eared bat, *Plecotus townsendii ingens*, in Arkansas. *Proceedings of the Arkansas Academy of Science*. 44:131.
- Harvey, M.J. and Clark, J.D. 1997. Imperiled Mammalian Fauna of Aquatic Ecosystems in the Southeast: A historical perspective. pp. 245-258.
- Harvey, M.J. and McDaniel, V.R. 1986. Population decline of the endangered Indiana bat, *Myotis sodalis*, in Arkansas. *Proceedings of the Arkansas Academy of Science*. 40:87-88.
- Harvey, M.J.; Kennedy, M.L.; Hardin, J.W. 1975. Status and movements of *Myotis grisescens* in the southern Ozarks. 6th North American Symposium on Bat Research; Las Vegas.

- Harvey, M.J.; Kennedy, M.L.; McDaniel, V.R. 1978. Status of the endangered Ozark big-eared bat in Arkansas. Arkansas Academy of Science Proceedings. 32:89-90.
- Harvey, M.J.; Cassidy, J.J.; O'Hagan, G.G. 1979. Status of the endangered bats, *Myotis sodalis*, *M. grisescens*, and *Plecotus townsendii ingens*, in Arkansas. Proceedings of the Arkansas Academy of Science. 33:81.
- Harvey, M. J.; MacGregor, J.R.; Currie, R.R. 1991. Distribution and status of Chiroptera in Kentucky and Tennessee. Journal of the Tennessee Academy of Science. 66(4):191-193.
- Hay, O.P. 1892. The batrachians and the reptiles of Indiana. Indiana Dept. Geol. Nat. Res., 17th Ann. Rept., pp. 409-602.
- Hayes, William A. and Rollin D. Riemer. 1977. *Faxonella blairi*, a new crawfish from the Red River drainage of Oklahoma and Arkansas. Proceedings of the Biological Society of Washington. 90(1):1-5.
- Heath, D.R; Heidt, G.A.; Saugey, D.A.; McDaniel, V.R. 1983. Arkansas range extensions of the seminole bat and eastern big-eared bat and additional county records for the hoary bat, silver-haired bat, and evening bat. Arkansas Academy of Science Proceedings.
- Heath, D.R.; Saugey, D.A.; Heidt, G.A. 1986. Abandoned mine fauna of the Ouachita Mountains, Arkansas: vertebrate taxa. Proceedings of the Arkansas Academy of Science. 40:33-36.
- Hebrard, J.J., Mushinsky, H.R. 1978. Habitat use by five sympatric water snakes from the central Atlantic Coast of Florida. Copeia 1981:886-889.
- Heidt, G.A.; Saugey, D.A; Bradford-Luck, S.R. 1987. Reported bat rabies in Arkansas. Proceedings of the Arkansas Academy of Science. 41:105-107.
- Heidt, G.A.; Elrod, D.A.; McDaniel, V.R. 1996. Biogeography of Arkansas mammals with notes on species of questionable status. Proceedings of the Arkansas Academy of Science. 50:60-65.
- Hendricks, L.J.; Kezer, J. 1958. An unusual population of a blind cave salamander and its fluctuation during one year. Herpetologica 14:41-43.
- Herbeck, L.A.; Semlitsch, R.D. 2000. Life history and ecology of the southern redback salamander, *Plethodon serratus*, in Missouri. J. Herpetol. 34:341-347
- Herkert, J.R.; Kroodsma, D.E.; and Gibbs, J.P. 2001. Sedge Wren (*Cistothorus platensis*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 582. The Birds of North America, Inc., Philadelphia, PA.
- Herkert, J.R.; Vickery, P.D.; and Kroodsma, D.E. 2002. Henslow's Sparrow (*Ammodramus henslowii*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 672. The Birds of North America, Inc., Philadelphia, PA.
- Herrock, J.E. 1986. A subsequent study of the fishes of the upper Ouachita River, from the headwaters to Rammel Dam. M.S. Thesis. Northeast Louisiana University. Monroe, LA. 96 p.

- Herrock, L.W. 1986. A subsequent study of the fishes of the Caddo River, west-central Arkansas. M.S. Thesis. Northeast Louisiana University. Monroe, LA. 108 p.
- Hershler, R and F.G. Thompson. 1987. North American Hydrobiidae (Gastropoda:Rissoacea): redescription and the systematic relationships of TRYONIA Stimpson, 1865 and PYRGULOPSIS Call and Pilsbry, 1886. *The Nautilus* 101(1):25-32.
- Highton, R. 1962a. Revision of North American salamanders of the genus *Plethodon*. *Bull. Florida State Mus., Biol. Ser.* 6:235-367.
- Highton, R. 1989. Part I, Geographic protein variation. Pp. 1-76. In *Biochemical Evolution in the Slimy Salamanders of the Plethodon glutinosus Complex in the Eastern United States.* (R. Highton, G.C. Maha, and L.R. Maxon, ads.). Illinois Biol. Monogr. No.
- Highton, R. 1997. Geographic protein variation and speciation in the *Plethodon dorsalis* complex. *Herpetologica* 53:345-366.
- Highton, R.; Webster, T.P. 1976. Geographic variation and divergence in populations of the salamander *Plethodon cinereus*. *Evolution* 30:33-45.
- Hobbs, H.H., Jr. 1968. Crustacea: Malacostraca. Pages K-1—K-36 in F. K. Parrish, *Keys to water quality indicative organisms. (southeastern United States).* Federal Water Pollution Control Administration, U. S. Department of the Interior.
- Hobbs, H.H., Jr. 1969. On the distribution and phylogeny of the crayfish genus *Cambarus*. Pages 93-178 in P. C. Holt, R. L. Hoffman, and C. W. Hart, Jr., eds. *The distributional history of the biota of the Southern Appalachians. Part I: Invertebrates.* Virg
- Hobbs, H.H., Jr. 1972a. Crayfishes (Astacidae) of north and middle America. U.S. Environmental Protection Agency Biota of Freshwater Ecosystems Identification Manual 9.
- Hobbs, H.H., Jr. 1972b. The subgenera of the crayfish genus *Procambarus* (Decapoda: Astacidae). *Smithsonian Contributions to Zoology* 117: 1-22.
- Hobbs, H.H., Jr. 1973. New species and relationships of the members of the genus *Fallicambarus*. *Biological Society of Washington Proceedings* 86:461-482.
- Hobbs, Horton H. Jr. 1973. New species and relationships of the members of the genus *Fallicambarus*. *Proceedings of the Biological Society of Washington.* 86(40):461-482.
- Hobbs, H.H., Jr. 1974a. Synopsis of the families and genera of crayfishes (Crustacea: Decapoda). *Smithsonian Contributions to Zoology* 164.
- Hobbs, H.H., Jr. 1974b. A checklist of the North and Middle American crayfishes (Decapoda: Astacidae and Cambaridae). *Smithsonian Contributions to Zoology* 166.
- Hobbs, Horton H., Jr. 1977. The crayfish *Bouchardina robisoni*, a new genus and species (Decapoda: Cambaridae) from southern Arkansas. *Proceedings of the Biological Society of Washington.* 89(62): 733-742.

- Hobbs, H.H., Jr. 1981. The crayfishes of Georgia. Smithsonian Contributions to Zoology 318. 236 pp.
- Hobbs, H.H., Jr. 1984. On the distribution of the crayfish genus *Procambarus* (Decapoda: Cambaridae). Journal of Crustacean Biology 4: 12-24.
- Hobbs, H.H., Jr. 1988. Crayfish distribution, adaptive radiation and radiation. pp. 52-82. In: D.M. Holdrich and R.S. Lowrey (eds.). Freshwater crayfish: biology, management and exploitation. Timber Press. Portland, OR.
- Hobbs, Horton H. Jr. 1989. An illustrated checklist of the American crayfishes (Decapoda: Astacidae, Cambaradae, and Parastacidae). Smithsonian Institution Press, Washington DC. 236pp.
- Hobbs, H.H., III. 1991. Decapoda. pp. 823-858. In: J. H. Thorp and A. P. Covich, eds. Ecology and Classification of North American Freshwater Invertebrates. Academic Press. New York.
- Hobbs, H.H., III. 1993. Trophic relationships of North American freshwater crayfishes and shrimps. Milwaukee Pub. Mus. Contrib. Biol. Geol. 85:1-110.
- Hobbs, Horton H., Jr. and Arthur V. Brown. 1987. A new troglobitic crayfish from northwestern Arkansas. (Decapoda: Cambaridae. Proceedings of the Biological Society of Washington. 100(4): 1040-1048.
- Hobbs, Horton H. Jr. and Henry W. Robison, 1982. A new crayfish of the genus *Procambarus* from southwestern Arkansas. Proceedings of the Biological Society of Washington. 95(3):545-553.
- Hobbs, Horton H. Jr. and Henry W. Robison. 1985. A new burrowing crayfish (Decapoda: Cambaridae) from southwestern Arkansas. Proceedings of the Biological Society of Washington. 98(4):1035-1041.
- Hobbs, Horton H. Jr. and Henry W. Robison, 1988. The crayfish subgenus *Girardiella* (Decapoda: Cambaridae) in Arkansas, with the descriptions of two new species and a key to the members of the *gracilis* group in the genus *Procambarus*. Proc. Biol. Soc. Wash. 101(2):391-413.
- Hobbs, H.H., Jr.; Robison, H.W. 1989. On the crayfish genus *Fallicambarus* (Decapoda: Cambaridae) in Arkansas, with notes on the fodiens complex and descriptions of two new species. Proc. Biol. Soc. Wash. 102(3): 651-697.
- Hodges, Ronald W. and others, eds. 1983. Check List of the Lepidoptera of America North of Mexico. E.W. Classey Limited and The Wedge Entomological Research Foundation, London. 284 pp.
- Hoff, C.C. 1945. New species and records of pseudoscorpions from Arkansas. Trans. Amer. Micros. Soc. 64:34-57.
- Hoff, C.C. and J.E. Bolsterti. 1956. Pseudoscorpions of the Mississippi River drainage basin area. Trans. Amer. Micros. Soc. 75:155-179.
- Hoffmeister, D.F.; Goodpaster, W.W. 1962. Observations of a colony of big-eared bats, *Plecotus rafinesquii*. Transactions of the Illinois State Academy of Science. 55(2):87-89.

- Hofmann, J.E.; Gardner, J.E.; Krejca, J.K.; Gardner, J.D. 1999. Summer records and a maternity roost of the southeastern Myotis (*Myotis austroriparius*) in Illinois. Transactions of the Illinois State Academy of Science. 92(1&2):95-107.
- Holder, T. H. 1951. A Survey of Arkansas Game. Arkansas Game and Fish Commission, Little Rock, Arkansas, USA.
- Holdrich, D.M.; Lowery, R.S. eds. 1988. Freshwater crayfish: Biology, management, and exploitation. Croom Helm. London.
- Holimon, B, Anderson, J., Sunderland, J., Eastridge, R., Rowe, K., Posey, B., Irwin, K., Wagner, B., Mueller, A, Zollner, D., Filipek, S., Duzan, S., Johnston, J., Rideout, C., Peacock, L. April 25, 2005. CWCS Species Team meeting/Peer Review.
- Holsinger, J.R. 1967. Systematics, speciation, and distribution of the subterranean amphipod genus *Stygonectes* (Gammaridae). U.S. Nat. Mus. Bull. 75:155-179.
- Holt, D.W.; and Leasure, S.M. 1993. Short-eared Owl (*Asio flammeus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 62. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Hopp, S.L.; Kirby, A.; Boone, C.A. 1995. White-eyed Vireo (*Vireo griseus*). The Birds of North America, No. 168 [Poole, A.; Gill, F., eds.] The Academy of Natural Sciences, Philadelphia; The American Ornithologists' Union, Washington, DC.
- Houston, C.S.; and Bowen, Jr., D.E. 2001. Upland Sandpiper (*Bartramia longicauda*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 580. The Birds of North America, Inc., Philadelphia, PA.
- Howery, M. 2000. Unpublished report on Broken Bow Unit red-cockaded woodpecker report. Oklahoma Department of Wildlife Conservation. 11p.
- Howery, M. 2001. Unpublished report on Oklahoma Ranger District cerulean warbler and bachman's sparrow survey. Oklahoma Department of Wildlife Conservation. 4 p.
- Hubricht, L. 1950. The invertebrate fauna of Ozark caves. Bull. 12 National Speleological Society. pp. 16-17.
- Hubricht, L. 1979. A new species of Amnicola from an Arkansas Cave (Hydrophiidae). The Nautilus 94(4):142.
- Hubricht, L. and L.G. Mackin. 1949. The freshwater isopods of the genus *Lirceus* (Asellota: Asellidae). Amer. Midl. Nat. 42(2):334-349.
- Huebner, J.D.; Malley, D.F.; Donkersloot, K. 1990. Population ecology of the freshwater mussel *Anodonta grandis grandis* in a Precambrian shield lake. Can. J. Zool. 68:1931-1941.
- Hughes, J.M. 1999. Yellow-billed Cuckoo (*Coccyzus americanus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 418. The Birds of North America, Inc., Philadelphia, PA.
- Humphrey, S.R. 1978. Status, winter habitat, and management of the endangered Indiana bat, *Myotis sodalis*. Florida Scientist. 41(2):65-76.

- Humphrey, S. R. and J.B. Cope. 1977. Survival rates of the endangered Indiana bat, *Myotis sodalis*. *Journal of Mammalogy*. 58(1):33-36.
- Humphrey, S. R.; Richter, A.R.; Cope, J.B. 1977. Summer habitat and ecology of the endangered Indiana bat, *Myotis sodalis*. *Journal of Mammalogy*. 58(2):334-346.
- Humphries, J.M.; Cashner, R.C. 1994. *Notropis suttkus*, a new cyprinid from the Ouachita uplands of Oklahoma and Arkansas, with comments on the status of Ozarkian populations of *N. rubellus*. *Copeia*. (1): 82-90.
- Hunter, W. C., and S. Patrick. 2003. Preliminary summary of authorized and reported take of colonial nesting fish-eating birds in the Southeast Region. U.S. Fish and Wildlife Service Preliminary Report, Atlanta, GA, USA.
- Huntington, C.; Stuhlman, T.N.; Cullen, D.J. 1993. *Plethodon sequoyah*. *Cat. Amer Amphib. Rept.* 557. 1-557.2
- Hurst, T.E.; Lacki, M.J. 1999. Roost selection, population size and habitat use by a colony of Rafinesque's big-eared bats (*Corynorhinus rafinesquii*). *American Midland Naturalist*. 142:363-371.
- Hurter, J.; Strecker, J.K., Jr. 1909. The amphibians and reptiles of Arkansas. *Trans. Acad. Sci. St. Louis* 18:11-27.
- Hurym, A.D.; Wallace, J.D. 1987. Production and litter processing by crayfishes in an Appalachian mountain stream. *Freshwater Biol.* 18: 277-286.
- Hutcherson, J.E.; Peterson, C.L.; Wilkinson, R.F. 1989. Reproductive and larval biology of *Ambystoma annulatum*. *J. Herpetol.* 23:181-183.
- Hutchison, V.H. 1956. Notes on the plethodontid salamanders, *Eurycea lucifuga* (Rafinesque) and *Eurycea longicauda longicauda* (Green). *Occas. Pap. Nat. Speleol. Soc.* 3:1-24.
- Hutchison, V.H. 1958. The distribution and ecology of the cave salamander, *Eurycea lucifuga*. *Ecol. Monog.* 28:1-20.
- Hutchison, D.W.; Malcomber, S.I.; Pletscher, L.S. 1999. A multidisciplinary investigation of the applicability of the Pleistocene herpetofaunal stability model to collared lizards (*Crotaphytus collaris*). *Herpetol. Monogr.* 13:81-141.
- Ireland, P.H. 1971. Systematics, reproduction, and demography of the salamander, *Eurycea multiplicata* (Cope). Ph.D. Dissertation. Univ. Arkansas, Fayetteville. 127 pp.
- Ireland, P.H. 1974. Reproduction and larval development of the dark-sided salamander *Eurycea longicauda melanopleura* (Green). *Herpetologica* 30:338-343.
- Ireland, P.H. 1976. Reproduction and larval development of the gray-bellied salamander *Eurycea multiplicata griseogaster*. *Herpetologica* 32:233-238.
- Irwin, K. J. and L. K. Irwin. 2001. Geographic distribution. *Pseudacris streckeri*. *Herp. Review.* 32(3):190.
- Iverson, J.B. 1979a. *Sternotherus carinatus*. *Cat. Amer. Amphib. Rept.* 226:1-226.2.

- Jackson, J.A. 1994. Red-cockaded Woodpecker (*Picoides borealis*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 85. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Jacobs, R.B. 2001. Birds in Missouri. Missouri Dept. of Conservation, Jefferson City, MO. 375p.
- James, D.A.; Neal, J.C. 1986. Arkansas Birds: Their Distribution and Abundance. The University of Arkansas Press. Fayetteville, AR. 402 p.
- James, D.A.; Kellner, C.J.; Self, J.; Davis, J. 2001. Breeding Season Distribution of Cerulean Warblers in Arkansas in the 1990's. Journal of the Arkansas Academy of Science. Vol. 55.
- James, F.C. 1971. Ordinations of Habitat Relationships among Breeding Birds. Wilson Bull. 83:215-236.
- James, P.W. 1989. Reproductive ecology and habitat preferences of the leopard darter, *Percina pantherina*. Unpublished Ph.D. dissertation. Okla. St. Univ. Stillwater, OK. 169 pp.
- James, F.C.; Wiedenfeld, D.A.; McCulloch, C.E. 1989. Trends in Breeding Populations of Warblers: Declines in the Southern Highlands and Increases in the Lowlands. Ecology and Conservation of Neotropical Migrant Landbirds.
- James, P.W. 1996. Threatened fishes of the world: *Percina pantherina* (Moore and Reeves, 1955) (Percidae). Environmental Biology of Fishes 45: 342.
- James, P.W.; Collins, K.D. 1984. Leopard darter *Percina pantherina* (Moore and Reeves). Revised Recovery Plan. Report to U.S. Fish and Wildlife Service. Albuquerque, NM. 53 p.
- James, P.W.; Maughan, O.E. 1989. Spawning behavior and habitat of the threatened leopard darter, *Percina pantherina*. Southwestern Naturalist. 34: 298-301.
- James, P.W.; Maughan, O.E.; Zale, A.V. 1991. Life history of the threatened leopard darter, *Percina pantherina*, in Glover River, Oklahoma. American Midland Naturalist 125: 173-179.
- Jamieson, D.H.; Rust, P.; Trauth, S.E. 2001. Food habits of the Ouachita dusky salamander, *Desmognathus brimleyorum* (Caudata: Plethodontidae), in Arkansas. Proceedings of the Arkansas Academy of Science. 55:179-180.
- Jamieson, D.H.; Trauth, S.E.; McAllister, C.T. 1993. Food habits of male bird-voiced treefrogs, *Hyla avivoca* (Anura: Hylidae), in Arkansas. Texas J. Sci. 45:4549.
- Jehl, J.R., Jr.; Klima, J.; and Harris, R.E. 2001. Short-billed Dowitcher (*Limnodromus griseus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 564. The Birds of North America, Inc., Philadelphia, PA.
- Jenkinson, J.J. 1989. Relocation of *Potamilus capax* from a 4-mile reach of the St. Francis Floodway in Arkansas. Tennessee Valley Authority, Water Resources, Aquatic Biology Dept., Norris, TN. Final Report for Memphis District, U.S. Army Corps of Engineer
- Jenkinson, J.J.; Ahlstedt, S.A. 1994. A search for additional populations of *Potamilus capax* in the St. Francis and Cache River watersheds, Arkansas and Missouri, U.S.A. Walkerana. 1993-1994, 7(17/18):71-157.

- Jenkinson, J.J.; Ahlstedt, S.A. 1987. A search for additional populations of *Potamilus capax* in the St. Francis and Cache river watersheds, Arkansas and Missouri. Final report for Memphis District, U.S. Army Corps of Engineers. 304 p.
- Johnson, C. E. 1995. Spawning behavior of the paleback darter, *Etheostoma pallididorsum*, (Percidae). Southwestern Naturalist. 40(4): 422-425.
- Johnson, R.I. 1980. Zoogeography of North American Unionacea (Mollusca: Bivalvia) north of the maximum pleistocene glaciation. Bull. Mus. Comp. Zool. 149(2):77-189.
- Johnson, T.R. 1977. The Amphibians of Missouri. Univ. Kansas Mus. Nat. Hist. Publ. Ed. Ser. 6:1-134.
- Johnson, T.R. 2000. The Amphibians and Reptiles of Missouri 2nd Edition. Missouri Department of Conservation, Jefferson City. 400 pp.
- Johnson, S. A.; Brack, V. Jr.; Rolley, R.E. 1998. Overwinter weight loss of Indiana bats (*Myotis sodalis*) from hibernacula subject to human visitation. American Midland Naturalist. 139:255-261.
- Johnston, C. 1994. Spawning behavior of the goldstripe darter, *Etheostoma parvipinne* (Gilbert and Swain) (Perciformes). Copeia. (3): 823-825.
- Jones, R.N. 1984. Recovery plan for the leopard darter (*Percina pantherina* Moore and Reeves). U.S. Fish and Wildlife Service. Albuquerque, NM. 70 p.
- Jones, R.N.; Orth, D. J.; Maughan, O.E. 1984. Abundance and preferred habitat of the leopard darter, *Percina pantherina*, in Glover River, Oklahoma. Copeia 1984: 378-384.
- Jurney, D.; Evans, R.; Ippolito, J.; Bergstrom, V. 2001. Fire frequencies along the Gulf Coastal Plain of southeastern North America. Report by USDA Forest Service.
- Karlin, A.A., Guttman, S.I.; Means, D. Bruce. 1993. Population structure in the Ouachita Mountain dusky salamander, *Desmognathus brimleyorum* (Caudata: Plethodontidae). Southwestern Naturalist. 38:36-42.
- Kellner, C. Unpublished. Use of Clearcuts by Neotropical Migrant Birds During the Fall Migration.
- Kennedy, M. and P. Kennedy. 2004. An assessment of the subspecific taxonomy of black bears (*Ursus americanus*) at the White River National Wildlife Refuge, Arkansas. Draft final report to U.S. Fish and Wildlife Service, Jackson, MS.
- Kennedy, E.D.; and White, D.W. 1997. Bewick's Wren (*Thryomanes bewickii*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 315. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Keppie, D.M.; and Whiting, R.M., Jr. 1994. American Woodcock (*Scolopax minor*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 100. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Kilham, L. 1992. Woodpeckers of eastern North America. Dover Publications, Inc. New York. 240p.

- Killebrew, F.C. 1982b. Geographic Distribution of *Sternotherus carinatus*. Herpetol. Rev. 13:131.
- King, D.I.; Degraff, R.M.; Griggin, C.R. 1998. Edge-Related Nest Predation in Clearcut and Groupcut Stands. Conservation Biology. 12: 1412-1415.
- Kiser, J.D.; Elliot, C.L. 1996. Foraging habitat, food habits, and roost tree characteristics of the Indiana bat (*Myotis sodalis*) during autumn in Jackson County, Kentucky.
- Klauber, L.M. 1956. Rattlesnakes: Their Habits, Life Histories, and Influence on Mankind. 2 Vols. Univ. California Press, Berkeley. 1533 pp.
- Klima, J.; and Jehl, Jr., J.R. 1998. Stilt Sandpiper (*Calidris himantopus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 341. The Birds of North America, Inc., Philadelphia, PA.
- Knopf, F.L. 2004. American White Pelican (*Pelecanus erythrorhynchos*). In: Poole, A., ed. The Birds of North America Online. Ithaca: Cornell Laboratory of Ornithology; Retrieved from The Birds of North American Online database: http://bna.birds.cornell.edu/BNA/account/American_White_Pelican/.
- Kofron, C.P. 1979b. Reproduction of aquatic snakes in south-central Louisiana. Herpetologica 35:44-50.
- Kraemer, L.R.; M.E. Gordon. 1999. Comparison of mollusks retrieved by crow-foot dredge and ponar grab sampler from the White River at St. Charles, Arkansas with comment on population structure of *Corbicula fluminea* (Bivalvia: Sphaeriacea).
- Krementz, D.G.; Jackson, J.J. 1999. Woodcock in the Southeast: Natural History & Management for Landowners. The University of Georgia College of Agricultural and Environmental Sciences – Cooperative Extension Service.
- Kuehne, Robert A. and Roger W Barbour. 1983. The American Darters. The University Press of Kentucky, Lexington. 177pp.
- Kurta, A.; Kennedy, J. 2002. The Indiana bat: biology and management of an endangered species. Bat Conservation International. Austin, Texas. Keywords: *Myotis sodalis*/ biology/ management
- Kurta, A.; Kath, J.; Smith, E.L.; Foster, R.; Orick, M.W.; Ross, R. 1993. A maternity roost of the endangered Indiana bat (*Myotis sodalis*) in an unshaded, hollow, sycamore tree (*Platanus occidentalis*). American Midland Naturalist. 130:405-407.
- Kushlan, J.A.; Steinkamp, M.J.; Parsons, K.C.; Capp, J.; and others. 2002. Waterbird conservation for the Americas: the North American waterbird conservation plan. Version 1. Waterbird Conservation for the Americas, Washington, D.C., <http://www.nacwcp.org/pubs/ContinentalPlan.cfm>. 78 p.
- LaBerge, W.E. 2001. Revision of the bees of the genus *Tetraloniella* in the New World (Hymenoptera:Apidae). Illinois Natural History Survey, Champaign, Illinois.
- Lacki, M. J.; Burford, L.S.; Whitaker, J.O. 1995. Food habits of gray bats in Kentucky. Journal of Mammalogy. 76(4):1256-1259.

- Lanctot, R.B.; and Laredo, C.D. 1994. Buff-breasted Sandpiper (*Tryngites subruficollis*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 91. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Landers, J.L.; Mueller, B.S. 1986 Bobwhite Quail Management: A Habitat Approach. Publication No. 6. Tall Timbers Research Station. Tallahassee, FL. 39 p.
- Larson, Robert D. Jr. 1991. Present status and distribution of the Arkansas River shiner, *Notropis girardi* (Pisces: Cyprinidae), and possible causes for its decline. Master's Thesis, Oklahoma State University, Stillwater. 77pp.
- Larson, A.; Highton, R. 1978. Geographic protein variation and divergence in salamanders of the *Plethodon welleri* group (Amphibia: Plethodontidae). Syst. Zool. 27:431-448.
- LaVal, R. K. 1970. Intraspecific relationships of bats of the species *Myotis austroriparius*. Journal of Mammalogy. 51(3):542-552.
- LaVal, R. K.; LaVal, M.L. 1980. Ecological studies and management of Missouri bats with emphasis on cave-dwelling species. Jefferson City, MO: Missouri Department of Conservation; Terrestrial Studies #8.
- Law, J.R.; Johnson, P.S.; Houf, G. 1994. A crown cover chart for oak savannas. TB-NC-2. Columbia, MO: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 6p.
- Layher, W.G. 1993. Analysis of forage use of sportfish production facilities by piscivorous birds. Arkansas Game and Fish Commission, Little Rock, AR. 150 p.
- Layher, William G. 1998. Status and Distribution of Pallid Sturgeon, Blue Sucker and Other Large River Fishes in the Red River, Arkansas. Contract # 0017285 Final Report Submitted to the Arkansas Game and Fish Commission, Little Rock. 31pp.+appendix.
- Layher, William G. and Jason W Phillips. 2000. Status and Distribution of Alligator Gar, *Lepisosteus spatula*, in Several Large River Systems in Arkansas. Contract # 0019869 Final Report Submitted to the Arkansas Game and Fish Commission, Little Rock. 32pp.
- Layzer, J.B.; Gordon, M.E.; Anderson, R.M. 1993. Mussels: the forgotten fauna of regulated rivers. A case study of the Caney Fork River. Regul. Rivers Res. & Manage. 8:63-71.
- Lechner, M.A.; Zale, V.; O'Donnell, C.; Ben, B. 1987. Distribution and abundance of the leopard darter, *Percina pantherina* (Moore and Reeves) in the upper Mountain Fork and upper Little River drainages. Report to Tulsa District, U. S. Army Corps of Engine
- Legler, J.M. 1960. Natural history of the ornate box turtle, *Terrapene ornata ornata* Agassiz. Univ. Kansas Publ. Mus. Nat. Hist. 11:527-669.
- Lemmons, R.P.; Pigg, J. 1999. Historical and new records of the goldstripe darter, *Etheostoma parvipinne*, in Oklahoma. Proceedings of the Oklahoma Academy of Science. 79:87-89.

- Lewis, J.J. 1983. *Caecidotea fonticulus*, the first troglobitic asellid from the Ouachita Mountains (Crustacea: Isopoda: Asellidae). Proc. Biol. Soc. Wash. 98(1):149-153.
- Lindeman, P.V. 1996. Distribution, relative abundance, and basking ecology of the razorback musk turtle, *Kinosternon carinatum*, in the Pearl and Pascagoula River drainages. Herpetol. Nat. Hist. 4:23-34.
- Lindsay, H.L.; Randolph, J.C.; Carroll, J. 1983. Updated survey of the fishes of the Poteau River, Oklahoma and Arkansas. Proceedings of the Oklahoma Academy of Science 63: 42-48.
- Litvaitis, J.A. 2001. Importance of early successional habitats to mammals in eastern forests. Wildlife Society Bulletin, 29(2):466-473.
- Liu, J.; Dunning, Jr., J.B.; Pulliam, H.R. 1995. Potential Effects of a Forest Management Plan on Bachman's Sparrow (*Aimophila aestivalis*): Linking a Spatially Explicit Model with GIS. Conservation Biology. 9(1): 62-75
- Lohofener, R.; Jones, R.L. 1991. Field survey report of Ouachita endemic salamanders. U. S. Fish Wildl. Ser., Unpubl. Rep., Endangered Species Office, Jackson, Mississippi. 23 p.
- Longcore, J.R.; McAuley, D.G.; Hepp, G.R.; and Rhymer, J.M. 2000. American Black Duck (*Anas rubripes*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 481. The Birds of North America, Inc., Philadelphia, PA.
- Loomis, R.B.; Webb, O.L. 1951. *Eurycea multiplicata* collected at the restricted type locality. Herpetologica 7:141-142.
- Lowther, P.E.. 2005. Le Conte's Sparrow (*Ammodramus leconteii*). The Birds of North America Online. Poole, A. ed. Ithaca: Cornell Laboratory of Ornithology; Retrieved from The Birds of North American Online database: http://bna.birds.cornell.edu/BNA/account/Le_Contes_Sparrow/.
- Lowther, P.E., Celada, C.; Klein, N.K.; Rimmer, C.C.; and others. 1999. Yellow Warbler (*Dendroica petechia*). The Birds of North America Online. Poole, A., ed. Ithaca: Cornell Laboratory of Ornithology; Retrieved from The Birds of North American Online database: http://bna.birds.cornell.edu/BNA/account/Yellow_Warbler/.
- Lowther, P.E.; Lanyon, S.M.; and Thompson, C.W. 1999. Painted Bunting (*Passerina ciris*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 398. The Birds of North America, Inc., Philadelphia, PA.
- MacGregor, J.R.; Kiser, J.D.; Gumbert, M.W.; Reed, T.O. 1999. Autumn roosting habitat of male Indiana bats (*Myotis sodalis*) in a managed forest setting in Kentucky. Stringer, J. W and D.L. Loftis. Proceedings of the 12th Central Hardwood Conference; Lexin
- MacWhirter, R.B.; and Bildstein, K.L. 1996. Northern Harrier (*Circus cyaneus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 210. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.

- MacWhirter, B.; Austin-Smith, Jr., P.; and Kroodsma, D. 2002. Sanderling (*Calidris alba*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 653. The Birds of North America, Inc., Philadelphia, PA.
- Mahmoud, I.Y. 1967. Courtship behavior and sexual maturity on four species of kinosternid turtles. *Copeia* 1967:314-319.
- Mahmoud, I.Y. 1968. Feeding behavior in kinosternid turtles. *Herpetologica* 24:300-305.
- Mahmoud, I.Y. 1969. Comparative ecology of the kinosternid turtles of Oklahoma. *Southwestern Naturalist*. 14: 31-66.
- Sasse, D. B., G. Heidt, R. Sikes, T. Risch, S. Brandenbura, November 17, 2004. CWCS Mammal Team. Species list/peer review.
- Marti, C.D. 1992. Barn Owl. In: Poole, A.; Stettenheim, P.; and Gill, F., eds. The Birds of North America, No. 1. Philadelphia: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union.
- Martin, M.M. 1981. A herpetological survey of Polk County, Arkansas. M.S. Thesis. Northeast Louisiana Univ., Monroe. 103 pp.
- Martin, W.H. 1992. Phenology of the timber rattlesnake (*Crotalus horridus*) in an unglaciated section of the Appalachian Mountains. Pp. 259-277. In *Biology of the Pitvipers* (J. A. Campbell and E. D. Brodie, Jr., eds.). Selva, Tyler, Texas.
- Martin, W.H. 1993. Reproduction of the timber rattlesnake (*Crotalus horridus*) in the Appalachian Mountains. *J. Herpetol.* 27:133-143.
- Martin, K.W. 2001. Effects of passage manipulation on cave climate and bat behavior: management implications for cave-dwelling bats: Oklahoma State University.
- Martin, K.W.; Puckette, W.L.; Hensley, S.L.; Leslie, D.M. Jr. 2000. Internal cave gating as a means of protecting cave-dwelling bat populations in eastern Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 80:133-137.
- Martin, J.W.; and Parrish, J.R. 2000. Lark Sparrow (*Chondestes grammacus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 488. The Birds of North America, Inc., Philadelphia, PA.
- Martin, T.E.; Finch, D.M. 1995. Ecology and management of neotropical migratory birds. Oxford University Press. 489p.
- Martof, B. 1955. Observations on the life history and ecology of the amphibians of the Athens area, Georgia. *Copeia* 1955:167.
- Master, L. 1990. The imperiled status of North American aquatic animals. *Biodiversity Network News* 3: 1-2, 7-8.
- Masters, R.E. 1991. Effects of timber harvest and prescribed fire on wildlife habitat and use in the Ouachita Mountains of eastern Oklahoma. Ph. D. Thesis, Oklahoma State Univ., Stillwater. 351p.
- Masters, R.E.; Skeen, J.E.; Whitehead, J. 1995. Preliminary fire history of McCurtain County Wilderness Area and implications for red-cockaded woodpecker management: [Kulhavy, David L.; Hopper, Robert G.; Costa, Ralph, eds.].

- Masters, R.E.; Wilson, C.W. 1994. Effects of midstory vegetation removal and fire on breeding birds and plant community composition in red-cockaded woodpecker clusters. Final report for a Challenge Cost-Share Grant. Ouachita NF, Dec. 1994.
- Mather, C.M. 1990. Status survey of the western fanshell and the Neosho mucket in Oklahoma. Final report to the Oklahoma Dept. of Wildlife Conservation. 22 pp. + appendices.
- Mathis, M.L. and D.E. Bowles. 1989. A new microcaddisfly genus (Trichoptera: Hydroptilidae) from the Interior Highlands of Arkansas, U.S.A. J. New York Entomol. Soc. 97(2):187-191.
- Matta, J.F. and G.W. Wolfe. 1979. New species of Nearctic *Hydroporus* (Coleoptera: Dytiscidae). Proc. Biol. Soc. Wash. 92(2):287-293.
- Matthews, W.L.; Hough, D.J.; Robison, H.W. 1992. Similarities in fish distribution and water quality patterns in streams of Arkansas; congruence of multivariate analyses. Copeia 1992(2): 296-305.
- Matthews, W.J.; Robison, H.W. 1988. The distribution of fishes of Arkansas: a multivariate analysis. Copeia 1988(2):358-374.
- Matthews, W.L.; Robison, H.W. 1998. Influence of drainage connectivity, drainage area and regional species richness on fishes of the Interior Highlands in Arkansas. American Midland Naturalist 139(1): 1-19.
- Mayasich, J., D. Grandmaison, and C. Phillips. 2003. Eastern hellbender status assessment. Final report, U.S. Fish and Wildlife Service. 37 pp. + appendices.
- Mayden, R.L. 1985. Biogeography of Ouachita Highland fishes. Southwestern Naturalist. 30(2):195-211.
- Mayden, R.L. 1987a. Historical ecology and North American Highlands fishes: a research program in community ecology. pp. 210-220. In: W.J. Matthews and D.C. Heins, eds. Community and evolutionary ecology of North American stream fishes. Univ. Okla. Press.
- Mayden, R.L. 1987b. Pleistocene glaciation and historical biogeography of North American central-highlands fishes. pp. 141-152. In: W.C. Johnson, ed. Quaternary environments of Kansas. Kansas Geol. Surv. Guidebook Ser. 5. Kansas Geol. Surv.
- Mayden, R.L. 1988. Vicariance biogeography, parsimony, and evolution in North American freshwater fishes. Systematic Zoology 37: 329-355.
- Mayden, R.L.; Burr, B.M.; Page, L.M.; Miller, R.R. 1992. The native freshwater fishes of North America, pp. 827-863. In: R.L. Mayden (ed.). Systematics, historical ecology, and North American freshwater fishes. Stanford Univ. Press. Stanford, CA.
- McAllister, C.T. 1980a. Ecological observations of the eastern collared lizard, *Crotaphytus collaris collaris* (Say), in northcentral Arkansas. M.S. Thesis, Arkansas State Univ., Jonesboro. 124 pp.
- McAllister, C.T. 1983. Aquatic behavior of collared lizards, *Crotaphytus collaris collaris*. Herpetol. Rev. 14:11

- McAllister, C.T. 1985b. Food habits and feeding behavior of *Crotaphytus collaris collaris* (Iguanidae) from Arkansas and Missouri. *Southwestern Naturalist*. 30:597-600.
- McAllister, C.T. 1987a. *Eumeces septentrionalis obtusirostris*, reproduction. *Herpetol. Rev.* 18:75.
- McAllister, C.T.; Fitzpatrick, L.C. 1985. Thermal acclimation and oxygen consumption rates in neotenic grey-belly salamanders, *Eurycea multiplicata griseogaster* (Plethodontidae), from an Arkansas cave. *J. Therm. Biol.* 10:14
- McAllister, C.T., Trauth, S.E.; Ubelaker, J.E. 1985. *Oochoristica crotaphyti* n. sp. (Eucestoda: Linstowiidae) from *Crotaphytus collaris* (Sauna: Iguanidae) in northern Arkansas. *J. Parasitol.* 71:803-807.
- McAllister, C.T.; Upton, S.J.; Trauth, S.E. 1990a. A new species of *Eimeria* (Apicomplexa: Eimeriidae) from the green water snake, *Nerodia cyclopion* (Reptilia: Serpentes), in Arkansas, U.S.A. *Trans. Amer. Microsc. Soc.* 109:69-73.
- McAllister, C.T.; Trauth, S.E.; Hinck, L.W. 1991b. *Sphyranura euryceae* (Monogenea) on *Eurycea spp.* (Amphibia: Caudata), from north central Arkansas. *J. Helminthol. Soc. Wash.* 58:137-140.
- McAllister, C.T.; Goldberg, S.R.; Holshuh, H.J.; Trauth, S.E. 1993a. Disseminated mycotic dermatitis in a wild-caught timber rattlesnake, *Crotalus horridus* (Serpentes: Viperidae), from Arkansas. *Texas J. Sci.* 45:279-281.
- McAllister, C.T.; Trauth, S.E.; Upton, S.J.; Jamieson, D.H. 1993b. Endoparasites of the bird-voiced treefrog, *Hyla avivoca* (Anura: Hylidae), from Arkansas. *J. Helminth. Soc. Wash.* 60:140-143.
- McAllister, C.T.; Trauth, S.E.; Gage, L.D. 1995. Vertebrate fauna of abandoned mines at Gold Mine Springs, Independence County, Arkansas. *Proceedings of the Arkansas Academy of Science.* 45:184-187.
- McAllister, C.T.; Trauth, S.E.; Cochran, B.G. 1995d. Endoparasites of the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), from Arkansas. *Southwestern Naturalist.* 40:327-330.
- McAllister, C.T.; Upton, S.J.; Trauth, S.E.; Dixon, J.R. 1995h. Coccidian parasites (Apicomplexa) from snakes in the southcentral and southwestern United States: new host and geographic records. *J. Parasitol.* 81:63-68.
- McAllister, C.T.; Bursey, C.R.; Trauth, S.E. 2002. Parasites of four species of endemic *Plethodon* from Arkansas and Missouri. *Proceedings of the Arkansas Academy of Science.* 56:239-242.
- McAllister, C.T.; Trauth, S.E. 1982. An instance of the eastern collared lizard, *Crotaphytus collaris collaris* (Sauna: Iguanidae), feeding on *Sigmodon hispidus* (Rodentia: Cricetidae). *Southwestern Naturalist.* 27:358-359.
- McAllister, C.T.; Trauth, S.E. 1985. Endoparasites of *Crotaphytus collaris collaris* (Sauria: Iguanidae) from Arkansas. *Southwestern Naturalist.* 30:363-370.
- McAllister, C.T.; Trauth, S.E. 1996a. Food habits of paedomorphic mole salamanders, *Ambystoma talpoideum* (Caudata: Ambystomatidae), from northeastern Arkansas. *Southwestern Naturalist.* 41: 62-64.

- McCafferty, W.P. 1977. Biosystematics of *Dannella* and related subgenera of *Ephemerella* (Ephemeroptera: Ephemerellidae). *Ann. Entomol. Amer.* 70(6):881-899.
- McCallum, M. L., B. A. Wheeler and S. E. Trauth. 2001. *Pseudacris streckeri illinoensis* (Illinois Chorus Frog). Dysfunctional vocal sac. *Herp. Review.* 32(4):248-249.
- McCallum, M. L., R. G. Neal and S. E. Trauth. 2003. *Pseudacris streckeri illinoensis* (Illinois Chorus Frog). Satellite behavior. *Herp. Review.* 34(1):53.
- McCallum, M. L., T. L. Klotz and S. E. Trauth. 2003. *Rana sylvatica* (Wood Frog). Phonotactic stalking. *Herp. Review.* 34(1):54.
- McCallum, M. L., T. L. Klotz and S. E. Trauth. 2003. *Rana sylvatica* (Wood Frog). Death feigning. *Herp. Review.* 34(1):54-55.
- McCallum, M. L. and S. E. Trauth. 2001. *Pseudacris streckeri illinoensis* (Illinois Chorus Frog). Terrestrial Feeding. *Herp. Review.* 32(1):35.
- McCallum, M. L. and S. E. Trauth. 2001. Are tadpoles of the Illinois chorus frog (*Pseudacris streckeri illinoensis*) cannibalistic? *Illinois State Acad. Sci.* 94(3):171-178.
- McCallum, M. L. and S. E. Trauth. 2002. An investigation of the distribution and status of the Illinois Chorus Frog (*Pseudacris streckeri illinoensis*) and condition of breeding habitat in northeastern Arkansas: a needs assessment for conservation. Unpubl. final report, Arkansas Game and Fish Commission. 26 pp.
- McDaniel, V.R. 1975. Geographic Distribution. *Ambystoma annulatum*. *Herpetol. Rev.* 6:115.
- McDaniel, V.R.; Gardner, J.E. 1977. Cave fauna of Arkansas: Vertebrate taxa. *Arkansas Academy of Science Proceedings.* 31:68-71.
- McDaniel, V.R.; Huggins, J.C.; Huggins, J.A.; Hinson, M.W. 1978. A summary of the status of harvest mice, Cricetidae: *Reithrodontomys* in Arkansas. *Proceedings of the Arkansas Academy of Science.* 32:63-64.
- McDaniel, V.R.; Harvey, M.J.; Tumblison, R.; Paige, K.N. 1982. Status of the small-footed bat, *Myotis leibii*, in the southern Ozarks. *Arkansas Academy of Science Proceedings.* 36(92-94).
- McDaniel, V.R.; Saugey, D.A. 1977. Geographic Distribution. *Ambystoma annulatum*. *Herpetol. Rev.* 8:38.
- McDonald, M.V. 1998. Kentucky Warbler (*Oporornis formosus*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 324. The Birds of North America, Inc., Philadelphia, PA.
- McGuire, J.A. 1996. Phylogenetic systematics of crotaphytid lizards (Reptilia: Iguania: Crotaphytidae). *Bull. Carnegie Mus. Nat. Hist.* 32:1-143.
- Means, D.B. 1974. The status of *Desmognathus brimleyorum* Stejneger and an analysis of the genus *Desmognathus* (Amphibia, Urodela) in Florida. *Bull. Florida State Mus., Biol. Ser.* 18: 1
- Means, D.B. 1999. *Desmognathus brimleyorum*. *Cat. Amer. Amphib. Rept.* 6821-682.4.

- Meek, S.E. 1886. A list of fishes and mollusks collected in Arkansas and Indian Territory in 1894. Bulletin of the United States Fish Commission, 15:341-349.
- Meek, S.E.; Clark, H.W. 1912. The mussels of the Big Buffalo Fork of the White River, Arkansas. U. S. Bureau of Fisheries Document 759:1-20.
- Mehlhop-Cifelli, P.; Miller, E.K. 1989. Status and distribution of *Arkansia wheeleri* Ortmann & Walker, 1912 (syn. *Arcidens wheeleri*) in the Kiamichi River, Oklahoma. Report to the U.S. Fish and Wildlife Service, Tulsa, OK.
- Menzel, M.A.; Menzel, J.M.; Carter, T.C.; Ford, W.M.; Edwards, J.W. 2001. Review of the forest habitat relationships of the Indiana bat (*Myotis sodalis*). USDA Forest Service; Gen. Tech. Rep. NE-284.
- Meshaka, W.E., Jr.; McLarty, P. 1988. Geographic distribution: *Ambystoma talpoideum*. Herpetol. Rev. 19:17.
- Meshaka, W.E., Jr.; Wilhide, J.D.; Trauth, S.E. 1988c. Geographic Distribution. *Sternotherus carinatus*. Herpetol. Rev. 19:22.
- Meshaka, W.E., Jr.; Trauth, S.E. 1995. Reproductive cycle of the Ozark zigzag salamander, *Plethodon dorsalis angusticlavius* (Caudata, Plethodontidae), in north central Arkansas. Alytes 12:175-182.
- Meyer, K.D. 1995. Swallow-tailed Kite (*Elanoides forficatus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 138. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.
- Miller, R.R. 1972. Threatened freshwater fishes of the United States. Trans. Amer. Fish. Soc. 101(2):239-252.
- Miller, A.C.; Harris, J.L. 1987. A survey for molluscs in the White River Near Newport, Arkansas, 1986. Misc. Paper EL-87-5, U.S. Army Corps of Engineers Waterways Exp. Station, Vicksburg, MS. 25 p., Appendix A.
- Miller, R.J.; Robison, H.W. 2003. The Fishes of Oklahoma. 2nd ed. University of Oklahoma Press. Norman, OK (In Press).
- Minton, S.A., Jr.; Minton, J.E. 1948. Notes on a herpetological collection from the middle Mississippi Valley. American Midland Naturalist. 40:378-390.
- Mitchell, C.D. 1994. Trumpeter Swan (*Cygnus buccinator*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 105. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Mittleman, M.B. 1942. A new long-tailed *Eurycea* from Indiana, and notes on the *longicauda* complex. New England Zoo. Club Proc. 21:101-105.
- Momot, W.T. 1995. Redefining the role of crayfish in aquatic ecosystems. Reviews in Fisheries Science 3: 33-63.
- Montague, W.G.; Neal, J.C.; Johnson, J.E.; James, D.A. 1995. Techniques for excluding southern flying squirrels from cavities of red-cockaded woodpeckers. In: Kulhavy, David L.; Hooper, Robert G.; Costa, Ralph, eds. Red-cockaded woodpecker: species recovery plan.
- Moore, G.A. 1948. *Notropis perpallidus* Hubbs and Black in Oklahoma. Copeia (1): 63.

- Moore, G.A. and F. B. Cross. 1950. Additional Oklahoma fishes with validation of *Poeciliichthys parvipinnis* (Gilbert and Swain). *Copeia* 1950 2:139-148.
- Moriarty, E. C. and D. C. Cannatella. 2004. Phylogenetic relationships of the North American chorus frogs (*Pseudacris*: Hylidae). *Molecular Phylogenetics and Evolution* 30(2004):409-420.
- Moskoff, W. 1995. Solitary Sandpiper (*Tringa solitaria*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 156. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.
- Mount, R.H. 1975. *The Reptiles and Amphibians of Alabama*. Auburn Univ. Agric. Exp. Sta., Auburn. 347 pp.
- Muller, M.J.; and Storer, R.W. 1999. Pied-billed Grebe (*Podilymbus podiceps*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 410. The Birds of North America, Inc., Philadelphia, PA.
- Mumford, R.E; Cope, J.B. 1964. Distribution and status of the Chiroptera of Indiana. *American Midland Naturalist*. 72(2):473-489.
- Murray, S.W.; Kurta, A. 2003. Nocturnal activity of the endangered Indiana bat (*Myotis sodalis*). *Journal of Zoology* (In Press).
- Mushinsky, H.R.; Hebrard, J.J. 1977. Food partitioning by five species of water snakes in Louisiana. *Herpetologica* 33:162-166.
- Mushinsky, H.R.; Hebrard, J.J.; Vodopich, D.S. 1982. Ontogeny of water snake foraging ecology. *Ecology* 63:1624-1629.
- Myers, R.F. 1964. *Ecology of three species of myotine bats in the Ozark Plateau*. Columbia, MO: University of Missouri-Columbia.
- Myers, J.W. 1977. *Fishes of the Little Missouri River, southwest Arkansas*. M.S. Thesis. Northeast La. Univ. Monroe, LA. 25p.
- National Audubon Society. 2002. *The Christmas Bird Count Historical Results* [Online]. Available <http://www.audubon.org/bird/cbc> [accessed 2005 January 11-12]
- NatureServe. 2003. *International Ecological Classification Standard: Terrestrial Ecological Systems of the United States*. Natural Heritage Central Databases. NatureServe, Arlington, VA.
- NatureServe. 2003a. *NatureServe Explorer: An online encyclopedia of life* (web application). Version 1.8. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>.
- NatureServe. 2005. *NatureServe Explorer: An online encyclopedia of life* [web application]. Version 4.3. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>. (Accessed: March 23, 2005).
- Neal, J.C. 1992. *Factors affecting breeding success of red-cockaded woodpeckers in the Ouachita National Forest, Arkansas*. M.Sci. thesis, University of Arkansas, Fayetteville, AR.

- Neal, J.C.; Montague, W.G.; James, D.A. 1992. Sequestial occupation of cavities by red-cockaded woodpeckers and red-bellied woodpeckers in the Ouachita National Forest. *Proceedings of the Arkansas Academy of Science* 46: 106-108.
- Neal, J.C.; James, D.A.; Montague, W.G.; Johnson, J.E. 1993a. Effects of weather and helpers on survival of nestling red-cockaded woodpeckers. *Wilson Bulletin* 105: 666-673.
- Neal, J.C.; Montague, W.G.; James, D.A. 1993b. Climbing by black rat snakes on cavity trees of red-cockaded woodpeckers. *Wildlife Society Bulletin* 21: 160-165.
- Neal, J.C.; Montague, W.G.; Richardson, D.M.; Withgott, J.H. 1998. Exclusion of rat snakes from red-cockaded woodpecker cavities. *Wildlife Society Bulletin* 26: 851-854.
- Near, T.J. 2002. Phylogenetic relationships of *Percina* (Percidae: Etheostomatinae). *Copeia* 2002(1): 1-14.
- Neill, W.T. 1963. *Hemidactylium scutatum*. *Cat. Amer. Amphib. Rept.* 2.1-2.2.
- Neill, W.T. 1964. Ranges and taxonomic allocations of amphibians and reptiles in the southeastern United States. *Publ. Res. Div. Ross Allen's Rept. Instit.* 1:75-96.
- Nekola and Coles, 2001, Systematics and ecology of *Gastrocopta* (*Gastrocopta*) *rogersensis* (Gastroboda: Pubillidae), a new species of land snail from the Midwest of the United States of America, *The Nautilus*, 115(3): 105-114, 2001.
- Nelson, T.A.; Saugey, D.A.; Carolan, L.E. 1991. Range extension of the endangered gray bat, *Myotis grisescens*, into the Arkansas River Valley. *Proceedings of the Arkansas Academy of Science.* 45:129-131.
- Nelson, J.S. (Chairman); Crossman, E.J.; Espinosa-Perez, H.; Finley, L.T.; Gilbert, C.R.; Lea, R.N.; Williams, J.D. 2003. Common and scientific names of fishes from the United States, Canada, and Mexico. 6th ed., *Spec. Publ. XX, Amer. Fish. Soc. Bethesda*
- Neves, R.J.; Moyer, S.N. 1988. Evaluation of techniques for age determination of freshwater mussels (Unionidae). *American Malacological Bulletin* 6(2):179-188.
- New, K.C.; Hanula, J.L. 1998. Effect of time elapsed after prescribed burning in longleaf pine stands on potential prey of the red-cockaded woodpecker. *Southern Journal of Applied Forestry* 22(3):175-183.
- Nickerson, M.A.; Jesmok, G.J.; Baier, J.G. 1979. A serological investigation of three western populations of dusky salamanders, *Desmognathus*. *Milwaukee Mus. Contrib. Biol. Geol.* No. 24, 7 pp.
- Nickerson, M. A., K. L. Krysko, and R. D. Owen. 2002. Ecological status of the hellbender (*Cryptobranchus alleganiensis*) and the mudpuppy (*Necturus maculosus*) salamanders in the Great Smoky Mountains National Park. *Journal of the North Carolina Academy of Sciences*, 118(1):27-34.
- Noble, G.K.; Marshall, B.C. 1929. The breeding habits of two salamanders. *Amer. Mus. Novitates* 347:111-112.
- Nolan, Jr., V.; Ketterson, E.D.; and Buerkle, C.A. 1999. Prairie Warbler (*Dendroica discolor*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 455. The Birds of North America, Inc., Philadelphia, PA.

- Nolan, V., Jr., Ketterson, E.D.; Buerkle, C.A. 1999. Prairie Warbler (*Dendroica discolor*). The Birds of North America, No. 455 [Poole, A.; Gill, F., eds.]. The Birds of North America, Inc., Philadelphia, PA.
- Nyman, S.; Wilkinson, R.F.; Hutcherson, I.E. 1993. Cannibalism and size relations in a cohort of larval ringed salamanders (*Ambystoma annulatum*). J. Herpetol. 27:78-84.
- Oesch, R.D. 1995. Missouri naiades: a guide to the mussels of Missouri. Missouri Dept. of Conservation, Jefferson City, Missouri. 271 p.
- Opler, Paul A., Harry Pavulaan, and Ray E. Stanford (coordinators). 1995. Butterflies of North America. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/distr/lepid/bflyusa/bflyusa.htm>
- Ortenburger, A.I. 1929. Reptiles and amphibians from southeastern Oklahoma and southwestern Arkansas. Copeia 1929:8-12.
- Ortenburger, A.I.; Hubbs, C.L. 1926. A report of the fishes of Oklahoma, with descriptions of new genera and species. Proceedings of the Oklahoma Academy of Science 6(1926): 126-141.
- Ohio River Valley Ecosystem Team, Mollusk Subgroup. Status assessment for the spectaclecase, *Cumberlandia monodonta*, occurring in the Mississippi River system. Final Report. 69 pp. + append.
- Page, L.M. 1985. The crayfishes and shrimps (Decapoda) of Illinois. Illinois Nat. Hist. Surv. Bull. 33(4): 335-448.
- Page, L.M.; Burr, B.M. 1991. A field guide to freshwater fishes, North America north of Mexico. Peterson Field Guide Series. Boston, Houghton Mifflin Co. 432 pp.
- Page, Lawrence M. and Brooks M Burr. 1991. A Field Guide to Freshwater Fishes: North America North of Mexico. Houghton Mifflin Company, Boston. 432pp.
- Page, Lawrence M. and Philip W. Smith. 1971. The life history of the slenderhead darter, *Percina phoxocephala*, in the Embarras River, Illinois. Illinois Natural History Survey Biological Notes No. 74. 14pp.
- Pardew, M.G.; Cochran, B.G.; Posey, W.R. 1993. Range extension of the paleback darter. Proceedings of the Arkansas Academy of Science. 47: 86-87.
- Parker, M.V. 1947. Notes on the herpetology of Clay and Greene counties, Arkansas. Proceedings of the Arkansas Academy of Science. 2:15-30.
- Parker, J.W 1999. Mississippi Kite (*Ictinia mississippiensis*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 402. The Birds of North America, Inc., Philadelphia, PA.
- Parmalee, P.W. and A.E. Bogan. 1998. The Freshwater Mussels of Tennessee. University of Tennessee Press. Knoxville. 328 pp.
- Parsons, K.C.; and Master, T.L. 2000. Snowy Egret (*Egretta thula*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 489. The Birds of North America, Inc., Philadelphia, PA.

- Patterson, K.K. 1978. Life history aspects of paedomorphic populations of the mole salamander, *Ambystoma talpoideum*. *Copeia* 1978:649-655.
- Patton, T.M.; Zornes, M.L. 1991. An analysis of stomach contents of the Ouachita madtom (*Noturus lachneri*) in the three streams of the upper Saline River drainage, Arkansas. *Proceedings of the Arkansas Academy of Science*. 45: 78-80.
- Paulson, D.R. 1995. Black-bellied Plover (*Pluvialis squatarola*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 186. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.
- Payne, B.S.; Miller, A.C. 1989. Growth and survival of recent recruits to a population of *Fusconaia ebena* (Bivalvia: Unionidae) in the lower Ohio River. *American Midland Naturalist*. 121:99-104.
- Peck, J.H. Clark, J.D.; Sheldon, T.; Heidt, G.A. 1985. Analysis of Arkansas fur harvest records-1942-1984: II. Species accounts. *Arkansas Academy of Science Proceedings*. 39:84-88.
- Penor, J.R.; Karlin, A.V.; Heidt, G.A. 1996. Biodiversity of Camp Joseph T. Robinson Military Installation North Little Rock, Arkansas 1994-1995. *Proceedings of the Arkansas Academy of Science*. 50(91-95).
- Perkins, R.M. 1928. Collecting reptiles near Little Rock, Arkansas. *Bull. Antivenin Inst. Amer.* 1928:47-50.
- Perkins, R.M.; Lentz, M.J.R. 1932. Contribution to the herpetology of Arkansas. *Copeia* 1934: 139-140.
- Perry, R.H., R.W. Surdick and D.M. Anderson. 1974. Observations on the biology, ecology, behavior, and larvae of *Dryobius sexnotatus* Linsley (Coleoptera: Cerambycidae). *Coelop. Bull.* 28(4): 169-176.
- Peterson, C.L.; Wilkinson, R.F.; Moll, D.; Holder, T. 1992. Estimating the number of female *Ambystoma annulatum* (Caudata: Ambystomatidae) based on oviposition. *Southwestern Naturalist*. 37:425-426.
- Petit, L.J. 1999. Prothonotary Warbler (*Protonotaria citrea*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 408. The Birds of North America, Inc., Philadelphia, PA.
- Petranka, J.W. 1998. *Salamanders of the United States and Canada*. Smithsonian Institution Press, Washington, D. C. 587 pp.
- Pflieger, W.L. 1996. *The crayfishes of Missouri*. Missouri Conservation Dept. Jefferson City. 152 pp.
- Pflieger, W.L. 1997. *The fishes of Missouri*. Missouri Dept. Conservation. Jefferson City, MO. 372 pp.
- Pflieger, William L. 1997. *The Fishes of Missouri, Revised Edition*. Missouri Department of Conservation, Jefferson City. 372pp.
- Pigg, J.; Hill, L.G. 1974. Fishes of the Kiamichi River, Oklahoma. *Proceedings of the Oklahoma Academy of Science* 54: 121-130.

- Pike, J.R.; Shaw, J.H.; Leslie, D.M. Jr. 1997. The mountain lion in Oklahoma and surrounding states. *Proceedings of the Oklahoma Academy of Science*. 77:39-42.
- Pilsbry, H.A. and J.H. Ferris. 1906. Mollusca of the Ozarkian fauna. *Proc. Acad. Nat. Sci. Phila.* 529-556.
- Pingjun, L.I. 1994. Breeding Productivity, Microhabitat Requirements, and Parental Care of Neotropical Migrant Birds in the Ozarks of Arkansas. The University of Arkansas. Fayetteville, AR
- Pisani, G.R.; Collins, J.T.; Edwards, S.R. 1973. A re-evaluation of the subspecies of *Crotalus horridus*. *Trans. Kansas Acad. Sci.* 75:255-263.
- Pitts, R.M.; Choate, J.R.; Clawson, R.L. 1996. The distribution of Missouri bats. *Transactions of the Missouri Academy of Science*. 30:37-60.
- Pflieger, William L. 1996. The crayfishes of Missouri. Missouri Department of Conservation, Jefferson City. 152pp.
- Plummer, M.V. 1977f. Geographic Distribution: *Rana areolata circulosa*. *Herpetological Review* 8:38.
- Plummer, M.V. 1980b. Geographic Distribution. *Regina septemvittata*. *Herpetol. Rec.* 11:81.
- Plummer, M.V. 1982. The status of the Caddo Mountain and Fourche Mountain salamanders (*Plethodon caddoensis*, *P. fourchensis*) in Arkansas. Rept. Arkansas Nat. Herit. Comm. Little Rock.
- Plummer, M.V.; Dye, B.A. 1992. Geographic Distribution: *Ambystoma talpoideum*. *Herpetol. Rev.* 23:84.
- Plummer, M. V. and D. F. McKenzie. 2004. Geographic distribution: *Regina rigida sinicola*. *Herp. Review* 35(4):412.
- Plummer, M.V.; White, J.D. 1992. Geographic Distribution: *Rana areolata circulosa*. *Herpetol. Rev.* 23:87.
- Polechla, P.J. 1987. Fur trade records from Arkansas Factory, Arkansas Post, Louisiana Territory, 1805-1810. *Proceedings of the Arkansas Academy of Science*. 41:69-72
- Polhemus, John T. 1993. A new species of *Pentacora* (Heteroptera:Saldidae) from the Ouachita mountains of Arkansas. *Journal of the Kansas Entomological Society* 66(4):455-457.
- Poole, A.F.; Bevier, L.R.; and Marantz, C.A. (various bird species). *The Birds of North America Online* (A. Poole, ed.). Ithaca: Cornell Laboratory of Ornithology; Retrieved from *The Birds of North American Online database*: http://bna.birds.cornell.edu/BNA/account/King_Rail.
- Pope, C.H. 1964. *Plethodon caddoensis*. *Cat. Amer. Amphib. Rept.* 14.1.
- Pope, C.H.; Pope, S.H. 1951. A study of the salamander, *Plethodon ouachitae* and the description of an allied form. *Bull. Chicago Acad. Sci.* 9:129-152.
- Posey, W.R. II. 1997. Location, species composition, and community estimates for mussel beds in the St. Francis and Ouachita rivers in Arkansas. M.S. thesis, Dept. Biological Sciences, Arkansas State University, State University, AR. 178 p.

- Posey, W.R. II; Harris, J.L.; Harp, G.L. 1996. New distributional records for freshwater mussels in the Ouachita River, Arkansas. *Proceedings of the Arkansas Academy of Science*. 50:96-98.
- Posey, W.R. J.L. Harris and G.L. Harp 1996. New distributional records for freshwater mussels in the Ouachita River, Arkansas. *Proceedings of the Arkansas Academy of Science*. Vol. 52. Pp. 96-98.
- Poulton, B.C. and K.W. Stewart. 1987. Three new species of stoneflies (Plecoptera) from the Ozark-Ouachita Mountain region. *Proc. Entomol. Soc. Wash.* 89(2):296-302.
- Prather, J.W.; Briggler, J.T. 2002. Use of small caves by Ozark Big-eared bats (*Corynorhinus townsendii ingens*) in Arkansas. *American Midland Naturalist*. 148:193-197.
- Preston, J.R.; Sealander, J.A. 1969. Unusual second record of *Notiosorex* from Arkansas. *Journal of Mammalogy*. 50(3):641-642.
- Probst, J.R.; Thompson, F.R., III. 1996. A Multi-Scale Assessment of the Geographic and Ecological Distribution of Midwestern Neotropical Migratory Birds. *Management of Midwestern Landscapes for the Conservation of Neotropical Migratory Birds* [Thompson, F
- Pyron, M.; Taylor, C.M. 1993. Fish community of Oklahoma Gulf coastal plains. *Hydrobiologia* 257: 29-35.
- Rabeni, C.F. 1992. Trophic linkage between stream centrarchids and their crayfish prey. *Canadian Journal of Fisheries and Aquatic Sciences* 49: 1714-1721.
- Rabinowitz, A.; Tuttle, M.D. 1980. Status of summer colonies of the endangered gray bat in Kentucky. *Journal of Wildlife Management*. 44(4):955-960.
- Ramsey, Z. D. and C. T. McCallister. 2004. Geographic distribution: *Regina grahamii*. *Herp. Review* 35(3):294.
- Ravenstel, Anthony W. and Brooks M. Burr. 2002. Conservation assessment for bluehead shiner (*Pteronotropis hubbsi*). Prepares for USDA Forest Service, Eastern Region, Threatened and Endangered Species Program, Milwaukee, Wisconsin. 23pp.
- Raymond, L.R.; Hardy, L.M. 1990. Demography of a population of *Ambystoma talpoideum* (Caudata: Ambystomatidae) in northwestern Louisiana. *Herpetologica* 46:371-382.
- Raymond, L.R.; Hardy, L.M. 1991. Effects of a clearcut on a population of the mole salamander, *Ambystoma talpoideum*, in an adjacent unaltered forest. *J. Herpetol.* 25:509-512.
- Reagan, D. P. 1974a. Threatened native amphibians of Arkansas. Pp. 93-99. In *Arkansas Natural Area Plan* Arkansas Department of Planning. Little Rock.
- Reeves, J.D. 1953. The fishes of the Little River system in Oklahoma. Ph.D. Thesis. Okla. State Univ. Stillwater. 95 pp.
- Reimer, R.D. 1963. The crawfish of Arkansas. M.S. Thesis. University of Arkansas. Fayetteville. 170 pp.

- Reimer, R.D. 1966. Two new species of the genus *Cambarus* from Arkansas (Decapoda, astacidae). *Tulane studies in zoology*. 13 (1):9-15.
- Reimer, R.D. 1969a. A taxonomic study of the *gracilis* section of the genus *Procambarus*. Ph.D. dissertation. Tulane Univ. New Orleans. 178 pp.
- Reimer, R.D. 1969b. A report on the crawfishes (Decapoda, Astacidae) of Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 48:49-65.
- Rich, T.D.; Beardmore, C.J.; Berlanga, H.; Blancher, P.J.; and others. 2004. Partners in Flight North American Landbird Conservation Plan. Cornell Lab of Ornithology. Ithaca, NY. Partners in Flight website. http://www.partnersinflight.org/cont_plan/ (VERSION: March 2005).
- Rich, T. D., C. J. Beardmore, H. Berlanga, P. J. Blancher, M. S. W. Bradstreet, G. S. Butcher, D. W. Demarest, E. H. Dunn, W. C. Hunter, E. E. Inigo-Elias, J. A. Kennedy, A. M. Martell, A. O. Panjabi, D. N. Pashley, K. V. Rosenberg, C. M. Rustay, J. S. Wendt, T. C. Will. 2004. Partners in Flight North American Landbird Conservation Plan. Cornell Lab of Ornithology. Ithaca, NY. Partners in Flight website. http://www.partnersinflight.org/cont_plan/ (VERSION: March 2005).
- Richardson, M.; Brauning, D.W. 1995. Chestnut-sided Warbler (*Dendroica pensylvanica*). *The Birds of North America*, No. 190 [Poole, A.; Gills, F., eds.]. The Academy of Natural Sciences, Philadelphia. The American Ornithologists' Union, Washington, D.C
- Richter, B.D.; Braun, D.P.; Mendelson, M.A.; Master, L.L.1997. Threats to imperiled freshwater fauna. *Cons. Biol.* 11(5): 1081-1093.
- Ricker, W.E. and H.H. Ross. 1969. The genus *Zealeuctra* and its position in the family Leuctridae (Plecoptera: Insecta). *Canad. Zool.* 47:1113-1127.
- Robbins, M.B.; Easterla, D.A. 1992. *Birds of Missouri: Their Distribution and Abundance*. University of Missouri Press, Columbia, MO
- Robbins, C.S.; Fitzpatrick, J.W; Hamel, P.B. 1989. A Warbler in Trouble: (*Dendroica cerulea*). *Ecology and Conservation of Neotropical Migrant Landbirds* [Hagan, J.M.; Johnston, W., eds.]. Manomet Symposium. Smithsonian Institution Press, Washington, DC.
- Roberts, K. and R. Pulay. 2005. Geographic distribution: *Crotaphytus collaris*. *Herp. Review* 36(1):78-79.
- Robinson, S.R.; Thompson, F.R., III; Donovan, T.M.; Whitehead, D.R.; Faaborg. 1995. Regional Forest Fragmentation and the Success of Migratory Birds. *Science* 267:1987-1990.
- Robinson, J.A.; Oring, L.W.; Skorupa, J.P.; and Boettcher, R. 1997. American Avocet (*Recurvirostra americana*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 275. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Robinson, S.R.; Heske, E.J.; Brawn, J.D. 1999. Factors Affecting the Nesting Success of Edge and Shrubland Birds. Final Report to Illinois Department of Natural Resources, Federal Aid project, No. W-125-R.

- Robison, H.W. 2001. A survey of the Oklahoma endemic crayfish, *Orconectes saxatilis* Bouchard and Bouchard. Final Report to USDA Forest Service. Ouachita National Forest. Hot Springs, AR.
- Robison, H.W. 2001. Distribution and status of the Kiamichi shiner, *Notropis ortenburgeri* Hubbs (Cyprinidae). Final Report to USDA Forest Service. Hot Springs, AR 50 pp.
- Robison, H.W. 1992a. Distribution and status of the Ouachita River form of the longnose darter in the Ouachita National Forest, Arkansas. Final Report to U.S. Forest Service, Ouachita National Forest. Hot Springs, AR 58 p.
- Robison, Henry W. 1992a. Distribution and status of the longnose darter, *Percina nasuta* (Bailey), in the Ozark National Forest, Arkansas. Final report for USDA Forest Service, Ozark National Forest. Russellville, Arkansas. 58pp.
- Robison, H.W. 1992b . Distribution and status of the longnose darter, *Percina nasuta* (Bailey), in the Ozark National Forest, Arkansas. Final Report to U.S. Forest Service, Ouachita National Forest. Hot Springs, AR 58 p.
- Robison, Henry W. 1992b. Distribution and status of the Ouachita River form of the longnose darter in the Ouachita National Forest, Arkansas. Final report for USDA Forest Service, Ouachita National Forest. Hot Springs Arkansas. 58pp.
- Robison, H.W. 1993. Effects of barite mining on the distribution, life history aspects, and status of the Caddo madtom, *Noturus taylori* Douglas (Pisces: Ictaluridae) in the Ouachita National Forest, Arkansas. Final Report to USDA Forest Service. Ouachita
- Robison, Henry W. 1993. Effects of barite mining on the distribution, life history aspects, and status of the Caddo madtom, *Noturus taylori* Douglas (Pisces: Ictaluridae), in the Ouachita National Forest, Arkansas. Final report for USDA Forest Service, Ouachita National Forest. Hot Springs, Arkansas. 71pp.
- Robison, Henry W. 1995. Status survey of the Ozark shiner, *Notropis ozarcanus* Meek, in Arkansas. Final report to the USFWS. Jackson, Mississippi. 48pp.
- Robison, H.W. 1997. Crayfishes of the Ouachita National Forest in Arkansas. Final Report to USDA Forest Service. Ouachita National Forest. Hot Springs, AR
- Robison, Henry W. 1998. Status survey of the Strawberry Darter, *Etheostoma fragi* (Distler), in Arkansas. Final report to the USFWS. Jackson, Mississippi. 30pp
- Robison, H.W. 2000a. Crayfishes of the Ouachita National Forest, Arkansas and Oklahoma. Final Report to USDA Forest Service. Ouachita National Forest. Hot Springs, AR
- Robison, Henry W. 2001. Final report: A status survey of the Arkansas endemic crayfish, *Fallicambarus petilicarpus* Hobbs and Robison. Report to USFWS Conway Arkansas. 17pp.
- Robison, H.W. 2001a. Status Survey of the peppered shiner, *Notropis perpallidus* Hubbs and Black, in Arkansas. Final Report to USDA Forest Service. Hot Springs, AR. 41 pp.

- Robison, Henry W. 2001b. Status survey of the peppered shiner, *Notropis perpallidus* Hubbs and Black, in Arkansas. Final report for USDA Forest Service, Ouachita National Forest. Hot Springs, Arkansas. 46pp.
- Robison, H.W. 2002. Computerization of the crayfishes of Arkansas. Final Report to Arkansas Game and Fish Commission. Little Rock. 24 pp.
- Robison, Henry W. 2004. A survey of the Paleback Darter, *Etheostoma pallididorsum* Distler and Metcalf, an upper Ouachita River system endemic. Final report for USDA Forest Service, Ouachita National Forest. Hot Springs, Arkansas. 37pp.
- Robison, Henry W., and Robert T. Allen. 1995. Only in Arkansas: A study of the endemic plants and animals of the state. University of Arkansas Press, Fayetteville. 121pp.
- Robison, H.W.; Buchanan, T.M. 1988. Fishes of Arkansas. Univ. Arkansas. Fayetteville. 536 pp.
- Robison, Henry W. and Thomas M. Buchanan. 1988. Fishes of Arkansas. The University of Arkansas Press, Fayetteville. 536pp.
- Robison, Henry W. and Keith Crandall, in preparation. Status and genetics of *Procambarus ferrugineus* Hobbs and Robison. State Wildlife Grant Project Report to Arkansas Game and Fish Commission.
- Robison, Henry W. and Betty Crump, 2004. Distribution, natural history aspects, and status of the Arkansas endemic crayfish, *Fallicambarus harpi* Hobbs and Robison, 1985. Journal of the Arkansas Academy of Science. 58:91-94.
- Robison, H.W.; Douglas, N.H. 1979. First records of *Eumeces obsoletus* in Arkansas. Southwestern Naturalist. 23:538-539.
- Robison, Henry W., and Brian K. Wagner, in press. Status survey of the Arkansas endemic crayfish, *Fallicambarus gilpini* Hobbs and Robison. Proceedings of the Arkansas Academy of Science.
- Robison, H.W.; Winters, S.A. 1978. Geographic Distribution. *Ambystoma talpoideum*. Herpetol. Rev. 9:21.
- Robotham, C.D. and R.T. Allen. 1988. *Paraleptohphlebia calcarica*, n. sp. (Ephemeroptera: Leptohphlebiidae) from western Arkansas. J. Kansas Entomol. Soc. 61(3):317-320.
- Rodewald, P.G.; James, R.D. 1996. Yellow-Throated Vireo (*Vireo flavifrons*). The Birds of North America, No. 247 [Poole, A.; Gill, F., eds.]. The Academy of Natural Sciences, Philadelphia, PA; The American Ornithologists' Union, Washington, DC.
- Rodewald, P.G.; Smith, K.G. 1998. Short-Term Effects of Understory and Overstory Management on Breeding Birds in Arkansas Oak-Hickory Forests. Journal of Wildlife Management 62: 1411-1417.
- Rodgers, Jr., J.A.; and Smith, H.T. 1995. Little Blue Heron (*Egretta caerulea*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 145. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.

- Roe, K.J. 2002. Conservation assessment for the snuffbox (*Epioblasma triquetra*) (Rafinesque, 1820). Final Report USDA Forest Service, Eastern Region. 12 pp.
- Rosenberg, K.V.; Barker, S.E.; Rohrbaugh, R.W. 2000. An Atlas of Cerulean Warbler Populations. Cornell Lab of Ornithology, Ithaca, NY.
- Rosene, W. 1969. The Bobwhite Quail: Its Life and Management. Rutgers University Press, New Brunswick, N.J. 418 p.
- Ross, H.H. 1938. Descriptions of new North American Trichoptera. Proc. Wash. Entomol. Soc. 40:(5):117-124.
- Ross, H.H. 1964. New species of winter stoneflies of the genus *Allocapnia* (Plecoptera: Capniidae). Entomol. News 75(7):169-177.
- Rossmann, D.A. 1958. A race of *Desmognathus* from the southcentral United States. Herpetologica 14:158-160.
- Roth, R.R.; Johnson, M.S.; and Underwood, T.J. 1996. Wood Thrush (*Hylocichla mustelina*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 246. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Rudolph, D.C. 1978. Aspects of the larval ecology of five plethodontid salamanders of the western Ozarks. American Midland Naturalist. 100:141-159.
- Rudolph, D.C. 2002. Is the Diana fritillary (*Speyeria diana*) a fire dependent species in the Interior Highlands? Abstract only. Lepidopterists' Society Annual Meeting July 26-29, 2002. Corvallis, OR.
- Rudolph, D.C.; Ely, C.A. 2000a. Lepidopteron (butterflies and skippers) survey of the Ouachita National Forest (with particular attention to the Caddo Ranger District) in relation to habitat. Interim Report.
- Rudolph, D.C.; Ely, C.A. 2000b. The influence of fire on lepidopteron abundance and community structure in forested habitats of eastern Texas. Texas Journal of Science. 52(4) Supplement: 127-138.
- Rusch, D.H.; DeStefano, S.; Reynolds, M.C.; and Lauten, D. 2000. Ruffed Grouse (*Bonasa umbellus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 515. The Birds of North America, Inc., Philadelphia, PA.
- Rust, P. J. 1993. Analysis of the commercial mussel beds in the Black, Spring, Strawberry and Current rivers in Arkansas. M.S. thesis, Dept. Biological Sciences, Arkansas State University, State University, AR. 118 p.
- Rutherford, D.A.; Echelle, A.A.; Maughan, O.E. 1992. Drainage-wide effects of timber harvesting on the structure of stream assemblages in southwestern Oklahoma. Trans. Amer. Fish. Soc. 121: 716-728.
- Salveter, A.L. 1994. Effects of Prescribed Burning on Neotropical Migrant and Resident Birds in Pine Forests of the Arkansas Ozarks. M.S. Thesis, University of Arkansas, Fayetteville, AR. 65 p.
- Sanderson, M.W. and A. Miller. 1941. A new species of ground beetle of the genus *Rhadine* from an Arkansas cave (Coleoptera: Carabidae). Proc. Ark. Acad. Sci. 1:39-40.

- Sauer, J. R., J. E. Hines, and J. Fallon. 2004. The North American Breeding Bird Survey, Results and Analysis 1966 - 2003. Version 2004.1. USGS Patuxent Wildlife Research Center, Laurel, MD (distribution information) [accessed 2005 January 11-12]
- Saugey, D.A. 1978. Reproductive biology of the gray bat, *Myotis grisescens*, in northcentral Arkansas. Jonesboro, AR: Arkansas State University. M.S. Thesis.
- Saugey, D.A. 2004. Bear Den Cave Activity Report 1989-2004. Ouachita National Forest.
- Saugey, D.A.; Heidt, G.A.; Heath, D.R. 1985. Summer use of abandoned mines by the Caddo salamander, *Plethodon caddoensis* (Plethodontidae), in Arkansas. Southwestern Naturalist. 30:318-319.
- Saugey, D.A.; Heath, D.R.; Heidt, G.A. 1989. The bats of the Ouachita Mountains. Proceedings of the Arkansas Academy of Science. 43:71-77.
- Saugey, D.A.; Heidt, G.A.; Heath, D.R.; McDaniel, V.R. 1990. Hibernating Indiana bats (*Myotis sodalis*) from the Ouachita Mountains of southeastern Oklahoma. Southwestern Naturalist 35(3):342-343.
- Saugey, D.A.; England, D.R.; Chandler-Mozisek, L.R.; McDaniel, V.R.; Rowe, M.C.; Cochran, B.G. 1993. Arkansas range extensions of the eastern small-footed bat, and northern long-eared bat and additional county records for the silver-haired bat, hoary bat,
- Saugey, D.A.; Trauth, S.E. 1991. Distribution and habitat utilization of the four-toed salamander, *Hemidactylium scutatum*, in the Ouachita Mountains of Arkansas. Proceedings of the Arkansas Academy of Science. 45:88-91.
- Sayler, A. 1966. The reproductive ecology of the red-backed salamander, *Plethodon cinereus*, in Maryland. Copeia 1966:183-193.
- Scharf, W.C.; Kren, J. 1996. Orchard Oriole (*Icterus spurius*). The Birds of North America, No. 255 [Poole, A.; Gill, F., eds.]. The Academy of Natural Sciences, Philadelphia, PA; The American Ornithologists' Union, Washington, DC.
- Schmidt, K.P. 1953. A checklist of North American amphibians and reptiles. 6th ed. Amer. Soc. Ichthyol. Herpetol. 280 pp.
- Schroeder, M.A.; and Robb, L.A. 1993. Greater Prairie-Chicken. In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 36. Philadelphia: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union.
- Schuijer, J. P.; Dickson, J.W.; Harvey, M.J. 1972. Herpetofauna of Sylamore Ranger District, Ozark National Forest, Arkansas: preliminary report. Proceedings of the Arkansas Academy of Science. 26:61-66.
- Schurbon, J.M.; Fauth, J.E. 2003. Effects of prescribed burning on amphibian diversity in a southeastern U.S. National Forest. Conservation Biology 17(5): 1338-1349
- Schuster, G.A. 1997. Resource management of freshwater crustaceans in the southeastern United States. in Aquatic Fauna in Peril: The Southeastern Perspective. Ed. by G. W. Benz and D. E. Collins. Spec. Publ. 1, Southeastern Aquatic Research Institute Deca

- Schwardt, J. 1938. Reptiles of Arkansas. Bull. Univ. Arkansas Agri. Exp. Sta. 357:3-47.
- Schweitzer, D.F. 1989. A review of Category 2 Insecta in USFWS regions 3, 4, 5. Prepared for the United States Fish and Wildlife Service.
- Scott, Mary 2004. Life history and population biology of the Arkansas fatmucket, *Lampsilis powelli* (Lea, 1852). MS Thesis. Arkansas State University, State University, AR py pp. + append.
- Sealander, J.A. 1956. A provisional check-list and key to the mammals of Arkansas (with Annotations). American Midland Naturalist. 56(2):257-296.
- Sealander, J.A. 1960. Some noteworthy records of Arkansas mammals. Journal of Mammalogy. 525-526.
- Sealander, J.A. 1967. First record of small-footed myotis in Arkansas. Journal of Mammalogy. 48:666.
- Sealander, J.A. 1977. New marginal records for the eastern harvest mouse and southeastern shrew in Arkansas. Southwestern Naturalist. 22(1):148-149.
- Sealander, J.A.; Heidt, G.A. 1990. Arkansas mammals: their natural history, classification, and distribution. Revised ed. Fayetteville, Arkansas: University of Arkansas Press.
- Sealander, J.A.; Young, H. 1955. Preliminary observations on the cave bats of Arkansas. Arkansas Academy of Science Proceedings. 7(21-31).
- Secor, S.M. 1988. Perch sites of calling male bird-voiced treefrogs, *Hyla avivoca*, in Oklahoma. Proceedings of the Oklahoma Academy of Science. 68:71-73.
- Sedgwick, J.A. 2000. Willow Flycatcher (*Empidonax traillii*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 533. The Birds of North America, Inc., Philadelphia, PA.
- Semlitsch, R.D. 1985 Reproductive strategy of a facultatively paedomorphic salamander *Ambystoma talpoideum*. Oecologia (Ben.). 65:306-313.
- Semlitsch, R.D. 1987a. Relationship of pond drying to the reproductive success of the salamander *Ambystoma talpoideum*. Copeia 1987:61 -69.
- Semlitsch, R.D. 1987b. Density-dependent growth and fecundity in the paedomorphic salamander *Ambystoma talpoideum*. Ecology 68:1003-1008.
- Sever, D.M.; Trauth, S.E. 1990. Cloacal anatomy of female salamanders of the plethodontid subfamily Desmognathinae (Amphibia: Urodela). Trans. Amer. Microsc. Soc. 109:193-204.
- Shepard, W.D.; Covich, A.P. 1982. The unionid fauna of Ft. Gibson Reservoir and the Grand (Neosho) River in Oklahoma: Comments on a proposed increase in water level. Southwestern Naturalist. 27(3):359-361.
- Shoop, C.R. 1960. The breeding habits of the mole salamander *Ambystoma talpoideum* (Holbrook) in southeastern Louisiana. Tulane Stud. Zool. 8:65-82.
- Shoop, C.R. 1964. *Ambystoma talpoideum*. Cat. Amer. Amphib. Rept 8.1-8.2.

- Sievert, D. 1986. An investigation of the distribution and population status of the Rich Mountain salamander (*Plethodon ouachitae*) in Oklahoma. Final Report. Oklahoma Department of Wildlife Conservation. 30 pp.
- Simons, A.M. 1991. Phylogenetic relationships of the crystal darter, *Crystallaria asprella*. Copeia 1991: 927-96.
- Smallwood, J.A.; Bird, D.M. 2002. American Kestrel (*Falco sparverius*). The Birds of North America, No. 602 [Poole, A.; Gill, F., eds.]. The Birds of North America, Inc., Philadelphia, PA.
- Smetana, A., 1983, The status of the staphylinid genera *Derops* Sharp and *Rimulincola* Sanderson (Coleoptera): Entomologica Scandinavica, v. 14, p. 269-279.
- Smith, P.W. 1948. Food habits of cave dwelling amphibians. Herpetologica 4:205-208.
- Smith, C.C. 1959. Notes on the salamanders of Arkansas #1: life history of a neotenic stream-dwelling form. Proceedings of the Arkansas Academy of Science. 13:66-74.
- Smith, C.C. 1960. Notes on the salamanders of Arkansas #2: the status of *Desmognathus* in Arkansas. Proc. Arkansas Acad. Sci, 14:14-19.
- Smith, P.W. 1961. The amphibians and reptiles of Illinois. Illinois Nat. Hist. Surv. Bull. 28:1-298.
- Smith, P.W. 1963. *Plethodon cinereus*. Cat. Amer. Amphib. Rept. 5.1-5.3.
- Smith, C.C. 1964. The problem of hybridization of the red cave salamander, *Eurycea* (Raf), and the long-tailed salamander, *Eurycea longicauda melanopleura* (Green). Proceedings of the Arkansas Academy of Science 18:59-62.
- Smith, P.W. 1966a. *Pseudacris streckeri*. Cat. Amer. Amphib. Rept. 27.1-27.2.
- Smith, P.W. 1966b. *Hyla avivoca*. Cat. Amer. Amphib. Rept. 28.1-28.2. Species Bulletin 28(2): 10-11.
- Smith, C. C. 1968. A new Typhlotriton from Arkansas (Amphibia: Caudata). Wasmann J. Biol. 26:155-159.
- Smith, Philip W. 1979. The Fishes of Illinois. University of Illinois Press, Urbana. 314pp.
- Smith, D.G. 2001. Ecology and Evolution of the Freshwater Mussels Unionoida. Springer. G. Bauer and K. Wachtler (Eds.) 400 pp.
- Smith, K.L.; Pell, W.F.; Rettig, J.H.; Davis, R.H.; Robison, H.W. 1984. Arkansas's Natural Heritage. August House Publ., Little Rock. 116 pp.
- Smith, K.G.; Withgott, J.H.; and Rodewald, P.G. 2000. Red-headed Woodpecker (*Melanerpes erythrocephalus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 518. The Birds of North America, Inc., Philadelphia, PA.
- Smith, K.G.; Prather, J.W. 2000. Effects of Tornado Damage on Forest Bird Populations in the Arkansas Ozarks.
- Sparks, J.C., R.E. Masters, D.M. Engle, M.E. Payton & G.A. Bukenhofer. 1999. Influence of fire season and fire behavior on woody plants in red-cockaded woodpecker clusters. Wildlife Society Bulletin. 1999. 27(1):124-133.

- Spetich, M.A., ed. 2004. Upland oak ecology symposium: history, current conditions, and sustainability. Gen. Tech. Rep. SRS-73. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 311 p.
- Spotila, J.R. 1972. Role of temperature and water in the ecology of lungless salamanders. *Ecol. Monog.* 42:95-125.
- Spotila, I.R.; Beumer, R.J. 1970. The breeding habits of the ringed salamander, *Ambystoma annulatum* (Cope), in northwestern Arkansas. *American Midland Naturalist.* 84:77-87
- Spotila, J. R., and P. H. Ireland. 1970. Notes on the eggs of the gray-bellied salamander, *Eurycea multiplicata* griseogaster. *Southwestern Naturalist.* 14:366-368.
- Staines, C. L. 2001. Distribution of *Lucanus elaphus* Linnaeus (Coleoptera: Lucanidae) in North America. *Coleopterists Bulletin* 55 (4): 397-404.
- Stansbery, D. 1970. Eastern freshwater mollusks (1) the Mississippi and St. Lawrence River systems. *Malacologia* 10:9-21.
- Stansbery, D.H.; Stein, C.B. 1982. The unionid mollusks of the lower Saint Francis River in Arkansas. Museum of Zoology, Ohio State University, Columbus. Report to the U. S. Fish and Wildlife Service, Atlanta, GA. 23 pp. + appendices.
- Stark, B. 1998, October 12, 1998 last update. North American Stonefly List. Online. Available: <http://www.mc.edu/campus/users/stark/stonefly.html>. 1996, December 23.
- Stein, R.A. 1977. Selective predation, optimal foraging, and the predator-prey interactions between fish and crayfish. *Ecology* 58: 1237-1253.
- Stein, C.B.; Stansbery, D.H. 1980. Final report on the distribution of naiad mollusks of the White River in the vicinity of the proposed U.S. Route 67 bridge, Jackson County, Arkansas. 9 p.
- Stejneger, L. 1894. Description of a new salamander from Arkansas with notes on *Ambystoma annulatum*. *Proc. U.S. Nat. Mus.* 17:597-598.
- Stejneger, L.; Barbour, T. 1917. A Check List of North American Amphibians and Reptiles. Harvard University Press, Cambridge. 125 pp.
- Steward, T.W. 1988. Distributions and habitat affinities of the mammals of southwest Arkansas. *Proceedings of the Arkansas Academy of Science.* 40:72-73.
- Stewart, J.H. 1995. Relocation of *Potamilus capax* from Ditch 10 of the St. Francis Floodway Poinsett County, Arkansas. Submitted to Memphis District, U. S. Army Corps of Engineers, Memphis, TN. No pagination.
- Stoddard, H.L., Sr. 1931. The Bobwhite Quail – Its Habits, Preservation, and Increase. Charles Scribner's Sons, New York, NY. 559 p.
- Stoeckel, J.; Moles, K. 2002. Status survey for the scaleshell mussel, *Leptodea leptodon*, with a summary of baseline data on other freshwater mussel species, of the South fourche LaFave River, Arkansas. 25p.
- Stoeckel, J.N.; Lewis, L.; Harlan, J. 1996. Mulberry River freshwater mussel survey. Prepared for the U.S.D.A. Forest Service, Ozark-St. Francis National Forest, Russellville, AR. 52 p.

- Stoeckel, J.N.; Davidson, C.L.; Antwine, M.; Jones, C.; Brod, M.; Mole, K. 2000. Location and notes on freshwater mussels (Bivalvia: Unionacea) inhabiting Big Piney Creek, and East and Middle Forks Illinois Bayou within the Ozark-St. Francis National Forest.
- Stone, W. 1904. A collection of reptiles and salamanders from Arkansas, Indiana Territory, and western Texas. Proc. Acad. Nat. Sci. Philadelphia 55:538-558.
- Straight, C.A.; and Cooper, R.J. 2000. Chuck-will's-widow (*Caprimulgus carolinensis*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 499. The Birds of North America, Inc., Philadelphia, PA.
- Strecker, J.K. 1924. Notes on the herpetology of Hot Springs, Arkansas. Baylor Bull. 27:29-47.
- Strecker, J.K.; Williams, W.J. 1928. Field notes on the herpetology of Bowie County, Texas. Contr. Baylor Univ. Mus. 17:1-19.
- Sullivan, J.N.; Terry, J.E. 1970. Drainage areas of streams in Arkansas: Arkansas River Basin. U. S. G. S. Open-File Report prepared in cooperation with the Arkansas State Highway Commission. Little Rock. 75 p.
- Sutton, K.B.; Paige, K.N. 1980. Geographic Distribution. *Ambystoma talpoideum*. Herpetol. Rev. 11:13.
- Szymanski, J. 1998. *Leptodea leptodon* (scaleshell mussel) rangewide status assessment 1998. U. S. Fish and Wildlife Service, Endangered Species Division, Ft. Snelling, MN. 16 pp. + appendices.
- Taylor, E.H. 1935. Arkansas amphibians and reptiles in the Kansas University Museum. Univ. Kansas Sci. Bull. 22:207-218.
- Taylor, C.M. 1994. Distribution and abundance of *Lythrurus snelsoni* (Robison), an endemic species from the Ouachita Mountain uplift. Final Report to USDA Forest Service. Hot Springs, AR.
- Taylor, C.M. 1996. Abundance and distribution within a guild of benthic stream fishes: local processes and regional patterns. Freshwater Biology 36:385-396.
- Taylor, C.M. 1997. Fish species richness and incidence patterns in isolated and connected stream pools: effects of pool volume and spatial position. Oecologia 110: 560-566.
- Taylor, C.M. 1999. A large-scale comparative analysis of riffle and pool fish communities in an upland stream system. Environmental Biol. Fish. pp.1-7.
- Taylor, C.M.; Lienesch, P.W. 1995. Environmental correlates of distribution and abundance for *Lythrurus snelsoni*: a range-wide analysis of an endemic fish species. Southwestern Nat. 40(4): 373-378.
- Taylor, C.M.; Lienesch, P.W. 1996. Regional parapatry of the congeneric cyprinids *Lythrurus snelsoni* and *L. umbratilis*: species replacement along a complex environmental gradient. Copeia (2): 493-497.
- Taylor, C.L.; Wilkinson, R.F., Jr.; Peterson, C.L. 1990. Reproductive patterns of five plethodontid salamanders from the Ouachita Mountains. Southwestern Naturalist. 35:468-472.

- Taylor, C.M.; Pyron, M.; Winston, M R. 1993. Zoogeographic implications for the first record of *Crystallaria asprella* (Percidae) from the Kiamichi River drainage, and for the occurrence of *Notropis boops* (Cyprinidae) and *Luxilus chrysocephalus* (Cyprinidae).
- Taylor, C.A.; Warren, M.L.; Fitzpatrick, J.F., Jr.; Hobbs, H.H., III; Jezerinac, R.F.; Pflieger, W.L.; Robison, H.W. 1996. Conservation status of crayfishes of the United States and Canada. *Fisheries* 21(4): 25-38.
- Taylor, J.; Wade, F. 1972. Biological inventory of the Glover Creek basin, Oklahoma. Final Report, Dept. of the Army Corps of Engineers. Tulsa District. Contract No. DACW56-72-C-0086. Tulsa, OK.
- Templeton, A.R.; Robertson, R.J.; Brisson, J.; Strasberg, J. 2001. Disrupting evolutionary processes: the effect of habitat fragmentation on collared lizards in the Missouri Ozarks. *Proc. Natl. Acad. Sci.* 98(10):5426-5432.
- Thompson, F.R., III. 1993. Simulated Responses of a Forest Interior Bird Population to Forest Management Options in Central Hardwood Forests of the United States. *Conservation Biology*. 7(2): 325-333.
- Thompson, F.R., III. 1995. Management of Midwestern Landscapes for the Conservation of Neotropical Migratory Birds. GTR NC-187. St. Paul, MN; U.S. Department of Agriculture, Forest Service. 208 p.
- Thompson, F.R., III; Degraff, R.M. 2001. Conservation Approaches for Woody, Early Successional Communities in the Eastern United States. *Wildlife Society Bulletin* 29: 483-494.
- Thompson, F.R., III; Fritzell, E.K. 1990. Bird Densities and Diversity in Clearcut and Mature Oak-Hickory Forests. USDA Forest Service North Central Experiment Station Research Paper NC-293. St. Paul, MN.
- Thompson, F.G. and R. Hershler. 2002. Two genera of North American freshwater snails: MARSTONIA Baker, 1926, resurrected to generic status, and FLORIDOBIA, new genus (Prosobranchia: Hydrobiidae: Nymphophilinae). *The Veliger*, 45(3): 269-271.
- Thompson, F.R., III; Dijak, W.D.; Kuloweic, T.G.; Hamilton, D.A. 1992. Breeding Bird Populations in Missouri Ozark Forests With and Without Clearcutting. *Journal of Wildlife Management* 56: 23-30.
- Thompson, F.R., III; Lewis, S.J.; Green, J.; Ewert, D. 1993. Status of Neotropical Landbirds in the Midwest: Identifying Species of Management Concern. Status and Management of Neotropical Migratory Birds. [Finch, D.M.; Stangel, P.W., eds.]. Fort Collins,
- Thompson, F.R., III; Probst, J.R.; Raphael, M.G. 1995. Impacts of Silviculture: Overview and Management Recommendations. Ecology and Management of Neotropical Migratory Birds [Martin, T.E.; Finch, D.M., eds.]. New York: Oxford University Press: 201-219.
- Thompson, F.R., III; Robinson, S.K.; Whitehead, D.R.; Brawn, J.D. 1996. Management of Central Hardwood Landscapes for the Conservation of Migratory Birds. Management of Midwestern Landscapes for the Conservation of Neotropical Migratory Birds [Thompson, F

- Thompson, B.C.; Jackson, J.A.; Burger, J.; Hill, L.A.; and others. 1997. Least Tern (*Sterna antillarum*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 290. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Thurow, G.R. 1957. Relationships of the red-backed and zig-zag plethodons in the west. *Herpetologica* 13:91-99.
- Thurow, G.R. 1966. *Plethodon dorsalis*. *Cat. Amer. Amphib. Rept.* 29.1-29.3.
- Thurow, G.R. 1976. Aggression and competition in eastern Plethodon (Amphibia, Urodela, Plethodontidae). *Journal of Herpetology*. 10:277-291.
- Tibbitts, T.L.; and Moskoff, W. 1999. Lesser Yellowlegs (*Tringa flavipes*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 427. The Birds of North America, Inc., Philadelphia, PA.
- Tibbs, John E. 1998. Flathead chub (*Platygobio gracilis*) rangewide status assessment. Report prepared for USFWS, Region 3, Minneapolis, Minnesota. 50pp.
- Tihen, J.A. 1958. Comments on the osteology and phylogeny of ambystomatid salamanders. *Bull. Florida State Mus., Biol. Ser.* 3:1-50.
- Timmerman, L.B. 1993. Characteristics of a storm drain utilized by the gray bat, *Myotis grisescens*. Arkansas State University. M.S. Thesis.
- Timmermann, L.; McDaniel, V. R. 1992. A maternity colony of gray bats in a non-cave site. *Proceedings of the Arkansas Academy of Science.* 46:108-109.
- Tinkle, D.W. 1958a. The systematics and ecology of the *Sternotherus carinatus* complex (Testudinata, Chelydridae). *Tulane Stud. Zool.* 6:1-56.
- Tinkle, D.W. 1959. Observations of reptiles and amphibians in a Louisiana swamp. *American Midland Naturalist.* 62:189-205.
- Titus, T.A.; Larson, A. 1997. Molecular phylogenetics of desmognathine salamanders (Caudata: Plethodontidae): a reevaluation of evolution in ecology, life history, and morphology. *Syst. Biol.* 45:451-472.
- Trani, M.K.; Brooks, R.T.; Schmidt, T.L.; Rudis, V.A.; Gabbard, C.M. 2001. Patterns and trends of early successional forests in the eastern United States. *Wildlife Society Bulletin*, 29(2):413-424.
- Trapp, M.M. 1956 (1957). Range and natural history of the ringed salamander, *Ambystoma annulatum* (Cope) (Ambystomatidae). *Southwestern Naturalist.* 1:78-82.
- Trapp, M.M. 1959. Studies on the life history of *Ambystoma annulatum* (Cope). M.S. Thesis. University of Arkansas, Fayetteville. 36 pp.
- Trauth, S.E. 2000. Winter breeding as a common occurrence in the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), in the Ozark National Forest of northcentral Arkansas. *Proceedings of the Arkansas Academy of Science.* 54:157-158.
- Trauth, S.E. 1974. Demography and reproduction of the eastern collared lizard, *Crotaphytus collaris collaris* (Say), from northern Arkansas. M.S. Thesis. Univ. Arkansas, Fayetteville. 109 pp.

- Trauth, S.E. 1978. Ovarian cycle of *Crotaphytus collaris* (Reptilia, Lacertilia, Iguanidae) from Arkansas with emphasis on corpora albicantia, follicular atresia, and reproductive potential. *J. Herpetol.* 12:461-470.
- Trauth, S.E. 1979. Testicular cycle and timing of reproduction in the collared lizard (*Crotaphytus collaris*) in Arkansas. *Herpetologica* 35:184-192.
- Trauth, S.E. 1980b . Geographic Distribution. *Ambystoma annulatum*. *Herpetol. Rev.* 11:37.
- Trauth, S.E. 1986b. Geographic Distribution. *Crotalus atrox*. *Herpetol. Rev.* 17:67.
- Trauth, S.E. 1988a. Egg clutches of the Ouachita dusky salamander, *Desmognathus brimleyorum* (Caudata: Plethodontidae), collected in Arkansas during a summer drought. *Southwestern Naturalist.* 33:234-236.
- Trauth, S.E. 1988g. Geographic Distribution. *Regina septemvittata*. *Herpetol. Rev.* 19:20.
- Trauth, S.E. 1989a. Distributional survey of the eastern collared lizard, *Crotaphytus collaris collaris* (Squamata: Iguanidae), within the Arkansas River valley of Arkansas. *Proceedings of the Arkansas Academy of Science.* 43:101-104.
- Trauth, S.E. 1990. Flooding as a factor in the decimation of a population of green water snakes (*Nerodia cyclopion cyclopion*) from Arkansas. *Bull. Chicago Herpetol. Soc.* 25:1-3.
- Trauth, S.E. 1991a. Distribution, scutellation, and reproduction in the queen snake, *Regina septemvittata* (Serpentes: Colubridae), from Arkansas. *Proceedings of the Arkansas Academy of Science.* 45:103-106.
- Trauth, S.E. 1992b. Distributional survey of the bird-voiced treefrog, *Hyla avivoca* (Anura: Hylidae) in Arkansas. *Proceedings of the Arkansas Academy of Science.* 46:80-82.
- Trauth, S.E.; Caldwell, R.S. 1986. Geographic Distribution. *Hemidactylium scutatum*. *Herpetol. Rev.* 17:92.
- Trauth, S.E.; Cartwright, M.E. 1989. An albino larva in the ringed salamander, *Ambystoma annulatum*, from Arkansas. *Bull. Chicago Herpetol. Soc.* 24:128.
- Trauth, S.E.; McAllister, C.T. 1995. Vertebrate prey of selected Arkansas snakes. *Proceedings of the Arkansas Academy of Science.* 49:188-192.
- Trauth, S.E.; McCallum, M.L. 2001. *Alligator mississippiensis*. Winter mortality. *Herpetol. Rev.* 32:250-251
- Trauth, S.E.; Cartwright, M.E.; Meshaka, W.E. 1989b. Winter breeding in the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), from Arkansas. *Southwestern Naturalist.* 34:145-146.
- Trauth, S.E., Cox, R.L.; Butterfield, B.P.; Saugey, D.A.; Meshaka, W.E. 1990. Reproductive phenophases and clutch characteristics of selected Arkansas amphibians. *Proceedings of the Arkansas Academy of Science.* 44:107-113.
- Trauth, S.E.; Cox, R.L.; Butterfield, B.P.; Saugey, D.A.; Meshaka, W.E. 1990. Reproductive phenophases and clutch characteristics of selected Arkansas amphibians. *Proceedings of the Arkansas Academy of Science.* 44:107-113.

- Trauth, S.E.; Cochran, B.G.; Saugey, D.A.; Posey, W.R.; Stone, W.A. 1993a. Distribution of the mole salamander, *Ambystoma talpoideum* (Urodela: Ambystomatidae), in Arkansas with notes on paedomorphic populations. Proceedings of the Arkansas Academy of Science.
- Trauth, S.E.; Smith, R.D.; Cheng, A.; Daniel, P. 1993b. Histology of the caudal hedonic glands in the dark-sided salamander, *Eurycea longicauda melanopleura* (Urodela: Plethodontidae). Proceedings of the Arkansas Academy of Science. 47:151-153.
- Trauth, S.E.; Cox, R.L., Jr.; Meshaka, W.E.; Butterfield, B.P.; Holt, A. 1994. Female reproductive traits in selected Arkansas snakes. Proceedings of the Arkansas Academy of Science. 48:196-209.
- Trauth, S.E.; Cox, R.L., Jr.; Wilhide, J.D.; H.J. Worley. 1995b. Egg mass characteristics of terrestrial morphs of the mole salamander, *Ambystoma talpoideum* (Caudata: Ambystomatidae), from northeastern Arkansas and clutch comparisons with other *Ambystoma*
- Trauth, S. E., M. L. McCallum and M. E. Cartwright. 2000. Breeding Mortality in the wood frog, *Rana sylvatica* (Anura: Ranidae), from Northcentral Arkansas. Jour. Arkansas Acad. Sci. 54:154-156.
- Trauth, S.E.; McCallum, M.L.; Ball, B.J.; Hoffman, V.E. 2000a. *Plethodon caddoensis* (Caddo Mountain salamander) and *Plethodon serratus* (Southern redback salamander). Nocturnal climbing activity. Herpetol. Rev. 31:232-233.
- Trauth, S. E., M. L. McCallum, B. J. Ball and V. E. Hoffman. 2001. *Plethodon caddoensis* (Caddo Mountain Salamander) and *Plethodon serratus* (Southern Redback Salamander). Nocturnal climbing activity. Herp. Review. 32(1):32.
- Trauth, S.E.; Robison, H.W.; Plummer, M.V. 2004. The amphibians and reptiles of Arkansas. University of Arkansas Press, Fayetteville. In press.
- Trauth, S.E.; Robinette, J.W. 1990a. Notes on distribution, mating activity, and reproduction in the bird-voiced treefrog, *Hyla avivoca*. Arkansas. Bull. Chicago Herpetol. Soc. 25:218-219
- Trauth, S.E.; Robinette, J.W. 1990b. Geographic Distribution. *Hyla avivoca*. Herpetol. Rev. 21:95.
- Trauth, S.E.; Wilhide, J.D. 1999. Status of three plethodontid salamanders (genus *Plethodon*) from the Ouachita National Forest of southwestern Arkansas. Proceedings of the Arkansas Academy of Science. 53:125-137.
- Trauth, S.E.; Cochran, B.G. 1991. *Hemidactylium scutatum*. Predation. Herpetol. Rev. 22:55.
- Trauth, S.E.; Cochran, B.G. 1992. In search of western diamondback rattlesnakes (*Crotalus atrox*) in Arkansas. Bull. Chicago Herpetol. Soc. 27:89-94.
- Trexler, J.; Turner, T. 1994. Molecular genetic studies of the Ouachita and Ozark populations of the longnose darter, *Percina nasuta*. Report to the U.S. Forest Service, Forest Hydrology Laboratory, Oxford, MS. 42 p.

- Trexler, Joel and Thomas Turner. 1996. Molecular genetic status of the Ouachita and Ozark populations of the longnose darter, *Percina nasuta*. Report submitted to USDA Forest Service, Forest Hydrology Laboratory. Oxford, Mississippi. 47pp.
- Tucker, J. K. 2000. *Pseudacris streckeri illinoensis* (Illinois Chorus Frog). Frost Injuries. Herpetological Review. 31(1):41-42.
- Tumlison, R. 1995. Morphological discrimination of crania of big-eared bats in Oklahoma. Proceedings of the Oklahoma Academy of Science. 75:57-58.
- Tumlison, R. 2001. Report of the study of bats on the Jessieville Ranger District, Ouachita National Forest, including a survey to determine the presence of the endangered Indiana bat (*Myotis sodalis*). Henderson State University, Arkadelphia, AR; Challeng
- Tumlison, R. and M. Campbell. 2002. Geographic distribution. *Ambystoma talpoideum*. Herp. Review. 33(2):143-144.
- Tumlison, R.; Tumlison, C. 1996. A survey of the fishes in streams draining the Jack Mountain area, Hot Spring and Garland counties, Arkansas, with notes on the Ouachita madtom (*Noturus lachmeri*). Proceedings of the Arkansas Academy of Science. 50: 153-1
- Turgeon, D.D.; Bogan, A.E.; Coan, E.V.; Emerson, W.K.; Lyons, W.G.; Pratt, W.L.; Roper, C.F.E.; Scheltema, A.; Thompson, F.G.; Williams, J.D. 1988. Common and scientific names of aquatic invertebrates from the United States and Canada: mollusks. American
- Turgeon, D.D., J.F. Quinn, Jr., A.E. Bogan, E.V. Coan, F.G. Hochberg, W.G. Lyons, P.M. Mikkelsen, R.J. Neves, C.F.E. Roper, G. Rosenberg, B. Roth, A. Scheltema, F.G. Thompson, M. Vecchione, and J.D. Williams. 1998. Common and scientific names of aquatic invertebrates from the United States and Canada: Mollusks. 2nd Edition. American Fisheries Society Special Publication 26, Bethesda, Maryland: 526 pp.:
- Turner, T.F.; Trexler, J.C.; Kuhn, D.N. 1996. Life-history variation and comparative phylogeography of darters (Pisces: Percidae) from the North American central highlands. Evolution 50(5): 2023-2036.
- Turner, T.F.; Trexler, J.C.; Harris, J.L.; Haynes, J.L. 2000. Nested cladistic analysis indicates population fragmentation shapes genetic diversity in a freshwater mussel. Genetics 154: 777-785.
- Turnipseed, G. 1976. Geographic Distribution. *Hyla avivoca*. Herpetol. Rev. 7:178-179.
- Turnipseed, G. 1980b . Geographic Distribution. *Hyla avivoca*. Herpetol. Rev. 11:14.
- Turnipseed, G.; Gallagher, M. 1991. Geographic Distribution. *Ambystoma annulatum*. Herpetol. Rev. 22:133.
- Turnipseed, G.; Shepherd, B.1985. Geographic Distribution. *Pseudacris streckeri streckeri*. Herpetol. Rev. 16:115.
- Tyler, J.D.; Gilliland, A.R. 1979. Status of *Notiosorex crawfordi* in Oklahoma and new distributional records. Southwestern Naturalist. 24(2):375-376.

U.S. Shorebird Conservation Plan. April 2000. Lower Mississippi/Western Gulf Coastal Plain Shorebird Planning Region. Gulf Coastal Prairie Working Group and MAV/WGCP Working Group.

U.S. Shorebird Conservation Plan. 2004. High Priority Shorebirds • 2004. Unpublished Report, U. S. Fish and Wildlife Service, Arlington, VA. 5 p.

Upton, S.J.; McAllister, C.T; Trauth, S.E. 1991b. Description of the oocysts of *Eimeria septemvittata* n. sp. (Apicomplexa: Eimeriidae) from queen snakes, *Regina septemvittata* (Serpentes: Colubridae), in Arkansas. Syst. Parasit. 20:199-201.

US Shorebird Conservation Plan. Lower Mississippi/Western Gulf Coastal Shorebird Planning Region. Gulf Coastal Prairie Working Group and MAV/WGCP Working Group. April 2000.

U.S. Army Corps of Engineers (USACE). 1996. Deauthorization of water resources projects. Federal Register 61(244):66654-66656.

USDA Forest Service. 1991. Baseline Vegetation Inventory Study Caney Creek Wilderness Area.

U.S. Department of Agriculture, Forest Service, Region 8 Old-Growth Team. 1997. Guidance for conserving and restoring old-growth forest communities on National Forests in the Southern Region.

U.S. Department of Agriculture, Forest Service. 1997. Management of Early-Successional Communities in Central Hardwood Forests (With special emphasis on Oaks, Ruffed Grouse, and Forest Songbirds). North Central Forest Experiment Station. General Technic

U.S. Department of Agriculture, Forest Service (USDA FS). 1999. Ozark-Ouachita Highlands Assessment: Reports 1-5. Gen.Tech. Rep. SRS 31-35. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 317p.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1990. Endangered and threatened wildlife and plants; threatened status determined for the Arkansas fatmucket, *Lampsilis powelli*. Federal Register 55(66):12797-12801.

USDI Fish and Wildlife Service. 1991. American Burying Beetle (*Nicrophorus americanus*) Recovery Plan. Newton Corner Massachusetts. 80 pp.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1992. Arkansas fatmucket mussel (*Lampsilis powelli*) recovery plan. U.S. Department of Interior, Fish and Wildlife Service, Jackson, MS. 19 p.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1994. Ouachita rock-pocketbook *Arkansia wheeleri* Ortmann and Walker, 1912. Recovery plan. Albuquerque, NM. 90 p.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1996. Endangered and threatened wildlife and plants; review of plant and animal taxa that are candidates for listing as endangered or threatened species. Federal Register 61(40):7596-7

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1998. Range wide status assessment for scaleshell mussel (*Leptodea leptodon*). Fort Snelling, MN. 30 pp.

- U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1999. Endangered and threatened wildlife and plants; proposed rule to list the scaleshell mussel as endangered. Federal Register 64(156):44171-44182.
- U. S. Fish and Wildlife Service. 2003. Recovery Plan for the Red-Cockaded Woodpecker (*Picoides borealis*): second revision. U.S. Fish and Wildlife Service, Atlanta, GA. 296p.
- U.S. Fish and Wildlife Service.1980. “*Amorpha ouachitensis* Status Report”.
- USFWS. 1984. Recovery Plan for the Leopard Darter (*Percina pantherina* Moore and Reeves). Albuquerque, New Mexico. 56pp.
- U.S. Fish and Wildlife Service 1985. Recovery plan for the Tuberculed-blossom pearly mussel *Epioblasma* (=Dysonmia) *torulosa torulosa* (Rafinesque, 1820), Turgid-blossom pearly mussel *Epioblasma* (=Dysonmia) *turgidula* (Lea, 1858) and Yellow-blossom pearly mussel *Epioblasma* (=Dysonmia) *florentina florentina* (Lea, 1857). U.S. Fish and Wildlife Service. January 25, 1985. 42 pp.
- United States Fish and Wildlife Service (USFWS) 1988. *Cambarus zophonastes* Recovery Plan. Atlanta, Georgia. 18pp.
- USFWS. 1988. Ozark cavefish recovery plan. Atlanta, Georgia. 42pp.
- United States Fish and Wildlife Service (USFWS). 1993. Final listing rules approved for 39 species. Endangered species technical bulletin. XVIII (2): 13.
- USFWS. 1993. Pallid sturgeon (*Scaphirhynchus albus*) recovery plan. Denver, Colorado. 55pp.
- United States Fish and Wildlife Service (USFWS) 1996. Recovery plan for the cave crayfish (*Cambarus aculabrum*). Atlanta, Georgia. 37pp.
- U.S.Fish and Wildlife Service 2004. Endangered and threatened wildlife and plants; review of plant and animal taxa that are candidates for listing as endangered or threatened species. Federal Register 69(86):24876-24879.
- Vance, T. 1965. Annotated checklist and bibliography of Arkansas reptiles. Smithsonian Herpetol. Serv. No. 63.
- Vance, T. 1985. Annotated checklist and bibliography of Arkansas reptiles. Smithsonian Herpetol. Serv. No. 63.
- Vance, T. 1987. A new county record and range extension of the western diamondback rattlesnake in Arkansas. Herpetology 17:7-9.
- Vaughn, C.C. 1996. Survey of mussel assemblages in the Glover River. Final report to The Nature Conservancy, OK Field Office. 4 pp. + appendices.
- Vaughn, C.C.; Pyron, M.; Certain, D. 1993. Habitat use and reproductive biology of *Arkansia wheeleri* in the Kiamichi River, Oklahoma - Final Report. Unpublished report to the Oklahoma Dept. Wildlife Cons., Oklahoma City, OK. 104 pp.
- Vaughn, C.C.; Taylor, C.M.; Eberhard, K.J.; Craig, M. 1994. Survey for *Arkansia wheeleri* and other rare unionids in the Tiak District. Final report to the U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs, AR. 30 pp.

- Vaughn, C.C.; Mather, C.M.; Pyron, M.; Mehlhop, P.; Miller, E.K. 1996. The current and historical mussel fauna of the Kiamichi River, Oklahoma. *Southwestern Naturalist*. 41(3):325-328.
- Vaughn, C.C.; Taylor, C.M.; Eberhard, K.J. 1997. A comparison of the effectiveness of timed searches vs. quadrat sampling in mussel surveys. Pages 157-162 in K.S. Cummings, A.C. Buchanan, C.A. Mayer, and T.J. Naimo, eds. *Conservation and management of fre*
- Vaughn, C.C.; Pyron, M. 1995. Population ecology of the endangered Ouachita rock pocketbook mussel, *Arkansia wheeleri* (Bivalvia: Unionacea), in the Kiamichi River, Oklahoma. *Amer. Malacol. Bull.* 11:145-151.
- Vaughn, C.C.; Spooner, D. 2000. Mussel survey of the Mountain Fork River. Oklahoma Biological Survey, University of Oklahoma, Norman. Report submitted to USDA Forest Service, Ouachita National Forest, Hot Springs, AR. 8 pp. + appendices.
- Vaughn, C.C.; Taylor, C.M. 1999. Impoundments and the decline of Freshwater mussels: a case study of an extinction gradient. *Cons. Biol.* 13(4):912-920.
- Verrell, P. 1997. Courtship behaviour of the Ouachita dusky salamander, *Desmognathus brimleyorum*, and a comparison with other desmognathine salamanders. *J. Zool., Lond.* 243:21-27.
- Vickery, P.D. 1996. Grasshopper Sparrow (*Ammodramus savannarum*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 239. The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists' Union, Washington, D.C.
- Vidrine, M.F. 1993. The Historical Distributions of Freshwater Mussels in Louisiana. Gail Q. Vidrine Collectibles. Eunice, LA. 225 pp.
- Volpe, E.P.; Wilkens, M.A.; Dobie, J.L. 1961. Embryonic and larval development of *Hyla avivoca*. *Copeia* 1961:340-349.
- Wagner, B.A.; Echelle, A.A.; Maughan; O.E. 1985. Status and distribution of the longnose darter, *Percina nasuta*, and the Neosho madtom, *Noturus placidus*, in Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 65: 59-60.
- Wagner, Bruce A., Anthony A. Echelle, and O. Eugene Maughan. 1987. Abundance and habitat use of an uncommon fish, *Notropis perpallidus* (Cyprinidae): comparison with sympatric congeners. *The Southwestern Naturalist*. 32(2): 251-260.
- Walker, B. 1915. Apical characters in *Somatogyrus* with descriptions of three new species. *The Nautilus* 29(4):37-41.
- Warnock, N.D.; and Gill, R.E. 1996. Dunlin (*Calidris alpina*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 203. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.
- Warren, R.E. 1991. Ozarkian fresh-water mussels (Unionoidea) in the upper Eleven Point River, Missouri. *Amer. Malacol. Bull.* 8(2) (1991):131-137.
- Warren, M.L.; Burr; B.M. 1994. Status of the freshwater fishes of the United States; overview of an imperiled fauna. *Fisheries* 19: 6-18.

- Warren, M.L.; Hlass, L. 1999. Diversity of fishes. Pp.100-115. In: USDA Forest Service. Ozark-Ouachita Highlands Assessment: aquatic conditions. Report 3 of 5. Gen. Tech. Rep. SRS-33. U.S. Department of Agriculture, Forest Service, Southern Research Sta
- Warren, M.L.; Robison, H.W.; Tinkle, K. 1999. Diversity of crayfishes. pp. 132-139. In: U.S. Department of Agriculture, Forest Service. 1999. Ozark-Ouachita Highlands Assessment: aquatic conditions. Report 3 of 5. Gen. Tech. Rep. SRS-33.
- Warren, M.L., Jr.; Burr, B.M.; Walsh, S.J.; Bart, H.L. Jr.; Cashner, R.C.; Etnier, D.A.; Freeman, B.J.; Kuhajda, B.R.; Mayden, R.L.; Robison, H.W.; Ross, S.T.; Starnes, W.C. 2000. Diversity, distribution, and conservation, status of the native freshwater f
- Warren, M.L.; Tinkle, K. 1999. Endangered, threatened, and other aquatic species of special concern. pp. 132-139. In: USDA Forest Service. Ozark-Ouachita Highlands Assessment: aquatic conditions. Report 3 of 5. Gen. Tech. Rep. SRS-33. USDA Forest Serv.
- Warrillow, J., M. Culver, E. Hallerman, and M. Vaughan. 2001. Subspecific affinity of black bears in the White River National Wildlife Refuge. *Journal of Heredity* 92:226-233.
- Warriner, M.D. 2004. First Arkansas record of the robber fly *Microstylum morosum* (Diptera: Asilidae). *The Southwestern Naturalist* 49:83-84.
- Warriner, M.D. 2004. Occurrence and conservation status of the milkweed beetle *Tetraopes texanus* Horn (Coleoptera: Cerambycidae) in Arkansas. *The Coleopterists Bulletin* 58:567-568.
- Watt, C.L.; Tappe, P.A.; Roth, M.F. 2002. Concentrations of American alligator populations in Arkansas. *Proceedings of the Arkansas Academy of Science*. 56:243-249.
- Watts, B.D. 1995. Yellow-crowned Night-Heron (*Nyctanassa violacea*). In: Poole, A.; and Gill, F., eds. *The Birds of North America*, No. 161. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.
- Wear, B. J. 2003. Reintroducing black bears to the Arkansas Gulf Coastal Plain. Thesis, University of Tennessee, Knoxville, Tennessee, USA.
- Weatherby, C.A. 1974. Population genetics of the queen snake, *Regina septemvittata*. M.S. Thesis. Miami University, Oxford, Ohio. 32 pp.
- Webb, R.G. 1970. *Reptiles of Oklahoma*. Univ. Oklahoma Press. Norman. 370 pp.
- Wenny, D.G.; Clawson, R.L.; Faaborg, J.; Sheriff, S.L. 1993. Population Density, Habitat Selection and Minimum Area Requirements of Three Forest-Interior Warblers in Central Missouri. *Condor* 95: 968-979.
- Werler, J.E. and Dixon, J.R. 2000. *Texas Snakes: Identification, Distribution, and Natural History*. Univ. Texas Press, Austin. 437 pp.

- West, R.L.; and Hess, G.K. 2002. Purple Gallinule (*Porphyryula martinica*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 626. The Birds of North America, Inc., Philadelphia, PA.
- Wethington, T.A. 1994. Foraging activity, habitat use, and cave selection by the endangered Ozark big-eared bat: Oklahoma State University.
- Wethington, T.A.; Leslie, D.M. 1996. Prehibernation habitat use and foraging activity by endangered Ozark big-eared bats (*Plecotus townsendii ingens*). American Midland Naturalist. 135:218-230.
- Wheeler, H.E. 1914. The unioned fauna of Cache River, with description of a new *Fusconaia* from Arkansas. The Nautilus 28(7):72-78.
- Wheeler, H.E. 1918. The Mollusca of Clark County, Arkansas. The Nautilus 31(4):109-125.
- Wheeler, B. A., E. Prosen, A. Mathis, and R. F. Wilkinson. 2003. Population declines of a long-lived salamander: a 20+ year study of hellbenders, *Cryptobranchus alleganiensis*. Biological Conservation 109(2003):151-156.
- Wheeler, B. A., W. R. Hiler, and S. E. Trauth. 2005. Non-Invasive Monitoring of Ozark Hellbenders. Unpubl. final report, Arkansas Game and Fish Commission. 19 pp.
- Wheeler, B. A. and S. E. Trauth. 2002. Captive propagation of the Ozark Hellbender: Final Report. Unpubl. report, Arkansas Game and Fish Commission. 19 pp.
- Wheeler, B. A. and S. E. Trauth. 2002. Distribution survey of the Ozark Hellbender (*Cryptobranchus alleganiensis bishopi*) in Arkansas: Final Report. Unpubl. report, Arkansas Game and Fish Commission. 20 pp.
- White, D.S. 1977. Changes in the freshwater mussel populations of the Poteau River system, LeFlore County, Oklahoma. Proceedings of the Oklahoma Academy of Science. 57:103-105.
- Whitehead, D.R.; Taylor, T. 2002. Acadian Flycatcher (*Empidonax virescens*). The Birds of North America, No. 614 [Poole, A.; Gill, F., eds.]. The Birds of North America, Inc., Philadelphia, PA.
- Wilhide, J.D.; Harvey, M.J.; McDaniel, V.R.; Hoffman, V.E. 1998. Highland pond utilization by bats in the Ozark National Forest, Arkansas. Proceedings of the Arkansas Academy of Science. 52:110-112.
- Wilhide, J.D.; McDaniel, V.R.; Harvey, M.J.; White, D.R. 1998. Telemetric observations of foraging Ozark big-eared bats in Arkansas. Proceedings of the Arkansas Academy of Science. 52:113-116.
- Wilkinson, R.F.; Peterson, C.L.; Moll, D.; Holder, T. 1993. Reproductive biology of *Plethodon dorsalis* in northwestern Arkansas. J. Herpetol. 27:85-87.
- Williams, A.B. 1954. Speciation and distribution of the crayfishes of the Ozark Plateaus and Ouachita Provinces. University of Kansas Science Bulletin 34: 961-1012.

- Williams, Austin B. 1954. Speciation and distribution of crayfishes of the Ozark plateaus and Ouachita provinces. University of Kansas Science Bulletin. 36(12):803-918.
- Williams, A.B.; Abele, L.G.; Felder, D.L. (and others). 1989. Common and scientific names of aquatic invertebrates from the United States and Canada: decapod crustaceans. Spec. Publ. 17. Amer. Fish. Soc. Bethesda, MD. 77 p.
- Williams, J.E.; Johnson, J.E.; Hendrickson, D.A.; Contreras-Balderas, S.; Williams, J.D.; Navarro-Mendoza, M.D.; McAllister, E.; Deacon, J.E. 1989. Fishes of North America endangered, threatened, or of special concern. Fisheries 14(6): 2-20.
- Williams, J.D.; Fuller, S.L.H.; Grace, R. 1992. Effects of impoundment on freshwater mussels (Mollusca: Bivalvia: Unionidae) in the main channel of the Black Warrior and Tombigbee rivers in western Alabama. Bulletin Alabama Museum of Natural History. 13:1
- Williams, J.D.; Warren, Jr., M.L.; Cummings, K.S.; Harris, J.L.; Neves, R.J. 1993. Conservation status of freshwater mussels of the United States and Canada. Fisheries. 18(9):6-22.
- Willis, L.D. 1984. Distribution and habitat requirements of the Ozark cavefish, *Amblyopsis rosae*. M.S. Thesis. Univ. Arkansas. Fayetteville, AR 25 p.
- Wilson, W.H. 1994. Western Sandpiper (*Calidris mauri*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 90. Philadelphia: The Academy of Natural Sciences; Washington, D.C.: The American Ornithologists' Union.
- Wilson, L.A. 1995. Land manager's guide to the amphibians and reptiles of the south. The Nature Conservancy, Southeastern Region, Chapel Hill, NC. 360 pp.
- Wilson, C.W.; Masters, R.E.; Bukenhofer, G.A. 1995. Breeding Bird Response to Pine-Grassland Community Restoration for Red-Cockaded Woodpeckers. The Journal of Wildlife Management. 59(1): 56-67
- Winterringer, R. 2003. Population dynamics and reproductive patterns of the federally endangered freshwater mussel *Lampsilis streckeri* (Frierson 1927). MS Thesis, Arkansas State University. 74 pp + append.
- Withgott, J.H., and Smith, K.G. 1998. Brown-headed Nuthatch (*Sitta pusilla*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 349. The Birds of North America, Inc., Philadelphia, PA.
- Woods A.J., Foti, T.L., Chapman, S.S., Omernik, J.M., Wise, J.A., Murray, E.O., Prior, W.L., Pagan, J.B., Jr., Comstock, J.A., and Radford, M., 2004, Ecoregions of Arkansas (color poster with map, descriptive text, summary tables, and photographs): Reston, Virginia, U.S. Geological Survey (map scale 1:1,000,000).
- Wood, Robert M and Morgan E Raley. 2000. Cytochrome b sequence variation in the crystal darter *Crystallaria asprella* (Actinopterygii: Percidae). Copeia. 2000 (1): 20-26.
- Yosef, R. 1996. Loggerhead Shrike (*Lanius ludovicianus*). In: Poole, A.; and Gill, F., eds. The Birds of North America, No. 231. The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, D.C.