

REFERENCES AND LITERATURE CITED

Adams, S. R., B. S. Williams, M. D. Schroeder, and R. L. Clark 2007. Abundance and distribution of fishes in riparian wetlands of the Arkansas River. Final report submitted to the Arkansas Game and Fish Commission. University of Central Arkansas, Conway.

Adams, R., E. Kluender, and L. Lewis. 2013. Movements, habitat use, and reproduction of alligator gar in the Fourche LaFave River. State Wildlife Grant T31-02 Final Report. 76 pp.

Arkansas Freshwater Mollusk Council. Davidson, C.L., J.L. Harris, A.D. Christian, M.Fuhr, W.R. Posey. 28 September 2004. Mussel Species Status/Habitat Peer Review.

Arkansas Freshwater Mollusk Council. Posey, W. R., J.L. Harris, C.L. Davidson, A.D. Christian M.Fuhr. 19 November 2004. Mussel Species Status/Habitat Peer Review.

Arkansas Freshwater Mollusk Council. Posey, W. R., J.L. Harris, C.L. Davidson, A.D. Christian, M. Fuhr. 15 December 2004. Mussel Species Status/Habitat Peer Review.

Arkansas Freshwater Mollusk Council. Posey, W. R., J.L. Harris, C.L. Davidson, A.D. Christian, M. Fuhr. 25 January 2005 . Mussel Species Status/Habitat Peer Review.

Arkansas Game and Fish Commission (AGFC). 1991-1999. Annual mussel harvest reports. Arkansas Game and Fish Commission, Little Rock.

Ahlstedt, S.A.; Jenkinson, J.J. 1987. Distribution and abundance of *Potamilus capax* and other freshwater mussels in the St. Francis River system, Arkansas and Missouri. Final report for Memphis District, U.S. Army Corps of Engineers. 67 p. + field notes.

Ahlstedt, S.A.; Jenkinson, J.J. 1991. Distribution and abundance of *Potamilus capax* and other freshwater mussels in the St. Francis River system, Arkansas and Missouri, U.S.A. *Walkerana* 5(14):225-261.

Arkansas Highway and Transportation Department (AHTD). 1984. Relocation of the pink mucket pearly mussel (*Lampsilis orbiculata*) in the Spring River near Ravenden, Lawrence County, Arkansas. Report submitted to U.S. Fish and Wildlife Service, Endangered S

Arkansas Highway and Transportation Department (AHTD). 1987. Survey of mussels (Pelecypoda: Unionidae) in the White River at the proposed Arkansas Highway 59 bridge near Guion, Arkansas. Environmental Division, Little Rock. 8 pp.

Arkansas Highway and Transportation Department (AHTD). 1989. Relocation of the Arkansas fatmucket, *Lampsilis powelli* (Lea, 1852) at the Arkansas Highway 291 bridge, Saline River, Saline-Grant counties, Arkansas. Environmental Division, Little Rock. 9 pp.

- Arkansas Highway and Transportation Department (AHTD). 1994. Biological assessment of the Arkansas fatmucket (*Lampsilis powelli*) at the Arkansas Highway 84 bridge, Clark County, Arkansas. Environmental Division, Little Rock. 9 pp. + appendix.
- Albritton, J.B.L. 1981. A taxonomic survey of the amphibians and reptiles of Bradley County, Arkansas. M.S. Thesis. Northeast Louisiana Univ., Monroe. 103 pp.
- Allen, R. and D. B. Burt. 2014. Vegetative characteristics of Bachman's sparrow habitat in the West Gulf Coastal Plain. *Southeastern Naturalist* 13:41-51.
- Alterman, L.E.; Bednarz, J.C. 2002. Pilot Study of Effects of Group-Selection Harvest on Nest Success and Postfledging Dispersal and Survival of Neotropical Migratory Birds in the Ouachita Mountains of Arkansas. Arkansas State University, State University
- Anagnostakis, S.L. 1992. Chestnut and the introduction of chestnut blight. *Ann.Rpt. Northern Nut Grower's Assn.* 83:23-37.
- Bates, V. 1993. An endangered species report: *Ptilimnium nodosum* (Rose) Mathias in Arkansas. Unpublished report to Arkansas Natural
- Anagnostakis, S.L. 1990. Improved chestnut tree condition maintained in two Connecticut plots after treatment with hypovirulent strains of the chestnut blight fungus. *Forest Sci.* 36:113-123.
- Anagnostakis, S.L. 1992. Chestnut and the introduction of chestnut blight. *Ann.Rpt. Northern Nut Grower's Assn.* 83:23-37.
- Anagnostakis, S.L. 1992. Chestnut and the introduction of chestnut blight. *Ann.Rpt. Northern Nut Grower's Assn.* 83:23-37.
- Anders, A.D.; Faaborg J.; Thompson, F.R., III. 1998. Postfledging Dispersal, Habitat Use, Home-Range Size of Juvenile Wood Thrushes. *Auk* 115:349-358 pp.
- Anderson, J.D. 1965. *Ambystoma annulatum*. *Cat. Amer. Amphib. Rept.* 19.1-19.2.
- Anderson, P. 1965. *The Reptiles of Missouri*. Univ. Missouri Press, Columbia, 330 pp.
- Arkansas Natural Heritage Inventory (ANHI). 2003. Arkansas element of occurrence records.
- Anich, Nicholas M., Thomas J. Benson, Jeremy D. Brown, Carolina Roa, James C. Bednarz, R. E. Brown and J. G. Dickson. 2010. Swainson's Warbler (*Limnothlypis swainsonii*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/126> doi:10.2173/bna.126
- Annand, E.M.; Thompson, F.R., III. 1997. Forest bird response to regeneration practices in central hardwood forests. *Journal of Wildlife Management.* 61(1): 159-171.
- Anthony, C.D. 1993. Recognition of conspecific odors by *Plethodon caddoensis* and *P. ouachitae*. *Copeia* 1993:1028-1033.

Anthony, C.D. 1995. Competitive interactions within and between two species of *Plethodon* in the Ouachita Mountains: effects of territoriality and parasitism. Ph.D. Dissertation, Univ. Southwestern Louisiana, Lafayette.

Anthony, C.D.; Mendelson J.R., III; Simons, R.R. 1994. Differential parasitism by sex on plethodontid salamanders and histological evidence for structural damage to the nasolabial groove. *American Midland Naturalist*. 132:302-307.

Anthony, C.D., Wicknick, J.A.; Jaeger, R.G. 2002. Site tenacity and homing in the Rich Mountain salamander, *Plethodon ouachitae* (Caudata: Plethodontidae). *Southwestern Naturalist*. 47:401-408.

Anthony, C.D.; Wicknick, J.A. 1993. Aggressive interactions and chemical communication between adult and juvenile salamanders. *Journal of Herpetology*. 27:261-264.

Arkansas Audubon Society. 2012. Arkansas bird records database. Version 12.1 URL: http://www.arbirds.org/aas_dbase.html.

Arnold, S.J. 1977. The evolution of courtship behavior in New World salamanders with some comments on Old World salamandrids. Pp. 141-183, in *The Reproductive Biology of Amphibians* (D.H. Taylor and S.I. Guttman, eds.). Plenum Press, New York.

Askins, R.A. 2001. Sustaining biological diversity in early successional communities: the challenge of managing unpopular habitats. *Wildl. Soc. Bull.* 29:407-412. Also, succession of articles following, through page 494.

Askins, R.A. 2002. *Restoring North America's birds, lessons in landscape ecology* (2nd edition). Yale Univ. Press, New Haven. 332 pp.

Atwill, R.A.; Trauth, S.E. 1988. Mandibular dentition in six species of salamanders, genus *Plethodon* (Caudata: Plethodontidae), from Arkansas using scanning electron microscopy. *Proceedings of the Arkansas Academy of Science*. 42: 24-25.

Bacon, E.J.; Anderson, Z.M. 1976. Distributional records of amphibians and reptiles from the Coastal Plain of Arkansas. *Proceedings of the Arkansas Academy of Science*. 30:14-15.

Baerg, W.J. 1927. *Summer birds of Mount Magazine, Arkansas*. Research Paper No. 70, Journal Series, University of Arkansas. Fayetteville, AR.

Baker, J. 1994. Proc. Symposium on Ecosystem Management in the Ouachita Mountains; pretreatment conditions and preliminary findings. 1993. October 2627. Hot Springs, AR. Genl. Tech. Rpt. SO-112. New Orleans, LA. USDA Forest Service, So. For. Exp. Sta., 25

Arkansas Department of Pollution Control and Ecology (ADPCE). 1987. Physical, chemical, and biological characteristics of least-disturbed reference streams in Arkansas' ecoregions. Volume I: data compilation. State of Arkansas, Arkansas Dept. of Pollutio

Baker, Robert J.; Ward, Claud M. 1967. Distribution of bats in southeastern Arkansas. *Journal of Mammalogy*. 48(1):130-132.

Ball, S. K. 1980. Ecology and distribution of herpetofauna on the Red River and associated Oxbow lakes from Index, Arkansas to Shreveport, Louisiana. M.S. Thesis. Henderson State Univ., Arkadelphia, Arkansas. 30 pp.

Baltosser, W. H. 2008. Flitting with disaster. Arkansas Wildlife September-October 2007: 6-11.

Baltosser, W. H. 2008. Distribution and status of the Arogos Skipper (*Atrytone arogos*) in Arkansas. Report for the Arkansas Natural Heritage Commission.

Baltosser, W. H. 2009. Arogos Skipper (*Atrytone arogos*) inventories (select tallgrass prairies within the Arkansas River Valley Ecoregion). Report for the Arkansas Natural Heritage Commission.

Baltosser, W. H. 2010. Arogos Skipper (*Atrytone arogos*) and Frosted Elfin (*Callophrys irus*) surveys: mid-summer and fall 2009 and entire 2010 season. Report for the Arkansas Natural Heritage Commission.

Barnett, J., E. Brinkman, L. Holt, C. Wicker, and R. Campbell. 2011. Arkansas Alligator Gar Management Plan. Arkansas Game and Fish Commission report. 41 pp.

Bart, H.L. 1989. Fish habitat association in an Ozark stream. *Env. Biol. Fish.* 24: 173-186.

Bates, J.M.; Dennis S.D. 1983. Mussel (naiad) survey: St. Francis, White, and Cache rivers, Arkansas and Missouri. Final Report (Contract No. DACW66-78-C-0147), U.S. Army Corps of Engineers, Memphis District. 89 pp.

Bates, V. 1993. An endangered species report: *Ptilimnium nodosum* (Rose) Mathias in Arkansas. Unpublished report to Arkansas Natural Heritage Commission.

Bates, V. 1993. An endangered species report: *Ptilimnium nodosum* (Rose) Mathias in Arkansas. Unpublished report to Arkansas Natural Heritage Commission.

Bat Conservation International. 2001. Bats in eastern woodlands.

Bean, P. T., C. S. Williams, P. H. Diaz, and T. H. Bonner. 2010. Habitat associations, life history, and diet of the blackspot shiner, *Notropis atrocaudalis*. *Southeastern Naturalist* 9(4):673-686.

Beaupre, S.J.; Zaidan II, F. 2001. Scaling of CO₂ production in the timber rattlesnake (*Crotalus horridus*), with comments on cost of growth in neonates and comparative patterns. *Physiol. Biochem. Zool.* 74:757-768.

Bechtoldt, C. L. AND P. C. Stouffer. 2005. Home-range size, response to fire, and habitat preferences of wintering Henslow's Sparrows. *Wilson Bulletin* 117:211-225.

Belden, Robert C.; Hagedorn, Bruce W. 1993. Feasibility of translocating panthers into northern Florida. *Journal of Wildlife Management.* 57(2):388-397.

Bent, A.C. 1964. Life histories of the North American woodpeckers. Dover Publications, Inc. New York. 334p.

- Bent, A.C. 1989. Life histories of the North American cuckoos, goatsuckers, hummingbirds, and their allies. Dover Publications, Inc. New York. 334p.
- Benz, G.W.; Clark, Joseph D.; Harvey, M.J. 1997. Imperiled mammalian fauna of aquatic ecosystems in the southeast: A management perspective. George W. and D.E. Collins. Aquatic fauna in peril: The Southeastern Perspective. Decatur, GA: Southeast Aquatic R
- Bishop, S.C. 1943. Handbook of Salamanders. Comstock Publ. Co., Ithaca, New York. 555 pp.
- Black, J.D. 1934. *Myotis grisescens* and *Myotis sodalis* in Arkansas. *Journal of Mammalogy*. 13:67-68.
- Black, J.D. 1936. Mammals of northwestern Arkansas. *Journal of Mammalogy*. 17(1):29-35.
- Black, J.D.; Dellinger, S.C. 1938. Herpetology of Arkansas. Part Two: The amphibians. *Occ. Pap. Univ. Arkansas Mus.* No. 2, 30 pp.
- Black, J.H.; Sievert, G. 1989. A Field Guide to Amphibians of Oklahoma. Oklahoma Department of Wildlife Conservation, Oklahoma City. 80 pp.
- Blair, A.P. 1957. A comparison of living *Plethodon ouachitae* and *P. caddoensis*. *Copeia* 1957:47-48.
- Blair, A.P.; Lindsay, H.L. 1965. Color pattern variation and distribution of two large *Plethodon* salamanders endemic to the Ouachita Mountains of Oklahoma and Arkansas. *Copeia* 1965:331-335.
- Bleakney, S.; Cook, F. 1957. Additional records of the four-toed salamander, *Hemidactylium scutatum*, from Nova Scotia. *Copeia* 1957:142-143.
- Bonati, R.L. 1980. The amphibians and reptiles of northwest Arkansas: a report on their distribution and abundance. M.S. Thesis. Univ. Arkansas, Fayetteville. 165 pp.
- Bonett, R. M. and P. T. Chippindale. 2004. Speciation, phylogeography, and evolution of life history and morphology in plethodontid salamanders of the *Eurycea multiplicata* complex. *Mol. Ecol.* 13:1189–1203.
- Bonett, R. M. and P. T. Chippindale. 2006. Streambed microstructure predicts evolution of development and life history mode in the plethodontid salamander *Eurycea tynerensis*. *BMC Biol.* 4:6.
- Boschung, H.T.; Nieland, D. 1986. Biology and conservation of the slackwater darter, *Etheostoma boschungii* (Pisces: Percidae). *Southeastern Fishes Council Proceedings* 4(4):1-4.
- Bouchard, R.W. 1978. Taxonomy, distribution, and general ecology of the genera of North American crayfishes. *Fisheries*. 3(6): 11-19.
- Bouchard, R.W.; Robison, H.W. 1980. An inventory of the decapod crustaceans (crayfishes and shrimps) of Arkansas with a discussion of their habitats. *Proceedings of the Arkansas Academy of Science*. 34:22-

30.

Bouchard, RW. , and Henry W. Robison 1980. An inventory of the Decapod crustaceans (crayfishes and shrimps) of Arkansas, with a discussion of their habitats. Proceedings of the Arkansas Academy of Science. 34:22-30.

Status Assessment Survey for *Leptodea leptodon* (Rafinesque 1820), the Scaleshell, in Arkansas. Final Report to AGFC. 24 pp.

Bouldin, J., W.R. Posey II and J.L. Harris. 2013. Status Survey of Ouachita Rock Pocketbook, *Arkansia wheeleri* Ortmann and Walker 1912, Scaleshell, *Leptodea leptodon* (Rafinesque 1820), and Rabbitsfoot, *Quadrula c. cylindrica* (Say 1817), in the Little River Basin, Arkansas. Final Report submitted to AGFC. 30 pp.

Boundy, J. 1995. Maximum lengths of North American snakes. Bull. Chicago Herpetol. Soc. 30:109-122.

Boves, T.J., D.A. Buehler, J. Sheehan, P.B. Wood, A.D. Rodewald, J.L. Larkin, P.D. Keyser, F.L. Newell, G.A. George, M.H. Bakermans, A. Evans, T.A. Beachy, M.E. McDermott, K.A. Perkins, M. Wood, and T.B. Wigley. 2013. Emulating natural disturbances for declining late-successional species: A case study of the consequences for cerulean warblers (*Setophaga cerulea*). PLoS ONE 8: e52107.

Boves, T.J., D.A. Buehler, J. Sheehan, P.B. Wood, A.D. Rodewald, J.L. Larkin, P.D. Keyser, F.L. Newell, and A. Evans, G.A. George, and T.B. Wigley. 2013. Spatial variation in breeding habitat selection by Cerulean Warblers throughout the Appalachian Mountains. Auk 130:46-59.

Bowers, A.K.; Lucio, L.D.; Clark, D.W.; Rakow, S.P.; Heidt, G.A. 2001. Early history of the wolf, black bear, and mountain lion in Arkansas. Proceedings of the Arkansas Academy of Science. 55:22-27.

Bowler, J.K. 1977. Longevity of reptiles and amphibians in North American collections. Soc. Study Amphib. Rept. Misc. Publ. Herpetol. Circ. 6:1-32.

Boyd, C.E.; Vickers, D.H. 1963. Distribution of some Mississippi amphibians and reptiles. Herpetologica 19:202-206.

Bozeman, Sue. 1994. Bat hibernation surveys, 1988-1994. Oklahoma Underground. 17:40-43.

Brack, Virgil W. 1983. The nonhibernating ecology of bats in Indiana with emphasis on the endangered Indiana bat, *Myotis sodalis*: Purdue University.

Brack, Virgil Jr.; LaVal, Richard K. 1985. Food habits of the Indiana bat in Missouri. Journal of Mammalogy. 66(2):308-315.

Brady, John T. 1983. Use of dead trees by the endangered Indiana bat. Snag habitat management: Proceedings of the symposium; Northern Arizona University, Flagstaff. USDA Forest Service, General Technical Report RM-99. Pg 111-114.

Bragg, A.N. 1942. Observations on the ecology and natural history of Anura. X. The breeding habits of *Pseudacris streckeri* Wright and Wright, in Oklahoma including a description of the eggs and tadpoles. Wasmann Collector 5:47-62.

- Brandebura, S.C., R.E. Medlin Jr., and T.S. Risch. New evidence for a maternity colony of the Indiana bat (*Myotis sodalis*) in the Delta of Arkansas. *Journal of the Arkansas Academy of Science* 60: 169-170.
- Brandebura, S.C., E. L. Pannkuk, and T.S. Risch. 2011. Indiana Bat (*Myotis sodalis*) Maternity Colonies in Arkansas. *Southeastern Naturalist* 10: 529-532.
- Brandon, R.A. 1965. *Typhlotriton*, *T. nereus*, *T. speleaus*. *Cat. American Amphib. Rept.* 20.
- Brandon, R.A. 1970. *Typhlotriton*, *T. speleaus*. *Cat. American Amphib. Rept.* 84.1-84.2.
- Brandon, R.A. 1971. Correlation of seasonal abundance with feeding and reproductive activity in the grotto salamander (*Typhlotriton speleaus*). *American Midland Naturalist*. 86:93-100.
- Brandon, R.A.; Black, J.H. 1970. The taxonomic status of *Typhlotriton braggi* (Caudata, Plethodontidae). *Copeia* 1970:388-391.
- Brann, W.P. 1947. Fresh-water mussel shells, the basis for an Arkansas industry. *University of Arkansas Bulletin*. 40(20):1-37.
- Branson, B.A. 1973. Significant pelecypod records from Oklahoma. *The Nautilus* 87(1)8-10.
- Branson, B.A. 1982. The mussels (Unionacea: Bivalvia) of Oklahoma - Part 1 – Ambleminae. *Proc. Proceedings of the Oklahoma Academy of Science*. 62:38-45.
- Branson, B.A. 1983. The mussels (Unionacea: Bivalvia) of Oklahoma - Part 2: The Unioninae, Pleurobemini and Anodontini. *Proceedings of the Oklahoma Academy of Science*. 63:49-59.
- Branson, B.A. 1984. The mussels (Unionaceae: Bivalvia) of Oklahoma - Part 3: Lampsilini. *Proc. Proceedings of the Oklahoma Academy of Science*. 64:20-36.
- Branson, B.A.; Baker, E.C. 1974. An ecological study of the queen snake, *Regina septemvittata* (Say) in Kentucky. *Tulane Stud. Zool. Bot.* 18:153-171.
- Brennan, L.A. 1991. How Can We Reverse the Northern Bobwhite Decline? *Wildlife Society Bulletin*. 19: 544–555.
- Brennan, L.A. 1999. Northern Bobwhite (*Colinus virginianus*). *The Birds of North America*, No. 397. [Poole, A.; Gill, F., eds.]. *The Birds of North America, Inc., Philadelphia, PA*.
- Brewster, C. L., R. S. Sikes, and M. E. Gifford. 2013. Quantifying the cost of thermoregulation: thermal and energetic constraints on growth rates of hatchling lizards. *Functional Ecology* 27:490–497.
- Brewster, C. L., R. S. Sikes, and M. E. Gifford. 2014. Body size and growth of the Eastern Collared Lizard (*Crotaphytus collaris*) in central Arkansas. *Herpetological Review* 45(4):580–583.

Briggler, J. T., K. A. Larson, and K. J. Irwin. 2008. Presence of the amphibian chytrid fungus (*Batrachochytrium dendrobatidis*) on hellbenders (*Cryptobranchus alleganiensis*) in the Ozark Highlands. *Herpetological Review* 39(4):443–444.

Briggler, J.T.; Puckette, W.L. 2003. Observations on the reproductive biology and brooding behavior of the Ozark zigzag salamander, *Plethodon angusticlavius*. *Southwestern Naturalist*. 48:96-100.

Brigham, R. M., Janet Ng, R. G. Poulin and S. D. Grindal. 2011. Common Nighthawk (*Chordeiles minor*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the *Birds of North America Online*: <http://bna.birds.cornell.edu/bna/species/213>

Briskie, J. V. [online]. 2009. Smith's Longspur (*Calcarius pictus*). In: *The Birds of North America Online* (A. Poole, ed.). Cornell Lab of Ornithology, Ithaca, NY. <<http://bna.birds.cornell.edu/bnaproxy.birds.cornell.edu/bna/species/034>

Britton, J.M. 1981. Microhabitat distribution and its effect on prey utilization in sympatric populations of *Plethodon glutinosus* and *Plethodon dorsalis* in northwestern Arkansas. *Proceedings of the Arkansas Academy of Science*. 35:26-28.

Britzke, Eric R; Harvey, Michael J.; Loeb, Susan C. 2003. Indiana bat, *Myotis sodalis*, maternity roosts in the southern United States. *Southeastern Naturalist* 2(2):235-242.

Brown, W.S. 1982. Overwintering body temperatures of timber rattlesnakes (*Crotalus horridus*) in northeastern New York. *J. Herpetol.* 16:145-150.

Brown, W.S. 1991. Female reproductive ecology in a northern population of the timber rattlesnake, *Crotalus horridus*. *Herpetologica* 47:101-115.

Brown, W.S. 1993. Biology, status, and management of the timber rattlesnake (*Crotalus horridus*): a guide for conservation. *Soc. Study Amphib. Rept. Herpetol. Circ. No. 22*, 78 pp.

Brown, A.V.; Brown, K.B. 1989. Stream inventory of *Lampsilis powelli* populations on national forest lands. A report to the U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs. 28 p. + Appendices.

Brown, R.E.; Dickson, J.G., 1994. Swainson's Warbler (*Limnothlypis swainsonii*). *The Birds of North America*, No. 126 [Poole, A.; Gill, F., eds.]. Philadelphia: The Academy of Natural Sciences; Washington, DC. The American Ornithologists' Union.

Bruenderman, S.A., J.S. Faiman and A.C. Buchanan 2001. Survey for the Curtis pearly mussel, *Epioblasma florentina curtisi* (Utterback 1914) and other mussel species in Little Black River, Missouri. Final Report U.S. Fish and Wildlife Service. 23 pp.

Brussock, P.P., III; Brown, A.V. 1982. Selection of breeding ponds by the ringed salamander, *Ambystoma annulatum*. *Proceedings of the Arkansas Academy of Science*. 36:82-83.

Buchanan, A.C. 1980. Mussels (naiades) of the Meramec River basin. Missouri Dept. of Conservation, Aquatic Series 17. 76 p.

- Buchanan, T. M. 2005. Small fish species of Arkansas reservoirs. *Journal of the Arkansas Academy of Science* 59:26-42.
- Buchanan, T. M., D. Wilson, L. G. Claybrook, and W. G. Layher. 2003. Fishes of the Red River in Arkansas. *Journal of the Arkansas Academy of Science* 57: 18-26.
- Buchanan, T. M., W. G. Layher, C. T. McAllister, and H. W. Robison. 2012. The Alabama shad (*Alosa alabamae*: Clupeiformes: Clupeidae) in the White River, Arkansas. *The Southwestern Naturalist* 57(3):347-349.
- Budd and Kremetz 2011. Status and Distribution of Breeding Secretive Marshbirds in the Delta of Arkansas. *Southeastern Naturalist* 10(4):687-702.
- Budd and Rowe 2013. An Update on the Status and Distribution of Secretive Marshbirds in the Delta of Arkansas. Unpublished document.
- Buehler, D.A., P.B. Hamel, and T.J. Boves. Cerulean Warbler (*Setophaga cerulea*). 2013. *The Birds of North America Online* (A. Poole, Ed.). Cornell Lab of Ornithology, Ithaca, NY.
- Bunch, Mary; Dye, Amy. 1998. Rafinesque's big-eared bat surveys and prelisting recovery: final report.
- Burbanck, W.D.; Edwards, J.P.; Burbank, M.P. 1948. Toleration of lowered oxygen tension by cave and stream crayfish. *Ecology* 29(3): 360-367.
- Burns & McDonnell, Inc. 1992. Distribution of the Arkansas fatmucket mussel (*Lampsilis powelli*) in the North Fork of the Saline River. Prepared for Hope Engineers, Benton, AR.
- Burns & McDonnell, Inc. 1992a. Report on surveys for the Arkansas fatmucket mussel. Prepared for Hope Engineers and the Saline County Rural Development Authority, Benton, AR.
- Burr, B.M.; Mayden, R.L. 1992. Phylogenetics and North American freshwater fishes. In: R.L. Mayden, ed. *Systematics, historical ecology, and North American freshwater fishes*. Stanford Univ. Press. Stanford, CA 18-75.
- Burr, B.M.; Stoeckel, J.N. 1999. The natural history of madtoms (Genus *Noturus*), North America's diminutive catfishes. *Amer. Fish. Soc. Sym.* 24: 51-101.
- Burt, C.E. 1935. Further records of the ecology and distribution of amphibians and reptiles in the middle west. *American Midland Naturalist*. 16:311-336.
- Butcher, G.S., D.K. Niven, A.O. Panjabi, D.N. Pashley, and K.V. Rosenberg. 2007. WatchList: the 2007 WatchList for United States birds. *American Birds* 61:18-25. (16 October 2009).
- Butler, R.S.; DiStefano, R.J.; G.A. Schuster. 2003. Crayfish: an overlooked fauna. *Endangered*

Butterfield, B.P.; Meshaka, W.E.; Trauth, S.E. 1989. Fecundity and egg mass size of the Illinois chorus frog, *Pseudacris streckeri illinoensis* (Hylidae), from northeastern Arkansas. *Southwestern Naturalist*. 34:556-657.

Byrd, W.; Hanebrink, E.L. 1974. Geographic Distribution. *Rana areolata circulosa*. *Herpetol. Rev.* 5:69.

Caire, William; LaVal, Richard K.; LaVal, Margaret L.; Clawson, Richard. 1979. Notes on the ecology of *Myotis keenii* in Eastern Missouri. *The American Midland Naturalist*. 102(2):404-407.

Caldwell, J. M. 2011. Density, distribution, habitat use and the associated darter assemblage of the Ouachita darter in the upper Ouachita River, Arkansas. Master's thesis, Arkansas Tech University, Russellville. 113 pp.

Call, R.E. 1895. A study of the Unionidae of Arkansas, with incidental references to their distribution in the Mississippi Valley. *Trans. Acad. Sci. St. Louis* 7:1-65.

Callahan, Edward V. 1993. Indiana bat summer habitat requirements. Columbia, Missouri: University of Missouri-Columbia.

Callahan, Edward V.; Drobney, Ronald D.; Clawson, Richard L. 1997. Selection of summer roosting sites by Indiana bats in Missouri. *Journal of Mammalogy*. 78(3):818-825.

Camp, C.D. 1988. Aspects of the life history of the southern red-back salamander, *Plethodon serratus* Grobman, in the southeastern United States. *American Midland Naturalist*. 119:93-110.

Carlyle, J.C.; Sanders, D.E.; Plummer, M.V. 1998. Natural history notes: *Eurycea lucifuga*. *Reproduction. Herpetol. Rev.* 29:37-38.

Carr, A.F.; Goin, C.J. 1943. Neoteny in Florida salamanders. *Proc. Florida Acad. Sci.* 6:3740.

Carraway, Leslie N.; Verts, B. J.; Whitaker, John O. Jr.; Kennedy, Michael L. 2000. Diet of the southeastern shrew (*Sorex longirostris*) in Tennessee. *Journal of Tennessee Academy of Science*. 75(1-2):42-43.

Carrie, N.R. 1996. Swainson's Warblers Nesting in Early Seral Pine Forests in East Texas. *Wilson Bulletin*. 108(4): 802-804 pp.

Carter, W.A. 1968. First record of *Hemidactylium scutatum* in Oklahoma. *Herpetologica* 24:328.

Carter, Timothy C. 2003. Summer habitat use of roost trees by the endangered Indiana bat (*Myotis sodalis*) in the Shawnee National Forest of Southern Illinois. Southern Illinois University; Carbondale, Illinois.

Cawley, E.T. 1993. Sampling adequacy in population studies of freshwater mussels. Pages 168-172 in K. S. Cummings, A. C. Buchanan, and L. M. Koch, editors. Conservation and management of freshwater mussels. Proceedings of a symposium, 12-14 October 1992,

Chaney, A.H. 1949. The life history of *Desmognathus fuscus auriculatus*. M.S. Thesis. Tulane University. New Orleans, Louisiana.

Chiavacci, S.J., Bader, T.J., St. Pierre, A.M., Bednarz, J.C. and Rowe, K.L. 2011. Reproductive Status of Swallow-Tailed Kites in East-Central Arkansas. *The Wilson Journal of Ornithology*, 123(1):97-101.

Christian, A.D. 1995. Analysis of the commercial mussel beds in the Cache and White rivers in Arkansas. M.S. thesis, Dept. Biological Sciences, Arkansas State University, State University, AR. 197 p.

Christian, A.D. and J.L. Harris 2004. Status Survey for the Pink Mucket (*Lampsilis abrupta* (Say, 1831)), Winged Mapleleaf (*Quadrula fragosa* (Conrad, 1835)) and Ouachita Rock Pocketbook (*Arkansia wheeleri* Ortmann and Walker, 1912) in the Little Missouri River, Arkansas. Final Report. 108 pp.

Christian, A.D.; Davidson, C.L.; Posey II, W.R.; Rust, P.J.; Farris, J.L.; Harris, J.L.; Harp, G.L. 2000. Growth curves of four species of commercially valuable freshwater mussels (Bivalvia: Unionidae) in Arkansas. *Proceedings of the Arkansas Academy of S*

Cink, C.L.; Collins, C.T. 2002. Chimney Swift (*Chaetura pelagica*). *The Birds of North America*, No. 646 [Poole, A.; Gill, F., eds.]. *The Birds of North America, Inc.*, Philadelphia, PA.

Clark, Brenda S. 1991. Activity patterns, habitat use, and prey selection by the Ozark big-eared bat (*Plecotus townsendii ingens*). Stillwater, OK: Oklahoma State University.

Clark, S. J. 2006. Relation of floodplain lake fish communities and river connectivity in the lower White River, Arkansas. Master's thesis, Arkansas Tech University, Russellville. 162 pages.

Clark, Bryon K.; Clark, Brenda S. 1997. Seasonal variation in use of caves by the endangered Ozark big-eared Bat in Oklahoma. *American Midland Naturalist*. 137:388-392.

Clark, Joseph D.; Harvey, M.J. 1986. An investigation of the summer distribution and status of Indiana bats in Missouri. Federal Aid Project W-13-R-50 (1996).

Clark, Joseph D.; Harvey, M.J. 1996. Indiana bat summer habitat patterns in Missouri. Federal Aid Project W-13-R-50 (1996).

Clark, Joseph D.; Harvey, M.J. 1997. Imperiled mammalian fauna of aquatic ecosystems in the southeast: A management perspective. Benz, George W. and D.E. Collins. *Aquatic fauna in peril: The Southeastern Perspective*. Decatur, GA: Southeast Aquatic Research

Clark, D.W.; White, S.C.; Bowers, A.K.; Lucio, L.D.; Heidt, G.A. 2002. A survey of recent accounts of the mountain lion (*Puma concolor*) in Arkansas. *Southeastern Naturalist*. 1(3):269-278.

Clark, Brenda S.; Bowles, John B.; Clark, Bryon K. 1987. Summer occurrence of the Indiana bat, Keen's Myotis, Evening Bat, Silver-haired Bat and Eastern Pipistrelle in Iowa. *Proceedings of the Iowa Academy of Science*. 94(3):89-93.

- Clark, Bryon K.; Bowles, John B.; Clark, Brenda S. 1987. Summer status of the endangered Indiana bat in Iowa. *American Midland Naturalist*. 118(1):32-39.
- Clark, Brenda S.; Leslie, David M. Jr.; Carter, Tracy S. 1993. Foraging activity of adult female Ozark big-eared bats in summer. *Journal of Mammalogy*. 74(2):422-427.
- Clark, Bryon K.; Clark, Brenda S.; Leslie, David M. Jr.; Gregory, Mark S. 1996. Characteristics of caves used by the endangered Ozark big-eared bat. *Wildlife Society Bulletin*. 24(1):8-14.
- Clark, Brenda S.; Puckette, William L.; Clark, Bryon K.; Leslie, David M. Jr. 1997. Status of the Ozark Big-eared bat in Oklahoma, 1957-1995. *The Southwestern Naturalist*. 42 (1):20-24.
- Clark, Donald R. 1981. Bats and environmental contaminants: a review. Washington, DC: USDI, Fish and Wildlife Service. Special Scientific Report--Wildlife No. 235.
- Clarke, A.H. 1985. Mussel (naiad) study: St. Francis and White rivers. Final Report (Contract No. DACW66-84-M-1666-R), U.S. Army Corps of Engineers, Memphis District. 28 pp.
- Clarke, A.C. 1987. Status survey of *Lampsilis streckeri* Frierson (1927) and *Arcidens wheeleri* (Ortmann and Walker, 1912). Ecosearch, Inc., Final report to the U.S. Fish and Wildlife Service, Jackson, MS. 24 p + Appendix.
- Clarke, A.H.; Obermeyer, B.K. 1996. A survey of rare and possibly endangered freshwater mussels (Mollusca: Unionidae) of the Spring River basin (with observations on the Elk River basin), in Missouri. A report prepared by ECOSEARCH, Inc. for the U.S. Fish
- Clawson, R.L. 1982. The status, distribution, and habitat preferences of the birds of Missouri. Missouri Department of Conservation Terrestrial Series, No. 11
- Coker, R.E. 1919. Fresh-water mussels and mussel industries of the United States. *Bull. U. S. Bur. Fish*. 36:13-89.
- Collins, J.T. 1974. Amphibians and Reptiles in Kansas. 1st Ed. Univ. Kansas Mus. Nat. Hist. Publ. Edu. Ser. 1:1-283.
- Collins, J.T. 1991. Viewpoint: a new taxonomic arrangement for some North American amphibians and reptiles. *Herpetol. Rev.* 22:4243.
- Collins, J.T. 1993. Amphibians and Reptiles in Kansas. 3rd Ed. Univ. Kansas Mus. Nat. Hist. Publ. Edu. Ser. No. 13:1-397.
- Collins, P.W. 1999. Rufous-Crowned Sparrow (*Aimophila ruficeps*). *The Birds of North America*, No. 472 [Poole, A.; Gill, F., eds.] *The Birds of North America, Inc.*, Philadelphia, PA.
- Conant, R. 1958. *A Field Guide to Reptiles and Amphibians of the United States and Canada East of the 100th Meridian*. Houghton Mifflin, Boston. 366 pp.

Conant, R. 1960. The queen snake, *Natrix septemvittata*, in the Interior Highlands of Arkansas and Missouri, with comments upon similar disjunct distributions. *Proc. Acad. Nat. Sci. Philadelphia*. 112:25-40.

Conant, R.; Collins, J.T. 1991. *A Field Guide to Reptiles and Amphibians of Eastern and Central North America*. 3rd Ed. Houghton Mifflin Co., Boston. 450 pp.

Conant, R.; Collins, J.T. 1998. *A Field Guide to Reptiles and Amphibians of Eastern and Central North America*. 3rd Ed. Expanded. Houghton Mifflin Co., Boston. 616 pp.

Conner, R.N.; Rudolph, D.C.; Walters, J.R. 2001. *The red-cockaded woodpecker: surviving in a fire-maintained ecosystem*. University of Texas Press, Austin, TX. 363p.

Connior, M.B., I. Guenther, T. Risch, and S. Trauth. 2008. Amphibian, Reptile, and Small Mammal Associates of Ozark Pocket Gopher Habitat in IZard County, Arkansas. *Journal of the Arkansas Academy of Science* 62: 45-51.

Connior, M.B., A.A. Kershen, R.E. Medlin, Jr., D.A. Elrod, D.B. Sasse and T.S. Risch. 2010. Distribution and habitat attributes of an endemic subspecies of pocket gopher. *American Midland Naturalist* 164: 217-229.

Connior, M.B., R. Tumlison, and H.W. Robison. 2011. New records and notes on the natural history of vertebrates from Arkansas. *Journal of the Arkansas Academy of Science* 65: 160-165.

Connior, M.B., R. Tumlison, and H.W. Robison. 2012. New vertebrate records and natural history notes from Arkansas. *Journal of the Arkansas Academy of Science* 66: 180-184.

Connior, M.B. and T.S. Risch. 2009a. Live trap for pocket gophers. *Southwestern Naturalist* 54: 100-103.

Connior, M.B. and T.S. Risch. 2009b. Benefits of subcutaneous implantation of radiotransmitters in pocket gophers. *Southwestern Naturalist* 54: 214-216.

Connior, M.B. and T.S. Risch. 2010. Home range and survival of the Ozark pocket gopher (*Geomys bursarius ozarkensis*). *American Midland Naturalist* 164:80-90.

Conroy, M. J., M. W. Miller, and J. E. Hines. 2002. Identification and synthetic modeling of factors affecting American black duck populations. *Wildlife Monographs* 150.

Cooper, C.M. 1984. The freshwater bivalves of Lake Chicot, an oxbow of the Mississippi in Arkansas. *The Nautilus* 98:142-145.

Cooper, T.R. (Ed.). 2007. Henslow's Sparrow Conservation Action Plan Workshop Summary: March 7-8, 2007. Bloomington, MN. Unpublished Report.

Cope, E.D. 1869. A review of the species of the Plethodontidae and Desmognathidae. *Proc. Acad. Nat. Sci. Philadelphia* 21: 93-118.

Cope, E.D. 1886. Synonymic list of the North American species of *Bufo* and *Rana*, with descriptions of some new species of Batrachia, from specimens in the National Museum. *Proc. Amer. Philos. Soc.* 23:514-526.

Cope, E.D. 1887. The hyoid structure in the ambystomid salamanders. *American Midland Naturalist*. 21:87-88.

Cope, E.D. 1889. The batrachia of North America. *Bull. U. S. Nat. Mus.* 34:1-525.

Cope, James B.; Whitaker, John O. Jr.; Gummer, Sherry L. 1991. Duration of bat colonies in Indiana. *Proceedings of the Indiana Academy of Science*. 99:199-201.

Cope, J.B.; Humphrey, S.R. 1977. Spring and autumn swarming behavior in the Indiana bat, *Myotis sodalis*. *Journal of Mammalogy*. 58(1):93-95.

Cope, James B.; Richter, Andreas R.; Mills, Richard S. 1973. A summer concentration of the Indiana bat, *Myotis sodalis*, in Wayne County, Indiana. *Indiana Academy of Science*. 83:482-484.

Costa, R.; Stevens, E.E.; McKay N.T.; Engstrom, R.T. 1996. A bibliographic resource for the red-cockaded woodpecker. National Fish and Wildlife Foundation, Washington, D.C. 105p.

Cox, C. A. 2014. Population demographics and upstream migration of American eels in the Ouachita, White, and Arkansas Rivers. Masters thesis, University of Central Arkansas, Conway, 123 pages.

Cram, D.S.; Masters, R.E.; Guthery, F.S.; Engle, D.M.; Montague, W.G. 2002. Northern Bobwhite population and habitat response to pine-grassland restoration. *Journal of Wildlife Management*. 66:1031-1039.

Crandall, K.A.; Fitzpatrick, J.F., Jr. 1996. Crayfish molecular systematics: using a combination of procedures to estimate phylogeny. *Sys. Biol.* 45(1): 1-26.

Crandall, K.A. & Johnson, D. 2010. *Procambarus regalis*. The IUCN Red List of Threatened Species. Version 2015.1. <www.iucnredlist.org>. Downloaded on 04 June 2015.

Creaser, E. P.; Ortenburger, A.I. 1933. The decapod crustaceans of Oklahoma. University of Oklahoma Biological Survey Publication. 5(2):13-47.

Crow, C.T. 1974. Arkansas Natural Area Plan. Arkansas Department of Planning. 248p. Arkansas Audubon Society. 2012. Arkansas bird records database. Version 12.1 URL: http://www.arbirds.org/aas_dbase.html.

Crowhurst, R. S., K. M. Faries, J. Collantes, J. T. Briggler, J. B. Koppelman, and L. S. Eggert. 2011. Genetic relationships of hellbenders in the Ozark highlands of Missouri and conservation implications for the Ozark subspecies (*Cryptobranchus alleganiensis bishopi*). *Conservation Genetics* 12:637–646.

Crump, B.G. 18 June 2003. Species Viability Evaluation (SVE) Species List Compilation from ANHI, OKHI, OOHA, TNC, ONF PETS, Endemics and locally rare species lists.

Crump, B.G.; Mersmann, T.; Johnston, J.; Holmes, J.; Pell W.; Hooks, S.L.; Osborne, S.; Duzan, S. 20 June 2003A. SVE Methodology Review Conference Call.

Crump, B.G.; Holmes, J.; Hooks, S.L.; Brod, M. 23 June 2003B. SVE Plant Species Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Clingenpeel, J.A.; Fryar, R. 24 June 2003C. SVE Conservation/Habitat Targets. Peer Review Meeting.

Crump, B.G.; Holmes, J.; Hooks, S.L. 25 June 2003D. SVE Conservation/Habitat Targets. Peer Review Meeting.

Crump, B.G.; Holmes, J.; Robison, H.W.; Golden, R. 26 June 2003E. SVE Fish/Crayfish Species Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Trauth, S.E. 27 June 2003F. SVE Amphibian/Reptile Species Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Robison, H.W.; Golden, R. 7 July 2003G (AM). SVE Fish/Crayfish Species Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Davis, J.; Sasse, B.; Saugey, D.A.; Miller, D.A.; Cochran, S.; Odegard, R.; Perry, R. 7 July 2003H (PM). SVE Mammal Species Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Hooks, S.L.; Simon, S. 8 July 2003J. SVE Plant Species/Fire Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Hooks, S.L.; Finzer, R.; Fryar, R.; Trenchi, P. 9 July 2003K. SVE Fire Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Harris, J.L.; Clingenpeel, J.A.; Golden, R. 10 July 2003L. SVE Mussel Species Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Hooks, S.L.; Trenchi, P. 11 July 2003M. SVE Vegetation Structure Status/Habitat Peer Review.

Crump, B.G.; Harris, F; Trenchi, P. 15 July 2003N. SVE Vegetation Structure Status/Habitat Peer Review.

Crump, B.G.; Duzan, S.; Trauth, S.E. 16 July 2003P. SVE Amphibian/Reptile Species Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Leftwich, K.; Clingenpeel, J.A.; Golden, R. 21 July 2003Q. SVE Aquatics Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Leftwich, K.; Clingenpeel, J.A.; Posey, W.R.; Trenchi, P. 22 July 2003R. SVE Aquatics Status/Habitat Peer Review.

Crump, B.G.; Little, A.; Golden, R.; Grippo, R.; Gagen, C.J.; Stoeckel, J.; Filipek, S.; 25 July 2003S. AR AFS SVE Fish Species Status/Habitat Peer Review.

Crump, B.G.; Holmes, J.; Robison, H.W.; Harris, J.L.; Posey, B.R. 24 August 2003T. SVE Crayfish, Fish & Mussel Species Status/Habitat Peer Review.

Crump, B.G.; Davis, J. 14 July 2003. SVE Bird Species Status/Habitat Peer Review.

Csiki, I., C. Lam, A. Key, E. Coulter, J. D. Clark, R. M. Pace III, K. G. Smith, and D. D. Rhoads. 2003. Genetic variation in black bears in Arkansas and Louisiana using microsatellite DNA markers. *Journal of Mammalogy* 84:691-701.

Cummings, K.S.; Mayer C.A. 1992. Field guide to freshwater mussels of the midwest. Illinois Natural History Survey Manual 5.

Cundall, D.; Beaupre, S.J. 2001. Field records of predatory strike kinematics in timber rattlesnakes, *Crotalus horridus*. *Amphibia-Reptilia* 22:492-498.

Dames and Moore. 1977. Mussel populations in the White River near the Independence Steam Electric Station site. Arkansas Power and Light Co., Little Rock. 10 pp. 194 p.

Dane, F.; Hawkins, L.K.; Huang, Hongwen. 1999. Genetic Population Structure of *Castenea pumila* var. *ozarkensis*. *J. Amer. Hort. Sci.* 124(6):666-670.

Davidson, C.L. 1997. Analysis of mussel beds in the Little Missouri and Saline rivers, Blue Mountain, Ozark and Dardenelle lakes, Arkansas. M.S. thesis, Dept. Biological Sciences, Arkansas State University, State University, AR. 156 p.

Davidson, C.L. and S.A. Clem 2004. The freshwater mussel (*Bivalvia:Unionacea*) resources in a selected segment of the Saline River: Location, Species composition and status of mussel beds. Addendum 2 Arkansas Highway 15 to Felsenthal National Wildlife Refuge. Final Report to AGFC. 26 pp.

Davidson, C.L.; Gosse, D. 2001. Status and distribution of freshwater mussels (*Bivalvia: Unionacea*) inhabiting the Saline River/Holly Creek Bottoms area, Saline County, Arkansas. Prepared for the Nature Conservancy in cooperation with ALCOA. Little Rock,

Davidson, C.L.; Harp, G.L.; Harris, J.L. 1997. A survey of Mollusca (*Bivalvia: Unionacea*) inhabiting Myatt Creek, Fulton County, Arkansas. *Proceedings of the Arkansas Academy of Science.* 51:193-196.

Davidson, C.L.; Stoeckel, J.N.; Hilburn, C. 2000. Location and notes on freshwater mussels (*Bivalvia: Unionacea*) inhabiting Big Piney Creek within the Ozark-St. Francis National Forest, Arkansas. *Annual Proc. Texas Chapter, American Fisheries Soc.* 22:19-2

Davis, B.J.; Hollenback, H. 1978. New records for the bird-voiced treefrog, *Hyla avivoca* (Hylidae), from Arkansas and Louisiana. *Southwestern Naturalist.* 23:161-162.

Davis, Wayne H.; Lidicker, William Z. 1955. *Myotis subulatus leibii* in Missouri. *Journal of Mammalogy.* 36(2):288-289.

Davis, Wayne H.; Lidicker, William Z. Jr.; Sealander, John A., Jr. 1955. *Myotis austroriparius* in Arkansas. *Journal of Mammalogy.* 36(2):288.

Davis, Stephen K., Mark B. Robbins and Brenda C. Dale. 2014. Sprague's Pipit (*Anthus spragueii*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America

Online:<http://bna.birds.cornell.edu.bnaproxy.birds.cornell.edu/bna/species/439>

Dechant, J. A., M. L. Sondreal, D. H. Johnson, L. D. Igl, C. M. Goldade, M. P. Nenneman, A. L.

Zimmerman, and B. R. Euliss. 2003. Effects of management practices on grassland birds: Loggerhead

Shrike. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/losh/losh.htm> (Version 12AUG2004).

Dechant, J. A., M. L. Sondreal, D. H. Johnson, L. D. Igl, C. M. Goldade, B. D. Parkin, and B. R. Euliss. 2003. Effects of management practices on grassland birds: Sedge Wren. Northern Prairie Wildlife Research Center, Jamestown, ND. Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/literatr/grasbird/sewr/sewr.htm> (Version 12DEC2003)

DeGraaf, R.M. 1991. Effects of Even-Aged Management on Forest Birds at Northern Hardwood Stand Interfaces. *Forest Ecology and Management*; Vol. 47, Nos.1/4: 95-110.

Dellinger, S.C.; Black, J.D. 1938. Herpetology of Arkansas: part one, the reptiles. *Occas. Pap. Univ. Arkansas Mus.* No. 1: 1-47.

Dellinger, S.C.; Black, J. D. 1940. Notes on Arkansas Mammals. *Journal of Mammalogy.* 21:187-191.

Devers, P. K., and B. Collins. 2011. Conservation action plan for the American black duck, First Edition. U.S. Fish and Wildlife Service, Division of Migratory Bird Management, Laurel, MD, USA.

Dickson, J.G.; Conner, R.N.; Williamson, J.H. 1983. Snag Retention Increases Bird Use of a Clear-Cut. *Journal of Wildlife Management* 47(3): 799-803.

Dillman, C. B., B. K. Wagner, and R. M. Wood. 2007. Systematics of species of special concern in the genus *Orconectes* from the Ozark Highlands - case studies from species pairs: *Orconectes neglectus neglectus*, *Orconectes neglectus chaenodactylus* and *Orconectes macrus*, *Orconectes nana*. State Wildlife Grant Project T20-2 Final Report to Arkansas Game and Fish Commission, Little Rock, Arkansas. 68 pp.

Dillman, C. B., B. K. Wagner, and R. M. Wood. 2010. Phylogenetic Estimation of Species Limits in Dwarf Crayfishes from the Ozarks: *Orconectes nana* and *Orconectes macrus* (Decapoda:Cambaridae). *Southeastern Naturalist.* Volume 9, Special Issue 3:185-198.

Dimmick, R.W.; Gudlin, M.J.; McKenzie, D.F. 2002. The Northern Bobwhite Conservation Initiative. Miscellaneous publication of the Southeastern Association of Fish and Wildlife Agencies, South Carolina. 96.

Dinkelacker, S. A. and N. L. Hilzinger. 2009. Ecology of the Western Chicken Turtle (*Deirochelys reticularia miaria*) in the Arkansas valley: development of survey and monitoring protocols for a rare and secretive species. Final report to Arkansas Game and Fish Commission. 29 pp.

Dinkelacker, S. A. and N. L. Hilzinger. 2014. Demographic and reproductive traits of Western Chicken Turtles, *Deirochelys reticularia miaria*, in central Arkansas. *Journal of Herpetology* 48(4):439-444.

Dodd, C.K. 1980. Notes on the feeding behavior of the Oklahoma salamander, *Eurycea tynnerensis* (Plethodontidae). *Southwestern Naturalist.* 25:111-113.

Dodd, C.K. 1982. Correction: *Typhlotriton speleaus* not *Eurycea tynnerensis*. *Southwestern Naturalist.* 27:367-368.

- Dodd, L.E. and M.J. Lacki. 2007. Prey consumed by *Corynorhinus townsendii ingens* in the Ozark Mountain region. *Acta Chiropterologica*, 9: 451–461.
- Dodd, L.E., M.J. Lacki, and L.K. Rieske. 2008. Variation in moth occurrence and implications for foraging habitat of Ozark big-eared bats. *Forest Ecology and Management* 255: 3866-3872.
- Dodd, L.E., M.J. Lacki, and L.K. Rieske. 2011. Habitat Associations of Lepidoptera in the Ozark Mountains of Arkansas. *Journal of the Kansas Entomological Society* 84: 271–284.
- Donabauer, S. B., J. N. Stoeckel, and J. W. Quinn. 2009. Exploitation, survival, reproduction, and habitat use of gravid female paddlefish in Ozark Lake, Arkansas River, Arkansas. *American Fisheries Society Symposium* 66:123-140.
- Dowling, H.G. 1956. Geographic relations of Ozarkian amphibians and reptiles. *Southwestern Naturalist*. 1:174-189.
- Dowling, H.G. 1957. A review of the amphibians and reptiles of Arkansas. *Occas. Pap. Univ. Arkansas Mus. No. 3*. 51 pp.
- Driver, L. J., and G. L. Adams. 2013. Life history and spawning behavior of the western sand darter (*Ammocrypta clara*) in Northeast Arkansas. *The American Midland Naturalist* 170(2):199-212.
- Dukat, H. and D. D. Magoulick. 1999. Effects of predation on two species of stream-dwelling crayfish (*Orconectes marchandi* and *Cambarus hubbsi*) in pool and riffle habitats. *J. Ark. Acad. of Sci.* 53:45–49.
- Duncan, R.; Highton, R. 1979. Genetic relationships of the eastern large *Plethodon* of the Ouachita Mountains. *Copeia* 1979:95-110.
- Dundee, H.A. 1958. Habitat selection by aquatic plethodontid salamanders of the Ozarks with studies on the life histories. Ph.D. Dissertation. Univ. Michigan. Ann Arbor. 185 pp.
- Dundee, H.A. 1965a. *Eurycea multiplicata*. *Cat American Amphib. Rept.* 21.1-21.2.
- Dundee, H.A. 1968. First records of the four-toed salamander, *Hemidactylium scutatum*, in Mississippi with comments on its disjunct distribution in Arkansas and Louisiana. *J. Herpetol.* 1:101-103.
- Dundee, H.A.; Rossman, D.A. 1989. *The Amphibians and Reptiles of Louisiana*. Louisiana State Univ. Press, Baton Rouge. 300 pp.
- Dunivan, James D.; Tumilson, C. Renn; McDaniel, V. Rick. 1982. Cave fauna of Arkansas: further records. *Arkansas Academy of Science Proceedings*. 36:87-88.
- Dunn, E.R. 1926. *The Salamanders of the Family Plethodontidae*. Smith College. Northampton, Massachusetts. 446 pp.
- Dunn, E.R.; Heinze, A.E. 1933. A new salamander from the Ouachita Mountains. *Copeia* 1933:121-122.

- Dunning, Jr., J.B.; 1993. Bachman's Sparrow. *The Birds of North America*, No. 38; [Poole, A.; Stettenheim, P.; Gill, F., eds.] Philadelphia: The Academy of Natural Sciences; Washington, DC. The American Ornithologists' Union.
- Dunning, Jr., J.B.; Borgella, Jr., R.; Clements, K.; Mefee, G.K. 1995. Patch Isolation, Corridor Effects, and Colonization by a Resident Sparrow in a Managed Pine Woodland. *Conservation Biology*. 9: 542-550.
- Duzan, S.; Osborne, S.; Davis, J.; Kellner, C.; James, D.; Rideout, K.; Holliman, B.; Shepard, B. 26 June 2003. SVE Bird Species Status/Habitat Peer Review.
- eBird. 2014. eBird: An online database of bird distribution and abundance [web application]. eBird, Ithaca, New York. Available: <http://www.ebird.org>. (Accessed: December 17, 2014).
- Echelle, A. A., M. R. Schwemm, N. C. Lang, A. M. Simmons, P. J. Unmack, W. L. Fisher, and C.W. Hoagstrom. 2014. Molecular systematics and historical biogeography of the *Nocomis biguttatus* species group (Teleostei: Cyprinidae): nuclear and mitochondrial introgression and a cryptic Ozark species. *Molecular Phylogenetics and Evolution* 81:109-119.
- Echelle, A. A., M. R. Schwemm, N. J. Lang, J. S. Baker, R. M. Wood, T. J. Near, and W. L. Fisher. 2015. Molecular systematics of the least darter (Percidae: *Etheostoma microperca*): historical biogeography and conservation implications. *Copeia* 2015(1):87-98.
- Echelle, A.A.; Schnell, G.D. 1976. Factor analysis of species associations among fishes of the Kiamichi River, Oklahoma. *Amer. Fish. Soc.* 105(1): 17-31.
- Eckert, N.L. 2003. Reproductive Biology and Host Requirement Differences among Isolated Populations of *Cyprogenia aberti* (Conrad, 1850). M.S. Thesis, Missouri State University. 96 pp.
- Ecological Consultants, Inc. 1984. Handbook of the mussels of the St. Francis, White and Cache rivers, Arkansas and Missouri. Supplement to the Final Report (Contract No. DACW66-78-C-0147), U.S. Army Corps of Engineers, Memphis District. 62 pp.
- Elder, William H.; Gunier, Wilbur J. 1978. Sex ratios and seasonal movements of Gray Bats in Southwestern Missouri and adjacent states. *American Midland Naturalist*. 99(2):463-472.
- Elder, W.H.; Gunier, W.J. 1981. Dynamics of a gray bat population (*Myotis grisescens*) in Missouri. *American Midland Naturalist*. 105(1):193-195.
- Eley, R.; Randolph, J.; Carroll, J. 1981. A comparison of pre-and post-impoundment fish populations in the Mountain Fork River in southeastern Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 61: 7-14.
- Elliot, W.R. 1994. Conservation of western Oklahoma bat caves. *Oklahoma Underground*. 17:44-53.
- Elrod, D. A., E. G. Zimmerman, P. D. Sudman, and G. A. Heidt. 2000. A new subspecies of pocket gopher (genus *GEOMYS*) from the Ozark Mountains of Arkansas with comments on its historical biogeography. *Journal of Mammalogy* 81:852-864
- Emel, S. L. and R. M. Bonett. 2011. Considering alternative life history modes and genetic divergence in conservation: a case study of the Oklahoma Salamander. *Conserv. Genet.* (2011) 12:1243–1259.

Emst, C.H. 1992. *Venomous Reptiles of North America*. Smithsonian Institution Press, Washington, D. C. 236 pp.

Engel, James M. 1976. *The Indiana bat, Myotis sodalis, a bibliography*. Washington, DC: US Fish and Wildlife Service; Special Scientific Report--Wildlife No. 196.

Erdle, S.Y.; Hobson, C.S. 2001. *Current status and conservation strategy for the eastern small-footed Myotis (Myotis leibii)*. Richmond, VA: Virginia Department of Conservation and Recreation, Division of Natural Heritage; Natural Heritage Technical Report

Ernst, C.H. 2002a. *Regina septemvittata*. *Cat. Amer. Amphib. Rept.* 757.1-757.5.

Evans, K.E.; Kirkman, R.A. 1980. *Guide to Bird Habitats of the Ozark Plateau*. U. S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. Gen.Tech NC-68.

Federal Register 2010. *Threatened status for shovelnose sturgeon under the similarity of appearance provisions of the endangered species act*. Volume 75(169):53598-53606.

Fesperman, W. 1986. *Geographic Distribution. Pseudacris streckeri streckeri*. *Herpetol. Rev.* 17:91.

Fetzner, J.W., Jr. 1993. *Biochemical systematics of the crayfish genus Orconectes: relationships among subgenera*. M.S. Thesis. Southern Illinois Univ. Carbondale.

Figg, Dennis E.; Lister, Kenneth B. 1989. *Status and distribution of the Ozark big-eared bat (Plecotus townsendii ingens) in Missouri*.

Finch, D.M. 1991. *Population Ecology, Habitat Requirements, and Conservation of Neotropical Birds*. GTR RM-205. Fort Collins, CO. U. S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 26p.

Finch, D.M.; Stangel, P.W. 1993. *Status and management of neotropical migratory birds*. GTR RM-229. Fort Collins, CO. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 422 p.

Finnell, J.C.; Jenkins, R.M.; Hall, G.E. 1956. *The fishery resources of the Little River system, McCurtain County, Oklahoma*. Fish. Res. Lab. No. 55. Norman, OK. 82 p.

Fitch, H.S. 1955. *Habits and adaptations of the Great Plains skink (Eumeces obsoletus)*. *Ecol. Monogr.* 25:59-83.

Fitch, H.S. 1985. *Variation in clutch and litter size in New World reptiles*. *Univ. Kansas Mus. Nat. Hist.* 76:1-76.

Fitch, H.S.; Pisani, G.R. 1993. *Life history traits of the western diamondback rattlesnake (Crotalus atrox) studied from roundup samples in Oklahoma*. *Univ. Kansas Mus. Nat. Hist. Occ. Pap. No.* 156:1-24.

Fitzgerald, J.A. 2000. *Partners in Flight Bird Conservation plan for The Ozark/Ouachitas (Physiographic Area 19)*. 81p. ALLBIRDS

- Fitzpatrick, J.F., Jr. 1965. A new subspecies of the crawfish *Orconectes leptogonopodus* from the Ouachita River drainage in Arkansas. *Tulane Studies in Zoology* 12(3): 87-91.
- Fitzpatrick Jr, J. F. 1965. A new subspecies of the crawfish *Orconectes leptogonopodus* from the Ouachita River drainage in Arkansas. *Tulane Studies in Zoology*, 12(3), 87-91.
- Fitzpatrick, J.F., Jr. 1987. The subgenera of the crawfish genus *Orconectes* (Decapoda: Cambaridae). *Proc. Biol. Soc. Wash.* 100: 44-74.
- Fletcher, Milford R. 1985. Endangered bat protection at Buffalo National River, Arkansas. *Missouri Speleology*. 25(1-4):147-150.
- Fletcher M.D., J.D. Wilhide, and R.B. McAllister. 1991. Observations on a resident population of *Myotis lucifugus*, in Jackson county, Arkansas. *Proceedings of the Arkansas Academy of Science* 45: 123.
- Fletcher, M.D.; Cochran, B.G.; Trauth, S.E.; Saugey, D.A. 1992. Distribution of the southern red-backed salamander, *Plethodon serratus* (Caudata: Plethodontidae), in the Ouachita Mountain region of Arkansas. *Proceedings of the Arkansas Academy of Science*.
- Flinders, C. A., & Magoulick, D. D. (2003). Effects of stream permanence on crayfish community structure. *The American Midland Naturalist*, 149(1), 134-147.
- Flinders, C. A., and D. D. Magoulick. 2005. Distribution, habitat use, and life history of stream-dwelling crayfish in the Spring River drainage of Arkansas and Missouri with a focus on the Mammoth Spring crayfish (*Orconectes marchandi*). *American Midland Naturalist* 154:358-374.
- Floyd, T.M. 2003. Effects of prescribed fire on herpetofauna within hardwood forests of the Upper Piedmont of South Carolina. M.S. Thesis, Clemson University, SC. 127p.
- Reproductive Biology of the Rabbitsfoot Mussel (*Quadrula cylindrica*) (Say, 1817) in the Upper Arkansas River System, White River System, and the Red River System. M.S. Thesis. Missouri State University. 114 pp.
- Fokidis, H.B., S.C. Brandebura, and T.S. Risch. 2005. Distribution of bats in bottomland hardwood forests of the Arkansas Delta region. *Journal of the Arkansas Academy of Science* 59: 74-79.
- Ford, N.B. 1982. Courtship behavior of the queen snake, *Regina septemvittata*. *Herpetol. Rev.* 13:72.
- Ford, W.M.; Russell, K.R.; Moorman, C.E., eds. 2002. Proceedings: the role of fire for nongame wildlife management and community restoration: traditional uses and new directions; 2000 September 15; Nashville, TN. Gen. Tech. Rep. NE-288. Newton Square, PA:
- Foster, Garry W.; Humphrey, Stephen R.; Humphrey, Pamela P. 1978. Survival rate of young southeastern brown bat, *Myotis austroriparius*, in Florida. *Journal of Mammalogy*. 59(2):299-304.
- Foti, T.L.; Bakenhofer, G.A. 1998. A description of the sections and subsections of the Interior Highlands of Arkansas. *Proceedings of the Arkansas Academy of Science*. 52:53-62.

Foti, T.L. and J.M. Guldin. 1994. Multivariate analysis of the ground cover layer, shrub layer, and midstory and overstory of the Ozark/Ouachita National Forests. Pp. 61-73 in J. Baker, comp. 1994. Proc. Symposium on Ecosystem Management in the Ouachita M

Fowler, H.W.; Dunn, E.R. 1918. Notes on salamanders. Proc. Acad. Nat. Sci. Philadelphia 69:7-28.

Francis, C. M., J. R. Sauer, and J. R. Serie. 1998. Effect of restrictive harvest regulations on survival and recovery rates of American black ducks. Journal of Wildlife Management 62:1544-1557.

Frederick, Peter C. and Douglas Siegel-Causey. 2000. Anhinga (*Anhinga anhinga*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/522> doi:10.2173/bna.522

Frost, Darrel R. 2015. Amphibian Species of the World: an Online Reference. Version 6.0 (Date of access). Electronic Database accessible at <http://research.amnh.org/herpetology/amphibia/index.html>. American Museum of Natural History, New York, USA.

Fuller, S.L.H. 1974. Macroinvertebrates in Environmental Impact Statement for Independence Steam Electric Station site. Arkansas Eastman Co., Little Rock. 120 pp.

Fulmer, T. 2013. Geographic distribution: *Hyla squirella*. Herpetological Review 44(4):620–621.

Fulmer, T. and K. Fulmer. 2010. Geographic distribution: *Ambystoma talpoideum*. Herpetological Review 41(4): 504.

Fulmer, T. and K. Fulmer. 2013. Geographic distribution: *Ambystoma talpoideum*. Herpetological Review 44(1): 102.

Fulmer, T.; Tumlison, R. 2002. Geographic Distribution. *Hyla avivoca*. Herpetol. Rev. 33: 220.

Gagen, C.J.; Standage, R.W.; Stoeckel, J. N. 1998. Ouachita madtom (*Noturus lachneri*) metapopulation dynamics in intermittent Ouachita mountain streams. Copeia. (4): 874-882.

Gagen, C.J.; Stoeckel, J. N. 1994. Dry season habitat use and reproductive biology of the Ouachita madtom. Final project report to U.S. Forest Service. Hot Springs. 26 p.

Gardner, James Eugene. 1978a. Activity patterns of bats in the Delta Region of Northeast Arkansas. Jonesboro: Arkansas State University.

Gardner, James D.; Garner, James D. 1990. Determination of summer distribution and habitat utilization of the Indiana bat (*Myotis sodalis*) in Illinois. Bat Research News.

Gardner, James E.; McDaniel, R. Rick. 1978. Distribution of bats in the Delta Region of Northern Arkansas. Proceedings of the Arkansas Academy of Science. 32:46-48.

Gardner, James E.; Hofmann, Joyce E.; Garner, James D. 1989. Progress Report: 1988 investigations of *Myotis sodalis* (Indiana bat) distribution, abundance, habitat use, and status in Illinois.

Gardner, James E. Gene; Garner, James D.; Hofmann, Joyce E. 1990. Summer roost selection by *Myotis sodalis*. *Bat Research News*. 79.

Gardner, James E.; Garner, James D.; Hofmann, Joyce E. 1991. Summer roost selection and roosting behavior of *Myotis sodalis* (Indiana bat) in Illinois. Final Report.

Gardner, James E.; Hofmann, Joyce E.; Garner, James D. 1996. Summer distribution of the federally endangered Indiana bat (*Myotis sodalis*) in Illinois. *Transactions of the Illinois State Academy of Science*. 89(3):187-196.

Garland, Diana A.; Heidt, Gary A. 1989. Distribution and status of shrews in Arkansas. *Proceeding Arkansas Academy of Science*. 43:35-38

Garton, J.S.; Harris, E.W.; Brandon, R.A. 1970. Descriptive and ecological notes on *Natrix cyclopion* in Illinois. *Herpetologica* 26:454-461.

Gentry, J. L., G. P. Johnson, B. T. Baker, C. T. Witsell, and J. D. Ogle (eds.). 2013. *Atlas of the Vascular Plants of Arkansas*. University of Arkansas Herbarium, Fayetteville, AR.

George, S.G.; Slack, W.T.; Douglas, N.H. 1996. Demography, habitat, reproduction, and sexual dimorphism of the crystal darter, *Crystallaria asprella*, from south-central Arkansas. *Copeia* 1996: 68-78.

Gibbs, J.B.; Faaborg, J. 1990. Estimating the Viability of Ovenbird and Kentucky Warbler Populations in Forest Fragments. *Conservation. Biology*. 4:193-196.

Gill, F.B.; Canterbury, R.A.; Confer, J.L. 2001. Blue-winged Warbler (*Vermivora pinus*). *The Birds of North America*, No. 584, [Poole, A.; Gill, F., eds.] *The Birds of North America*, Inc., Philadelphia, PA

Godfrey, R.K.; Wooten, J.W. 1981. *Aquatic and Wetland Plants of Southeastern United States Dicotyledons*. The University of Georgia Press, Athens, Georgia.

Goodrich, C.; van der Schalie, H. 1944. A revision of the Mollusca of Indiana. *American Midland Naturalist*. 32:257-326.

Gordon, M.E. 1979. Mollusca of the Illinois River, Arkansas. *Proceedings of the Arkansas Academy of Science*. 33:35-37.

Gordon, M.E. 1980. Freshwater mollusca of the Elk River, White River above Beaver Reservoir, and Frog Bayou Drainages of the southwestern Ozarks. M.S. thesis, Dept. Zoology, Univ. Arkansas, Fayetteville. 265 pp.

Gordon, M.E. 1980a. Recent mollusca of Arkansas with annotations to systematics and zoogeography. *Proceedings of the Arkansas Academy of Science*. 34:58-62.

Gordon, M.E. 1982. Mollusca of the White River, Arkansas and Missouri. *Southwestern Naturalist*. 27(3):347-352.

Gordon, M.E. 1985. Mollusca of Frog Bayou, Arkansas. *The Nautilus* 99(1):6-9.

Gordon, M.E.; Brown A.V. 1980. Significant additions to the molluscan fauna of the Illinois River, Arkansas. *Proceedings of the Arkansas Academy of Science*. 34:113-114.

Gordon, M.E.; Harris, J.L. 1983. Distribution and status of fourteen species of freshwater mussels considered rare or endangered in Arkansas. Arkansas Natural Heritage Commission, Little Rock. Project #G6301. 23 pp. + appendices I-II.

Gordon, M.E.; Harris, J.L. 1985. Distribution of *Lampsilis powelli* (Lea) (Bivalvia: Unionacea). *The Nautilus* 99(4): 142-144.

Gordon, M.E.; Kraemer, L.R. 1984. *Lampsilis reeveiana* and *Lampsilis streckeri* (Bivalvia: Unionacea): some clarification. *Malacological Review* 17:99-100.

Gordon, M.E.; Brown, A.V.; Kraemer, L.R. 1979. Mollusca of the Illinois River, Arkansas. *Proceedings of the Arkansas Academy of Science*. 33:35-37.

Gordon, M.E.; Kraemer, L.R.; Brown, A.V. 1980. Unionacea of Arkansas: historical review, checklist, and observations on distributional patterns. *Bull. Am. Malacol. Union, Inc.* 1979:31-37.

Gordon, M.E.; Chordas III, S.W.; Harp, G.L.; Brown, A.V. 1994. Aquatic Mollusca of the White River National Wildlife Refuge, Arkansas, U.S.A. *Walkerana*. 1993-1994, 7(17/18):1-9.

Grady, J.M.; LeGrande, W.H. 1992. Phylogenetic relationships, modes of speciation and historical biogeography of the madtom catfishes, genus *Noturus* Rafinesque (Siluriformes: Ictaluridae). In: R.L. Mayden, ed. *North American freshwater fishes*. Stanford U

Graening, Gary O, Horton H. Hobbs III, Michael E. Slay, Brian K. Wagner, and Charles L. Brickey. In progress. Status update of the endangered Hell Creek Cave crayfish, *Cambarus zophonastes* (Decapoda: Cambaridae). The Nature Conservancy, Arkansas Field Office.

Graening, G. O.; Slay, M.; Brown, A. 2001. Subterranean biodiversity in the Ozark Plateaus of Arkansas. Section 6 Report to AGFC.

Graening, G.O., J.B. Koppelman, B.K. Wagner, M.E. Slay, and C.L. Brickey. 2006. Range extension and status update of the endangered Hell Creek Cave Crayfish, *Cambarus zophonastes* (Decapoda: Cambaridae). *Southwestern Naturalist* 51:392-396.

Graening, G.O., D. B. Fenolio, M. L. Niemiller, A. V. Brown, and J. B. Beard. 2010. The 30-year recovery effort for the Ozark cavefish (*Amblyopsis rosae*): analysis of current distribution, population trends, and conservation status of this threatened species. *Environmental Biology of Fish* 87:55-88.

Graening, G.O., M.J. Harvey, W.L. Puckette, R.C. Stark, D.B. Sasse, S.L. Hensley, and R.K. Redman. 2011. Conservation status of the endangered Ozark big-eared bat (*Corynorhinus townsendii ingens*) – a 34 year assessment. *Publications of the Oklahoma Biological Survey* 11:1-16.

Graham, Gary L. 1976. A western extension of the southeastern shrew, *Sorex longirostris* (Soricidae). *Southwestern Naturalist*. 21(3):405.

- Graham, R.T.; McCaffrey, S., Jain, T.B. (tech eds.) 2004. Science basis for changing forest structure to modify wildfire behavior and severity. Gen. Tech. Rep. RMRS-GTR-120. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain
- Graves, G.R. 2014 Recent large-scale colonisation of southern pine plantations by Swainson's Warbler *Limnothlypis swainsonii*. Bird Conservation International <http://bit.ly/1sYr9hm>.
- Graves, Frank F. Jr.; Harvey, Michael J. 1974. Distribution of Chiroptera in western Tennessee. *Journal of the Tennessee Academy of Science*. 49(3):106-109.
- Gregory, S.V.; Swanson, F.J.; McKee, M.A.; Cummins, K.W. 1991. An ecosystem perspective of riparian zones: focus on links between land and water. *Bioscience* 41(8):540-550.
- Griffith, M.B.; Perry, S.A.; Perry, W.B. 1994. Secondary production of macroinvertebrate shredders in headwater streams with different baseflow alkalinity. *J. North Am. Benthol. Soc.* 13:345-356.
- Grigsby, Everett Monroe. 1980. The gray bat, *Myotis grisescens*, in the southwest portion of the Ozark plateau: movement patterns, maternity colonies, hibernacula and philopatry: University of Oklahoma.
- Grigsby, Everett M.; Puckette, William L.; Martin, Keith W. 1993. Comparative numbers of gray bats (*Myotis grisescens*) at four maternity caves in Northeastern Oklahoma in 1981 and 1991. *Proceedings Oklahoma Academy of Science*. 73:35-37.
- Grimley, A. A. 2012. A reexamination of the Eastern Collared Lizard (*Crotaphytus collaris collaris*) in Arkansas. Masters Thesis. University of Arkansas, Fayetteville.
- Grippio, R.S. and S.A. Massa. 2000. Mercury in free ranging bats collected from fish-consumption advisory areas in Arkansas. Unpublished report to the Arkansas Game and Fish Commission, Jonesboro. 65 pp.
- Grobman, A.B. 1944. The distribution of the salamanders of the genus *Plethodon* in eastern United States and Canada. *Ann. New York Acad. Sci.* 45:261-316.
- Grzybowski, J. A. 1980. Ecological relationships among grassland birds during winter. Ph.D. dissertation, University of Oklahoma, Norman, OK.
- Grzybowski, J.A. 1982. Population structure in grassland bird communities during winter. *Condor* 84:137-15
- Gunier, W. J. 1970. Ecological behaviour and homing ability of the gray bat (*Myotis grisescens*) with a review of banding techniques. Kirksville, MO: Northeast Missouri State College.
- Guthrie, Mary J. 1933. Notes on the seasonal movements and habits of some cave bats. *Journal of Mammalogy*. 14(1):1-19.
- Guyette, R.P.; Spetich, M.A. 2003. Fire history of oak-pine forests in the Lower Boston Mountains, Arkansas, USA. *Forest Ecology and Management* 180:463-474.

- Hackett, H.M., D.B. Lesmeister, J.Desanty-Combes,W.G. Montague, J.J. Milspaugh, and M.E. Gompper. 2007. Detection rates of eastern spotted skunks (*Spilogale putorius*) in Missouri and Arkansas using live-capture and non-invasive techniques. *American Midland Naturalist* 158: 123-131.
- Hackney, C.T., S.M. Adams, and W.H. Martin.1992. Biodiversity of the southeastern United States: aquatic communities. John Wiley. NY 779 p.
- Haggerty, T.M. 1988. Aspects of the Breeding Biology and Productivity of Bachman's Sparrow in Central Arkansas. *Wilson Bulletin*. 100(2): 247-255.
- Hall, John S. 1962. A life history and taxonomic study of the Indiana bat, *Myotis sodalis*. Reading, PA: Reading Public Museum and Art Gallery; Scientific Publication Number 12.
- Hall, E. R. 1981. *The Mammals of North America*, Vols. I & II. John Wiley & Sons, New York, New York. 1181 p.
- Hall, J.S.; Wilson, N. 1966. Seasonal populations and movements of the Gray bat in the Kentucky area. *American Midland Naturalist*. 75(2):317-324.
- Hamel, P.B. 1992. *Land Manager's Guide to the Birds of the South. Bird Habitat Relationships on Southeastern Forest Lands*: [Hamel, P.B.; LeGrand, Jr., H.E.; Lennartz, M.R.; Gauthreaux, S.A., Jr., eds.] The Nature Conservancy, Chapel Hill, NC. 436 p. and
- Hamel, P.B. 2000. Cerulean Warbler (*Dendroica cerulean*). *The Birds of North America*, No. 511 [Poole, A.; Gill, F., eds.]. *The Birds of North America*, Inc., Philadelphia, PA.
- Hamerstrom, F., F. N. Hamerstrom, and J. Hart. 1973. Nest boxes: an effective management tool for kestrels. *J. Wildl. Manage.* 37: 400-403.
- Hamlett, B.E.; Strecker, A.G.; Trauth, S.E. 1998. Caudal courtship glands in the cave salamander, *Eurycea lucifuga* (Caudata: Plethodontidae). *Proceedings of the Arkansas Academy Science*. 52:124-128.
- Hanebrink, E.; Byrd, W. 1986. Species composition and diversity of water snake (*Nerodia* sp.) populations in northeastern Arkansas. *Bull. Chicago Herpetol. Soc.* 21:72-78.
- Hanners, L.A.; Patton, S.R.. 1998. Worm-eating Warbler (*Helmitheros vermivorus*). *The Birds of North America*, No. 367 [Poole, A.; Gill, F., eds.] *The Birds of North America*, Inc., Philadelphia, PA.
- Hardcastle, E. 2003. Ecology and Conservation Genetics of *Delphinium newtonianum* (Moore's Delphinium) Ranunculaceae, A Rare Endemic of the Interior Highlands. Dissertation, University of Arkansas, and Ozark St. Francis NF PETS Core Pilot Project dataset.

- Hardcastle, E.; Williams, D.; Pittman, A.B. et al. 1989. A new species of *Polymnia* (Compositae: Heliantheae) from the Ouachita Mountain region of Arkansas. *Sida* 13(4): 481-486.
- Hardin, K.I.; Baskett, T.S.; Evans, K.E. 1982. Habitat of Bachman's Sparrows Breeding on Missouri Glades. *Wilson Bulletin*. 94(2): 208-212.
- Hardin, K.I.; Probasco, G.E. 1983. The Habitat Characteristics and Life Requirements of Bachman's Sparrow. *Birding* 15(4/5): 189-197.
- Hardy, D.L., Sr. 1992. A review of first aid measures for pitviper bite in North America with an appraisal of Extractor™ suction and stun gun electroshock. Pp. 405-414. In *Biology of the Pitvipers*. (J. A. Campbell and E. D. Brodie, Jr., eds.). Selva, Ty
- Hardy, L.M.; Raymond, L.R. 1980. The breeding migration of the mole salamander, *Ambystoma talpoideum*, in Louisiana. *J. Herpetol.* 14:327-335.
- Harris, J.L. 2002. Freshwater mussel survey of the White River and Lafferty Creek, Arkansas in the vicinities of Lock and Dam 1, Lock and Dam 2, and Lock and Dam 3. Prepared for Crist Engineers, Inc., Little Rock, AR. 14 p. + Appendix A (field data sheets)
- Harris, J.L. 1986. Relocation of the fat pocketbook pearly mussel (*Proptera capax*) in the St. Francis River at Madison, Arkansas. Performed in cooperation with the Arkansas Game and Fish Commission, Little Rock. 14 p.
- Harris, J.L. 1987. Survey of mussel beds in the White River between river miles 90-94 and 240-243. Prepared for Mobley Construction Company, Inc., Morrilton, AR. 40 p.
- Harris, J.L. 1989a. Survey of mussels in the Black River at proposed Soil Conservation Service work site LA-1 near Clover Bend, Lawrence County, Arkansas. Prepared for the USDA Soil Conservation Service, Little Rock, AR. 7 p.
- Harris, J.L. 1989b. Mussel survey of the Ouachita River near Arkadelphia, Clark County, Arkansas in the vicinity of the proposed Bowater Paper Plant. Prepared for Sirrene Environmental Consultants, Greenville, SC. 19 p.
- Harris, J.L. 1989c. Mussel survey of the Caddo River below the DeGray Reservoir reregulating dam near Caddo Valley, Clark County, Arkansas. Prepared for JDJ Energy Co., Inc., Little Rock, AR. 11 p.
- Harris, J.L. 1989d. Mussel survey of the White River at DeValls Bluff at the proposed Arkansas Game and Fish Commission boat ramp. Prepared for the Arkansas Game and Fish Commission, Little Rock, AR. 8 p.
- Harris, J.L. 1990a. Survey of the St. Francis River for the endangered fat pocketbook (*Potamilus capax*) at the proposed crossing for the Oklahoma - Arkansas pipeline project, St. Francis County, Arkansas. Prepared for Woodward - Clyde Consultants, Houston

Harris, J.L. 1990b. Survey of Tulot Seep Ditch and Ditch 60 for the fat pocketbook (*Potamilus capax*) in the vicinity of Trumann, Poinsett County, Arkansas. Prepared for Crist Engineers, Inc., Little Rock, AR. 14 p.

Harris, J.L. 1990c. Survey of the White River for endangered mussels at the proposed crossing for the Oklahoma - Arkansas pipeline project, White - Woodruff counties, Arkansas. Prepared for Woodward - Clyde Consultants, Houston, TX. 11 p.

Harris, J.L. 1991a. Survey for *Lampsilis powelli* at Site 2, South Fork Watershed Project, Montgomery County, Arkansas. Prepared for U.S. Department of Agriculture, Soil Conservation Service, Little Rock, AR. 18 p.

Harris, J.L. 1991b. Survey for *Lampsilis streckeri* in the Middle Fork Little Red River at the proposed NOARK pipeline crossing, Van Buren County, Arkansas. Prepared for ENSR Consulting and Engineering, Houston, TX. 10 p.

Harris, J.L. 1991c. A mussel survey of Lake Dardanelle in the vicinity of the proposed River Mountain Pumped Storage Project. Prepared for CPS Arkansas, Inc., Greenwich, CT. 19 p.

Harris, J.L. 1991d. Survey for *Lampsilis rafinesqueana* in the Illinois River at the proposed Siloam Springs water intake structure. Prepared for McClelland Consulting Engineers, Inc., Fayetteville, AR. 10 p.

Harris, J.L. 1992a. Status of *Lampsilis streckeri* in segments of the Middle, South, and Archey forks of the Little Red River, Stone and Van Buren Counties, Arkansas. Prepared for the U.S. Fish and Wildlife Service, Endangered Species Office, Jackson, MS 2

Harris, J.L. 1992b. Survey of the freshwater mussels (Mollusca: Unionidae) of the South Fourche LaFave River and major tributaries. Prepared for the U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs, AR. 18 p. + field notes.

Harris, J.L. 1992c. Temporary relocation of the speckled pocketbook (*Lampsilis streckeri*) at the NOARK pipeline crossing, Middle Fork Little Red River, Van Buren County, Arkansas. Prepared for ENSR Consulting and Engineering, Houston, TX. 10 p. + Appendix

Harris, J.L. 1993. Habitat characterization and species associates of the speckled pocketbook (*Lampsilis streckeri* Frierson) in the Middle Fork Little Red River, Arkansas. Prepared for the U.S. Fish and Wildlife Service, Endangered Species Office, Jackson

Harris, J.L. 1994a. Microhabitat and population analysis of *Lampsilis powelli* (Lea, 1852) in the South Fork Ouachita River, Montgomery County, Arkansas. Prepared for U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs, AR. 26 p. + Appendices.

Harris, J.L. 1994b. Survey of the freshwater mussels (Mollusca: Unionidae) of the Poteau River drainage in Arkansas. Prepared for the U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs, AR. 23 p. + Appendices.

Harris, J.L. 1994c. Mussel survey of the White River between river miles 260.0 - 264.0 in Independence and Jackson counties, Arkansas. Prepared for Mobley Construction Co., Inc., Morrilton, AR. 11 p.

Harris, J.L. 1995. Mussel survey of the White River between river miles 264.0 - 274.0 near Oil Trough, Independence County, Arkansas. Prepared for Mobley Construction Co., Inc., Morrilton, AR. 14 p.

Harris, J.L. 1996. The freshwater mussel resources of the Buffalo National River, Arkansas: Phase I qualitative survey: Location, species composition and status of mussel beds. Prepared for the U.S.D.I., Buffalo National River, Harrison, AR. 19 p. + Appen

Harris, J.L. 1997a. A population assessment of recolonization by the fat pocketbook mussel of dredged habitat in the St. Francis Floodway, Arkansas. Final report to the U.S. Fish and Wildlife Service, Jackson, MS. 14 p. + appendices.

Harris, J.L. 1997b. Status survey of *Lampsilis rafinesqueana* Frierson, the Neosho mucket, in Arkansas. Prepared for the U.S. Fish and Wildlife Service, Vicksburg, MS. 6 p. + Appendices.

Harris, J.L. 1997c. Evaluation of impacts of commercial gravel dredging to three unionid bivalve aggregations in the White River, Arkansas. Prepared for Mobley Construction Co., Inc. 10 p. + Appendices A-C.

Harris, J.L. 1999. Freshwater mussel survey: Carpenter-Rommel project, FERC No. 271. Final Report. Prepared for Entergy Arkansas, Inc. by Welch/Harris, Inc., Little Rock, AR.

Harris, J.L. 1999a. Status of aquatic resources: aquatic animals and their habitats: diversity of mussels in U.S. Department of Agriculture, Forest Service Ozark-Ouachita Highlands Assessment: aquatic conditions. Report 3 of 5. Gen. Tech. Rep. SRS-33.

Harris, J.L. 2001. Distribution and relative abundance of freshwater bivalves (Unionacea) in sections of the Fourche La Fave River and Petit Jean River, Arkansas. Report to U. S. Department of Agriculture, Ouachita National Forest, Hot Springs, AR. 18 p.

Harris, J.L. 2001a. Freshwater mussel survey of Lower Buffalo Creek, St. Francis River Basin, Mississippi County, Arkansas. Prepared for Memphis District Corps of Engineers. 10 p.

Harris, J.L. 2001b. Freshwater mussel survey of State Line Outlet Ditch, St. Francis River Basin, Mississippi County, Arkansas with population estimate for *Potamilus capax*. Prepared for Memphis District Corps of Engineers. 15 p.

Harris, J.L. 2002a. Translocation report of *Potamilus capax* (Green, 1832), fat pocketbook, for AHTD Job Number 110288, St. Francis River Structure and Approaches, U. S. Highway 64, Cross County, Arkansas. Environmental Division, Arkansas Highway & Transportation

Harris, J.L.; Doster, R.H. 1992. Survey for the Arkansas fatmucket, *Lampsilis powelli* (Lea), in the Caddo River at Interstate 30, Clark County, Arkansas. Environmental Division, Arkansas Highway and Transportation Department, Little Rock. 10 pp. + appendix

- Harris, R.N.; Gill, D.E. 1980. Communal nesting, brooding behavior and embryonic survival of the four-toed salamander *Hemidactylium scutatum*. *Herpetologica* 36:141-144.
- Harris, J.L.; Gordon, M.E. 1985. Survey of the Ouachita River in Arkadelphia, Arkansas for the endangered freshwater mussel *Lampsilis orbiculata* (Hildreth). Report prepared for Arkansas Louisiana Gas Company. 8 pp.
- Harris, J.L.; Gordon, M.E. 1987. Distribution and status of rare and endangered mussels (Mollusca: Margaritiferidae, Unionidae) in Arkansas. *Proceedings Arkansas Academy of Science* 41(1987):49-56.
- Harris, J.L.; Gordon, M.E. 1988. Status survey of *Lampsilis powelli* (Lea, 1852). Prepared for the U.S. Fish and Wildlife Service, Office of Endangered Species, Jackson, MS. 44 p. + Appendices.
- Harris, J.L.; Gordon, M.E. 1990. Arkansas Mussels. Arkansas Game and Fish Commission, Little Rock, AR. 32 p.
- Harris, J.L.; Milam, C.D. 2002a. Field identification notebook: mussels of the White River from Newport to the Arkansas River. Prepared for the Memphis District, U. S. Army Corps of Engineers, Memphis, TN. 100 p. + Appendix I.
- Harris, J.L.; Milam, C.D. 2002. Field identification notebook: mussels of the St. Francis River Basin Arkansas and Missouri. Prepared for the Memphis District, U. S. Army Corps of Engineers, Memphis, TN. 76 p. + Appendix I.
- Harris, J.L.; Doster, R.H.; McLean, J. 1992. Relocation of the Arkansas fatmucket, *Lampsilis powelli* (Lea), at the U.S. Highway 270 bridge in Mt. Ida, Montgomery County, Arkansas. Final report prepared by the Environmental Division, Arkansas Highway and T
- Harris, J.L.; Rust, P.; Chordas, III, S.W.; Harp, G.L. 1993. Distribution and population structure of freshwater mussels (Unionidae) in Lake Chicot, Arkansas. *Proc. AR Acad. Sci.* 47:38-43.
- Harris, J.L.; Rust, P.J.; Christian, A.D.; Posey, II, W.R.; Davidson, C.L.; Harp, G.L. 1997. Revised status of rare and endangered Unionacea (Mollusca: Margaritiferidae, Unionidae) in Arkansas. *J. AR Acad. Sci.* 51:66-89.
- Harris, J.L., W.R. Hoeh, A.D. Christian, J. Walker, J.L. Farris, R.D. Johnson and M.E. Gordon. 2004. Species Limits and Phylogeography of Lampsilinae (Bivalvia; Unionoida) in Arkansas with Emphasis on Species of *Lampsilis*. Final Report. Arkansas Game and Fish Commission. 80 pp.
- Harris, J.L., J.L Farris and A.D. Christian. 2007. Status of *Epioblasma florentina curtisii* (Frierson and Utterback 1916), Curtis Pearlymussel, in Arkansas. Final Report. 99 pp.
- Hart, C.W., Jr.; Clark, J. 1989. An interdisciplinary bibliography of freshwater crayfishes (Astacoidea and Parastacoidea) from Aristotle through 1985. Smithsonian Institution Press. Washington, D.C.
- Harvey, M.J. 1975. Endangered Chiroptera of the southeastern United States. *Proceedings of the 29th Annual Conference of the Southeastern Association of Game and Fish Commissioners*; pp. 429-433.
- Harvey, M.J. 1975a. Status of endangered bats in the Blanchard Springs Caverns Area. 1st National Cave Management Symposium; pp. 63.

- Harvey, M.J. 1980. Status of the endangered bats, *Myotis sodalis*, *M. grisescens*, and *Plecotus townsendii ingens* in the southern Ozarks. Proceedings of the Fifth International Bat Research Conference; pp. 221-223.
- Harvey, M.J. 1984. Protection of endangered gray bat (*Myotis grisescens*) colonies in Arkansas. Arkansas Academy of Science Proceedings. 38:96.
- Harvey, M.J. 1987. Recent population declines and recovery efforts for the endangered Indiana bat, *Myotis sodalis*, in Arkansas and Tennessee. (3-4): 35.
- Harvey, M.J. 1991. Management of endangered bat caves in Arkansas. 1995 National Cave Management Symposium Proceedings; pp 150-154.
- Harvey, M.J. 1991a. Status of endangered bats in the eastern United States. 1991 National Cave Management Symposium Proceedings; Bowling Green, KY. pp 351-355.
- Harvey, M.J. 1994. Status of endangered gray bat (*Myotis grisescens*) hibernating populations in Arkansas. Proceedings of the Arkansas Academy of Science. 48:250-251.
- Harvey, M.J. 1996. Status and management of endangered bats in Arkansas. Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies. 50:246-253.
- Harvey, M.J. 1997. Status of bats in the United States. American Caves. 10(1):10-13.
- Harvey, M.J.; Barkley, S.W. 1990. Management of the Ozark big-eared bat, *Plecotus townsendii ingens*, in Arkansas. Proceedings of the Arkansas Academy of Science. 44:131.
- Harvey, M.J.; Clark, J.D. 1997. Imperiled Mammalian Fauna of Aquatic Ecosystems in the Southeast: A historical perspective. pp. 245-258.
- Harvey, M.J.; McDaniel, V.R. 1986. Population decline of the endangered Indiana bat, *Myotis sodalis*, in Arkansas. Proceedings of the Arkansas Academy of Science. 40:87-88.
- Harvey, M.J.; Kennedy, M.L.; Hardin, J.W. 1975. Status and movements of *Myotis grisescens* in the southern Ozarks. 6th North American Symposium on Bat Research; Las Vegas.
- Harvey, M.J.; Kennedy, M.L.; McDaniel, V.R. 1978. Status of the endangered Ozark big-eared bat in Arkansas. Arkansas Academy of Science Proceedings. 32:89-90.
- Harvey, M.J.; Cassidy, J.J.; O'Hagan, G.G. 1979. Status of the endangered bats, *Myotis sodalis*, *M. grisescens*, and *Plecotus townsendii ingens*, in Arkansas. Proceedings of the Arkansas Academy of Science. 33:81.
- Harvey, M. J.; MacGregor, J.R.; Currie, R.R. 1991. Distribution and status of Chiroptera in Kentucky and Tennessee. Journal of the Tennessee Academy of Science. 66(4):191-193.

Hay, O.P. 1892. The batrachians and the reptiles of Indiana. Indiana Dept. Geol. Nat. Res., 17th Ann. Rept., pp. 409-602.

Hayes, D.M. 2010. Genetic diversity and distribution of selected freshwater mollusks (Gastropoda and Bivalvia) from west of the Mississippi River with an emphasis on Arkansas Taxa. Ph.D. Dissertation. Arkansas State University. 144 pp.

Hayes, William A. and Rollin D. Riemer. 1977. *Faxonella blairi*, a new crawfish from the Red River drainage of Oklahoma and Arkansas. Proceedings of the Biological Society of Washington. 90(1):1-5.

Heath, D.R.; Heidt, G.A.; Saugey, D.A.; McDaniel, V.R. 1983. Arkansas range extensions of the seminole bat and eastern big-eared bat and additional county records for the hoary bat, silver-haired bat, and evening bat. Arkansas Academy of Science Proceeding

Heath, D.R.; Saugey, D.A.; Heidt, G.A. 1986. Abandoned mine fauna of the Ouachita Mountains, Arkansas: vertebrate taxa. Proceedings of the Arkansas Academy of Science. 40:33-36.

Hebrard, J.J., Mushinsky, H.R. 1978. Habitat use by five sympatric water snakes from the central Atlantic Coast of Florida. Copeia 1981:886-889.

Heidt, G.A.; Saugey, D.A.; Bradford-Luck, S.R. 1987. Reported bat rabies in Arkansas. Proceedings of the Arkansas Academy of Science. 41:105-107.

Heidt, G.A.; Elrod, D.A.; McDaniel, V.R. 1996. Biogeography of Arkansas mammals with notes on species of questionable status. Proceedings of the Arkansas Academy of Science. 50:60-65.

Heitzman, J. R. and J. E. Heitzman. 1996. Butterflies and Moths of Missouri. Missouri Department of Conservation, Jefferson City, MO.

Hendricks, L.J.; Kezer, J. 1958. An unusual population of a blind cave salamander and its fluctuation during one year. Herpetologica 14:41-43.

Herbeck, L.A.; Semlitsch, R.D. 2000. Life history and ecology of the southern redback salamander, *Plethodon serratus*, in Missouri. J. Herpetol. 34:341-347

Herman, T. A. 2009. Range-wide phylogeography of the Four-toed Salamander (*Hemidactylium scutatum*): out of Appalachia and into the glacial aftermath. Masters thesis, Bowling Green State University, Bowling Green, Ohio. 64 pp.

Herrala, J. R., P. T. Kroboth, N. M. Kuntz, and H. L. Schramm Jr. 2014. Habitat use and selection by adult pallid sturgeon in the lower Mississippi River. Transactions of the American Fisheries Society 143:153-163.

Herrock, J.E. 1986. A subsequent study of the fishes of the upper Ouachita River, from the headwaters to Rammel Dam. M.S. Thesis. Northeast Louisiana University. Monroe, LA. 96 p.

Herrock, L.W. 1986. A subsequent study of the fishes of the Caddo River, west-central Arkansas. M.S. Thesis. Northeast Louisiana University. Monroe, LA. 108 p.

- Highton, R. 1962a. Revision of North American salamanders of the genus *Plethodon*. Bull. Florida State Mus., Biol. Ser. 6:235-367.
- Highton, R. 1989. Part I, Geographic protein variation. Pp. 1-76. In Biochemical Evolution in the Slimy Salamanders of the *Plethodon glutinosus* Complex in the Eastern United States. (R. Highton, G.C. Maha, and L.R. Maxon, eds.). Illinois Biol. Monogr. No.
- Highton, R. 1997. Geographic protein variation and speciation in the *Plethodon dorsalis* complex. Herpetologica 53:345-366.
- Highton, R.; Webster, T.P. 1976. Geographic variation and divergence in populations of the salamander *Plethodon cinereus*. Evolution 30:33-45.
- Hiler, W. R., B. A. Wheeler, and S. E. Trauth. 2013. The decline of the Ozark Hellbender (*Cryptobranchus alleganiensis bishopi*) in the Spring River, Arkansas, USA. Herpetological Conservation and Biology 8(1):114–121.
- Hines, R. E., T. J. Bader, and G. R. Graves. 2013. Chimney Swifts (*Chaetura pelagica*) nest in tree cavities in Arkansas. Southeastern Naturalist 12(4):N18-N20.
- Hobbs, H.H., Jr. 1968. Crustacea: Malacostraca. Pages K-1--K-36 in F. K. Parrish, Keys to water quality indicative organisms. (southeastern United States). Federal Water Pollution Control Administration, U. S. Department of the Interior.
- Hobbs, H.H., Jr. 1969. On the distribution and phylogeny of the crayfish genus *Cambarus*. Pages 93-178 in P. C. Holt, R. L. Hoffman, and C. W. Hart, Jr., eds. The distributional history of the biota of the Southern Appalachians. Part I: Invertebrates. Virg
- Hobbs, H.H., Jr. 1972a. Crayfishes (Astacidae) of north and middle America. U.S. Environmental Protection Agency Biota of Freshwater Ecosystems Identification Manual 9.
- Hobbs, H.H., Jr. 1972b. The subgenera of the crayfish genus *Procambarus* (Decapoda: Astacidae). Smithsonian Contributions to Zoology 117: 1-22.
- Hobbs, H.H., Jr. 1973. New species and relationships of the members of the genus *Fallicambarus*. Biological Society of Washington Proceedings 86:461-482.
- Hobbs, Horton H. Jr. 1973. New species and relationships of the members of the genus *Fallicambarus*. Proceedings of the Biological Society of Washington. 86(40):461-482.
- Hobbs, H.H., Jr. 1974a. Synopsis of the families and genera of crayfishes (Crustacea: Decapoda). Smithsonian Contributions to Zoology 164.
- Hobbs, H.H., Jr. 1974b. A checklist of the North and Middle American crayfishes (Decapoda: Astacidae and Cambaridae). Smithsonian Contributions to Zoology 166.

- Hobbs, Horton H., Jr. 1977. The crayfish *Bouchardina robisoni*, a new genus and species (Decapoda: Cambaridae) from southern Arkansas. *Proceedings of the Biological Society of Washington*. 89(62): 733-742.
- Hobbs, H.H., Jr. 1981. The crayfishes of Georgia. *Smithsonian Contributions to Zoology* 318. 236 pp.
- Hobbs, H.H., Jr. 1984. On the distribution of the crayfish genus *Procambarus* (Decapoda: Cambaridae). *Journal of Crustacean Biology* 4: 12-24.
- Hobbs, H.H., Jr. 1988. Crayfish distribution, adaptive radiation and radiation. pp. 52-82. In: D.M. Holdrich and R.S. Lowrey (eds.). *Freshwater crayfish: biology, management and exploitation*. Timber Press. Portland, OR.
- Hobbs, Horton H. Jr. 1989. An illustrated checklist of the American crayfishes (Decapoda: Astacidae, Cambaradae, and Parastacidae). *Smithsonian Institution Press, Washington DC*. 236pp.
- Hobbs, H.H., Jr. 1989. A checklist of the American crayfishes (Decapoda: Astacidae, Cambaridae, and Parastacidae). *Smithsonian Contrib. to Zoology No. 480*. Smithsonian Institute Press. Washington, D.C. 236 p.
- Hobbs, H.H., III. 1991. Decapoda. pp. 823-858. In: J. H. Thorp and A. P. Covich, eds. *Ecology and Classification of North American Freshwater Invertebrates*. Academic Press. New York.
- Hobbs, H.H., III. 1993. Trophic relationships of North American freshwater crayfishes and shrimps. *Milwaukee Pub. Mus. Contrib. Biol. Geol.* 85:1-110.
- Hobbs, Horton H., Jr. and Arthur V. Brown. 1987. A new troglobitic crayfish from northwestern Arkansas. (Decapoda: Cambaridae. *Proceedings of the Biological Society of Washington*. 100(4): 1040-1048.
- Hobbs, Horton H. Jr. and Henry W. Robison, 1982. A new crayfish of the genus *Procambarus* from southwestern Arkansas. *Proceedings of the Biological Society of Washington*. 95(3):545-553.
- Hobbs, Horton H. Jr. and Henry W. Robison. 1985. A new burrowing crayfish (Decapoda: Cambaridae) from southwestern Arkansas. *Proceedings of the Biological Society of Washington*. 98(4):1035-1041.
- Hobbs, H.H., Jr.; Robison, H.W. 1988. The crayfish subgenus *Girardiella* (Decapoda: Cambaridae) in Arkansas, with the descriptions of two new species and a key to the members of the *gracilis* group in the genus *Procambarus*. *Proc. Biol. Soc. Wash.* 101(2): 39
- Hobbs, Horton H. Jr. and Henry W. Robison, 1988. The crayfish subgenus *Girardiella* (Decapoda: Cambaridae) in Arkansas, with the descriptions of two new species and a key to the members of the *gracilis* group in the genus *Procambarus*. *Proceedings of the Biological Society of Washington*. 101(2):391-413.
- Hobbs, H.H., Jr.; Robison, H.W. 1989. On the crayfish genus *Fallicambarus* (Decapoda: Cambaridae) in Arkansas, with notes on the *fodiens* complex and descriptions of two new species. *Proc. Biol. Soc. Wash.* 102(3): 651-697.
- Hobbs, Horton H. Jr. and Henry W. Robison. 1989. On the crayfish genus *Fallicambarus* (Decapoda: Cambaridae) in Arkansas, with notes on the *fodiens* complex and descriptions of two new species.

Proceedings of the Biological Society of Washington. 102 (3):651-697.

Hoffmeister, D.F.; Goodpaster, W.W. 1962. Observations of a colony of big-eared bats, *Plecotus rafinesquii*. Transactions of the Illinois State Academy of Science. 55(2):87-89.

Hofmann, J.E.; Gardner, J.E.; Krejca, J.K.; Gardner, J.D. 1999. Summer records and a maternity roost of the southeastern *Myotis* (*Myotis austroriparius*) in Illinois. Transactions of the Illinois State Academy of Science. 92(1&2):95-107.

Holder, T. H. 1951. A survey of Arkansas Game. Arkansas Game and Fish Commission, Little Rock, Arkansas, USA.

Holdrich, D.M.; Lowery, R.S. eds. 1988. Freshwater crayfish: Biology, management, and exploitation. Croom Helm. London.

Holimon, W.C. and W.G. Montague. 2003. Reciprocal translocation reestablishes breeding status of Mississippi Alluvial Plain population of red-cockaded woodpeckers in Arkansas. Journal of the Arkansas Academy of Science 57:197-198.

Holimon, W.C., R.H. Doster, D.A. James, M.A. Mlodinow, J.C. Neal, and W.M. Shepherd. 2004. First Documentation that Henslow's sparrow regularly occurs during the breeding and wintering seasons in Arkansas. Journal of the Arkansas Academy of Science 59:111-117.

Holimon, B, Anderson, J., Sunderland, J., Eastridge, R., Rowe, K., Posey, B., Irwin, K., Wagner, B., Mueller, A, Zollner, D., Filipek, S., Duzan, S., Johnston, J., Rideout, C., Peacock, L. April 25, 2005. CWCS Species Team meeting/Peer Review.

Holimon, W.C., C.T. Witsell, W.H. Baltosser, and C.W. Rideout. 2008. Density and habitat associations of Henslow's Sparrows wintering in saline soil barrens in southern Arkansas. Journal of Field Ornithology 79:364-370.

Sparrows. Wilson Bulletin 117:211-225.

Holimon, W.C., J.A. Akin, W.H. Baltosser, C.W. Rideout, and C.T. Witsell. 2012. Structure and composition of grassland habitats used by wintering Smith's Longspurs: the importance of native grasses. Journal of Field Ornithology 83:351-361.

Hooks, S.L.; Brod, M. 15 July 2003. SVE Plant Species Status/Habitat Peer Review.

Hooks, S.L. 2000. Conservation Assessment for *Cypripedium kentuckiense* Reed on the Ouachita National Forest. Unpublished report submitted to the Ouachita National Forest, Hot Springs, AR.

Hooks, S.L. 2000. Conservation Assessment for *Cypripedium kentuckiense* Reed on the Ouachita National Forest. Unpublished report submitted to the Ouachita National Forest, Hot Springs, AR.

Hooks, S.L.; Brod, M. 17 June 2003. SVE Plant Species Status/Habitat Peer Review.

Hooks, S.L.; Brod, M. 18 July 2003. SVE Plant Species Status/Habitat Peer Review.

Hooks, S.L.; Brod, M. 3 September 2003. SVE Plant Species Status/Habitat Peer Review.

Hooks, S.L.; Witsell, T. 23 July 2003. SVE Plant Species Status/Habitat Peer Review.

- Hopp, S.L.; Kirby, A.; Boone, C.A. 1995. White-eyed Vireo (*Vireo griseus*). The Birds of North America, No. 168 [Poole, A.; Gill, F., eds.] The Academy of Natural Sciences, Philadelphia; The American Ornithologists' Union, Washington, DC.
- Hothem, Roger L., Brianne E. Brussee and William E. Davis, Jr. 2010. Black-crowned Night-Heron (*Nycticorax nycticorax*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/074/>
- Howery, M. 2000. Unpublished report on Broken Bow Unit red-cockaded woodpecker report. Oklahoma Department of Wildlife Conservation. 11p.
- Howery, M. 2001. Unpublished report on Oklahoma Ranger District cerulean warbler and bachman's sparrow survey. Oklahoma Department of Wildlife Conservation. 4 p.
- Hubricht, L. 1950. The invertebrate fauna of Ozark caves. Bull. 12 National Speleological Society. pp. 16-17.
- Hudson, E. 1996. Survey of *Ptilimnium nodosum*. Unpublished report on file at Ouachita NF, Supervisor's Office.
- Huebner, J.D.; Malley, D.F.; Donkersloot, K. 1990. Population ecology of the freshwater mussel *Anodonta grandis grandis* in a Precambrian shield lake. Can. J. Zool. 68:1931-1941.
- Humphrey, S.R. 1978. Status, winter habitat, and management of the endangered Indiana bat, *Myotis sodalis*. Florida Scientist. 41(2):65-76.
- Humphrey, S. R. and J.B. Cope. 1977. Survival rates of the endangered Indiana bat, *Myotis sodalis*. Journal of Mammalogy. 58(1):33-36.
- Humphrey, S. R.; Richter, A.R.; Cope, J.B. 1977. Summer habitat and ecology of the endangered Indiana bat, *Myotis sodalis*. Journal of Mammalogy. 58(2):334-346.
- Humphries, J.M.; Cashner, R.C. 1994. *Notorpis suttkus*, a new cyprinid from the Ouachita uplands of Oklahoma and Arkansas, with comments on the status of Ozarkian populations of *N. rubellus*. Copeia. (1): 82-90.
- Huntington, C.; Stuhlman, T.N.; Cullen, D.J. 1993. *Plethodon sequoyah*. Cat. Amer Amphib. Rept. 557. 1-557.2
- Hurst, T.E.; Lacki, M.J. 1999. Roost selection, population size and habitat use by a colony of Rafinesque's big-eared bats (*Corynorhinus rafinesquii*). American Midland Naturalist. 142:363-371.
- Hurter, J.; Strecker, J.K., Jr. 1909. The amphibians and reptiles of Arkansas. Trans. Acad. Sci. St. Louis 18:11-27.
- Hurym, A.D.; Wallace, J.D. 1987. Production and litter processing by crayfishes in an Appalachian mountain stream. Freshwater Biol. 18: 277-286.
- Hutcherson, J.E.; Peterson, C.L.; Wilkinson, R.F. 1989. Reproductive and larval biology of *Ambystoma annulatum*. J. Herpetol. 23:181-183.

- Hutchison, V.H. 1956. Notes on the plethodontid salamanders, *Eurycea lucifuga* (Rafinesque) and *Eurycea longicauda longicauda* (Green). *Occas. Pap. Nat. Speleol. Soc.* 3:1-24.
- Hutchison, V.H. 1958. The distribution and ecology of the cave salamander, *Eurycea lucifuga*. *Ecol. Monog.* 28:1-20.
- Hutchison, D.W.; Malcomber, S.I.; Pletscher, L.S. 1999. A multidisciplinary investigation of the applicability of the Pleistocene herpetofaunal stability model to collared lizards (*Crotaphytus collaris*). *Herpetol. Monogr.* 13:81-141.
- Inebnit, T. E. III. 2009. Aspects of the reproductive and juvenile ecology of Alligator gar in the Fourche LaFave River, Arkansas. Master's thesis, University of Central Arkansas. 69 pp.
- Inuoe, K., A.L. McQueen, J.L. Harris and D.J. Berg. 2014. Molecular phylogenetics and morphological variation reveal recent speciation in freshwater mussels of the genera *Arcidens* and *Arkansia* (Bivalvia: Unionidae). *Bio. Jour. Linnean Society* (112, 535–545)
- Ireland, P.H. 1971. Systematics, reproduction, and demography of the salamander, *Eurycea multiplicata* (Cope). Ph.D. Dissertation. Univ. Arkansas, Fayetteville. 127 pp.
- Ireland, P.H. 1974. Reproduction and larval development of the dark-sided salamander *Eurycea longicauda melanopleura* (Green). *Herpetologica* 30:338-343.
- Ireland, P.H. 1976. Reproduction and larval development of the gray-bellied salamander *Eurycea multiplicata griseogaster*. *Herpetologica* 32:233-238.
- Irwin, K. J., J. T. Briggler, and T. L. Crabill. 2014. Natural History Notes: *Cryptobranchus alleganiensis bishopi* (Ozark Hellbender) Diet. *Herpetological Review* 45(3):472.
- Iverson, J.B. 1979a. *Sternotherus carinatus*. *Cat. Amer. Amphib. Rept.* 226:1-226.2.
- Jackson, J.L. 2004. Effects of wildlife stand improvements and prescribed burning on bat and insect communities: Buffalo Ranger District, Ozark-St. Francis National Forest, Arkansas. Unpublished Masters Thesis, Arkansas State University, Jonesboro. 152 pp.
- Jacobs, R.B. 2001. *Birds in Missouri*. Missouri Dept. of Conservation, Jefferson City, MO. 375p.
- James, F.C. 1971. Ordinations of Habitat Relationships among Breeding Birds. *Wilson Bull.* 83:215-236.
- James, P.W. 1989. Reproductive ecology and habitat preferences of the leopard darter, *Percina pantherina*. Unpublished Ph.D. dissertation. Okla. St. Univ. Stillwater, OK. 169 pp.
- James, P.W. 1996. Threatened fishes of the world: *Percina pantherina* (Moore and Reeves, 1955) (Percidae). *Environmental Biology of Fishes* 45: 342.

James, P.W.; Collins, K.D. 1984. Leopard darter *Percina pantherina* (Moore and Reeves). Revised Recovery Plan. Report to U.S. Fish and Wildlife Service. Albuquerque, NM. 53 p.

James, P.W.; Maughan, O.E. 1989. Spawning behavior and habitat of the threatened leopard darter, *Percina pantherina*. *Southwestern Naturalist*. 34: 298-301.

James, D.A.; Neal, J.C. 1986. *Arkansas Birds: Their Distribution and Abundance*. The University of Arkansas Press. Fayetteville, AR. 402 p.

James, F.C.; Wiedenfeld, D.A.; McCulloch, C.E. 1989. Trends in Breeding Populations of Warblers: Declines in the Southern Highlands and Increases in the Lowlands. *Ecology and Conservation of Neotropical Migrant Landbirds* [Hagan III, J.M.; Johnston, D.W.,

James, P.W.; Maughan, O.E.; Zale, A.V. 1991. Life history of the threatened leopard darter, *Percina pantherina*, in Glover River, Oklahoma. *American Midland Naturalist* 125: 173-179.

James, D.A.; Kellner, C.J.; Self, J.; Davis, J. 2001. Breeding Season Distribution of Cerulean Warblers in Arkansas in the 1990's. *Journal of the Arkansas Academy of Science*. Vol. 55

Jamieson, D.H.; Rust, P.; Trauth, S.E. 2001. Food habits of the Ouachita dusky salamander, *Desmognathus brimleyorum* (Caudata: Plethodontidae), in Arkansas. *Proceedings of the Arkansas Academy of Science*. 55:179-180.

Jamieson, D.H.; Trauth, S.E.; McAllister, C.T. 1993. Food habits of male bird-voiced treefrogs, *Hyla avivoca* (Anura: Hylidae), in Arkansas. *Texas J. Sci.* 45:4549.

Jenkinson, J.J. 1989. Relocation of *Potamilus capax* from a 4-mile reach of the St. Francis Floodway in Arkansas. Tennessee Valley Authority, Water Resources, Aquatic Biology Dept., Norris, TN. Final Report for Memphis District, U.S. Army Corps of Engineer

Jenkinson, J.J.; Ahlstedt, S.A. 1994. A search for additional populations of *Potamilus capax* in the St. Francis and Cache River watersheds, Arkansas and Missouri, U.S.A. *Walkerana*. 1993-1994, 7(17/18):71-157.

Jenkinson, J.J.; Ahlstedt, S.A. 1987. A search for additional populations of *Potamilus capax* in the St. Francis and Cache river watersheds, Arkansas and Missouri. Final report for Memphis District, U.S. Army Corps of Engineers. 304 p.

Johnson, T.R. 1977. The Amphibians of Missouri. *Univ. Kansas Mus. Nat. Hist. Publ. Ed. Ser.* 6:1-134.

Johnson, R.I. 1980. Zoogeography of North American Unionacea (Mollusca: Bivalvia) north of the maximum pleistocene glaciation. *Bull. Mus. Comp. Zool.* 149(2):77-189.

Johnson, T.R. 1987. *The Amphibians and Reptiles of Missouri*. Missouri Dept. Cons., Jefferson City, 368 pp.

Johnson, C. E. 1995. Spawning behavior of the paleback darter, *Etheostoma pallidorsum*, (Percidae). *Southwestern Naturalist*. 40(4): 422-425.

- Johnson, T.R. 2000. The Amphibians and Reptiles of Missouri 2nd Edition. Missouri Department of Conservation, Jefferson City. 400 pp.
- Johnson, O.W. 2003. Pacifica and American Golden-Plovers: reflections on conservation needs. Wader study group bulletin 100:10-13.
- Johnson, S. A.; Brack, V. Jr.; Rolley, R.E. 1998. Overwinter weight loss of Indiana bats (*Myotis sodalis*) from hibernacula subject to human visitation. *American Midland Naturalist*. 139:255-261.
- Johnson, R. L., S. E. Trauth, and J. Trauth. 2007. Gene flow and genetic structuring of Illinois Chorus Frogs (*Pseudacris streckeri illinoensis*) in Clay County, Arkansas. Final report to Arkansas Game and Fish Commission.
- Johnson, J. R., K. M. Faries, J. J. Rabenold, R. S. Crowhurst, J. T. Briggler, J. B. Koppelman, and L. S. Eggert. 2009. Polymorphic microsatellite loci for studies of the Ozark hellbender (*Cryptobranchus alleganiensis bishopi*). *Conservation Genetics* 10:1795–1797.
- Johnson, G.P. 1988. Revision of *Castanea* sect. *Balanocastanon* (Fagaceae). *J. Arnold Arboretum* 69:25-49.
- Johnston, C. 1994. Spawning behavior of the goldstripe darter, *Etheostoma parvipinne* (Gilbert and Swain) (Perciformes). *Copeia*. (3): 823-825.
- Jones, R.N. 1984. Recovery plan for the leopard darter (*Percina pantherina* Moore and Reeves). U.S. Fish and Wildlife Service. Albuquerque, NM. 70 p.
- Jones, S. L. 2010. Sprague's Pipit (*Anthus spragueii*) conservation plan. U.S. Department of Interior, Fish and Wildlife Service, Washington, D.C.
- Jones, R.N.; Orth, D. J.; Maughan, O.E. 1984. Abundance and preferred habitat of the leopard darter, *Percina pantherina*, in Glover River, Oklahoma. *Copeia* 1984: 378-384.
- Jones, C. D., J. A. Cox, E Toriani-Moura, and R. J. Cooper. 2013. Nest-site characteristics of Bachman's sparrows and their relationship to plant succession following prescribed burns. *The Wilson Journal of Ornithology* 125:293-300.
- Jones, C. D., J. A. Cox, and R. J. Cooper. 2014. Bachman's sparrow (*Peucaea aestivalis*) response to variation in the extent of burns conducted during the nesting season. *Avian Conservation and Ecology* 9: 3.
- Jurney, D.; Evans, R.; Ippolito, J.; Bergstrom, V. 2001. Fire frequencies along the Gulf Coastal Plain of southeastern North America. Report by USDA Forest Service.
- Karlin, A.A., Guttman, S.I.; Means, D. Bruce. 1993. Population structure in the Ouachita Mountain dusky salamander, *Desmognathus brimleyorum* (Caudata: Plethodontidae). *Southwestern Naturalist*. 38:36-42.
- Kellner, C.J. and E.L. Combs Harper. In Prep. Influence of Selective Timber Harvesting and Controlled Burning on Abundance of Cerulean Warblers in an Upland Hardwood Forest

Kellner, C. Unpublished. Use of Clearcuts by Neotropical Migrant Birds During the Fall Migration.

Kennedy, M. and P. Kennedy. 2004. An assessment of the subspecific taxonomy of black bears (*Ursus americanus*) at the White River National Wildlife Refuge, Arkansas. Draft final report to U.S. Fish and Wildlife Service, Jackson, MS.

Kennedy, E. Dale and Douglas W. White. 2013. Bewick's Wren (*Thryomanes bewickii*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/315>

Kennedy, E.D.; White, D.W. 1997. Bewick's Wren (*Thryomanes bewickii*). The Birds of North America, No. 315 [Poole, A.; Gill, F., eds.] The Academy of Natural Sciences, Philadelphia, PA; The American Ornithologists' Union, Washington, DC

Keppie, D.M.; Whitting, Jr., R.M. 1994. American Woodcock (*Scolopax minor*). The Birds of North America, No. 100 [Poole, A.; Gill, F., eds.] Philadelphia: The Academy of Natural Sciences; Washington, DC. The American Ornithologists' Union.

Kilgore, K. J., J. J. Hoover, S. G. George, B. R. Lewis, C. E. Murphy, and W. E. Lancaster. 2007. Distribution, relative abundance and movements of pallid sturgeon in the free-flowing Mississippi River. *Journal of Applied Ichthyology* 23:476-483.

Kilham, L. 1992. Woodpeckers of eastern North America. Dover Publications, Inc. New York. 240p.

Killebrew, F.C. 1982b. Geographic Distribution. *Sternotherus carinatus*. *Herpetol. Rev.* 13:131.

King, D.I.; Degraff, R.M.; Griggin, C.R. 1998. Edge-Related Nest Predation in Clearcut and Groupcut Stands. *Conservation Biology*. 12: 1412-1415.

Kiser, J.D.; Elliot, C.L. 1996. Foraging habitat, food habits, and roost tree characteristics of the Indiana bat (*Myotis sodalis*) during autumn in Jackson County, Kentucky.

Klauber, L.M. 1956. Rattlesnakes: Their Habits, Life Histories, and Influence on Mankind. 2 Vols. Univ. California Press, Berkeley. 1533 pp.

Kofron, C.P. 1979b. Reproduction of aquatic snakes in south-central Louisiana. *Herpetologica* 35:44-50.

Kraemer, L.R.; M.E. Gordon. ??? Comparison of mollusks retrieved by crowfoot dredge and ponar grab sampler from the White River at St. Charles, Arkansas with comment on population structure of *Corbicula fluminea* (Bivalvia: Sphaeriacea).

Kral, R., and V. Bates. 1991. A new species of *Hydrophyllum* from the Ouachita Mountains of Arkansas. *Novon* 1: 60-66.

Kral, R. 1983. A report on some rare, threatened or endangered forest related vascular plants of the south. USFS technical publication R8-TP2, Atlanta, GA. Vol. 1: 718 pp.

Kral, R. 1983. A report on some rare, threatened or endangered forest related vascular plants of the south. USFS technical publication R8-TP2, Atlanta, GA. Vol. 1: 718 pp.

Krementz, D. G. and J. S. Christie. 1999. Scrub-successional bird community dynamics in young and mature longleaf pine–wiregrass savannahs. *Journal of Wildlife Management* 63 (3):803-814. <http://dx.doi.org/10.2307/3802793>

Krementz, D.G.; Jackson, J.J. 1999. Woodcock in the Southeast: Natural History & Management for Landowners. The University of Georgia College of Agricultural and Environmental Sciences – Cooperative Extension Service.

Kurta, A.; Kennedy, J. 2002. The Indiana bat: biology and management of an endangered species. Bat Conservation International. Austin, Texas. Keywords: *Myotis sodalis*/ biology/ management

Kurta, A.; Kath, J.; Smith, E.L.; Foster, R.; Orick, M.W.; Ross, R. 1992. Do Indiana bats require shaded maternity roosts. 63.

Kurta, A.; Kath, J.; Smith, E.L.; Foster, R.; Orick, M.W.; Ross, R. 1993. A maternity roost of the endangered Indiana bat (*Myotis sodalis*) in an unshaded, hollow, sycamore tree (*Platanus occidentalis*). *American Midland Naturalist*. 130:405-407.

Lacki, M. J.; Burford, L.S.; Whitaker, J.O. 1995. Food habits of gray bats in Kentucky. *Journal of Mammalogy*. 76(4):1256-1259.

Lamb, T. and D. A. Beamer. 2012. Digits lost or gained? Evidence for pedal evolution in the Dwarf Salamander complex (*Eurycea*, Plethodontidae). *PLoS ONE* 7(5):e37544. [doi:10.1371/journal.pone.0037544](https://doi.org/10.1371/journal.pone.0037544)

Landers, J.L.; Mueller, B.S. 1986 Bobwhite Quail Management: A Habitat Approach. Publication No. 6. Tall Timbers Research Station. Tallahassee, FL. 39 p.

Larson, A.; Highton, R. 1978. Geographic protein variation and divergence in salamanders of the *Plethodon welleri* group (Amphibia: Plethodontidae). *Syst. Zool.* 27:431-448.

LaVal, R. K. 1970. Intraspecific relationships of bats of the species *Myotis austroriparius*. *Journal of Mammalogy*. 51(3):542-552.

LaVal, R. K.; LaVal, M.L. 1980. Ecological studies and management of Missouri bats with emphasis on cave-dwelling species. Jefferson City, MO: Missouri Department of Conservation; *Terrestrial Studies* #8.

Law, J.R.; Johnson, P.S.; Houf, G. 1994. A crown cover chart for oak savannas. TB-NC-2. Columbia, MO: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 6p.

Layher, W. G., B. S. Crabb, and M. Spurlock. 2005. A three year fish faunal survey of Arkansas' large rivers. Layer BioLogics RTEC, Inc., Pine Bluff, Arkansas. State Wildlife Grant T24-01 Final Report. 80 pages.

- Layzer, J.B.; Gordon, M.E.; Anderson, R.M. 1993. Mussels: the forgotten fauna of regulated rivers. A case study of the Caney Fork River. *Regul. Rivers Res. & Manage.* 8:63-71.
- Lechner, M.A.; Zale, V.; O'Donnell, C.; Ben, B. 1987. Distribution and abundance of the leopard darter, *Percina pantherina* (Moore and Reeves) in the upper Mountain Fork and upper Little River drainages. Report to Tulsa District, U. S. Army Corps of Engine
- Ledbetter, Nancy S. 2003. Arkansas Game and Fish Commission mountain lion position statement. Little Rock, Arkansas, July. Keywords: *Puma concolor coryi*.
- Legler, J.M. 1960. Natural history of the ornate box turtle, *Terrapene ornata ornata* Agassiz. *Univ. Kansas Publ. Mus. Nat. Hist.* 11:527-669.
- Lehnen, S. E., and D. G. Krementz. 2013. Use of Aquaculture Ponds and Other Habitats by Autumn Migrating Shorebirds along the Lower Mississippi River. *Environmental Management* 52:417-426.
- Lemmons, R.P.; Pigg, J. 1999. Historical and new records of the goldstripe darter, *Etheostoma parvipinne*, in Oklahoma. *Proceedings of the Oklahoma Academy of Science.* 79:87-89.
- Leone, F. J., J. N. Stoeckel, and J. W. Quinn. 2012. Difference in paddlefish populations among impoundments of the Arkansas River, Arkansas. *North American Journal of Fisheries Management* 32:731-744.
- Lesmeister, D.B., M.E. Gompper, and J.J. Millspaugh. 2008a. Summer resting and den site selection by eastern spotted skunks (*Spilogale putorius*) in Arkansas. *Journal of Mammalogy* 89: 1512-1520.
- Lesmeister, D.B., J.J. Milspaugh, S.E. Wade, M.E. Gompper. 2008b. A Survey of Parasites Identified in the Feces of Eastern Spotted Skunks (*Spilogale putorius*) in Western Arkansas. *Journal of Wildlife Disease* 44: 1041-1044.
- Lesmeister, D.B., J.J. Milspaugh, M.E. Gompper, and T.W. Mong. 2010. Eastern Spotted Skunk (*Spilogale putorius*) Survival and Causespecific Mortality in the Ouachita Mountains, Arkansas. *American Midland Naturalist* 164: 52-60.
- Lesmeister, D.B., R.S. Crowhurst, J.J. Millspaugh, and M.E. Gompper. 2013. Landscape ecology of eastern spotted skunks in habitats restored for red-cockaded woodpeckers. *Restoration Ecology* 21: 267-275.
- Lindeman, P.V. 1996. Distribution, relative abundance, and basking ecology of the razorback musk turtle, *Kinosternon carinatum*, in the Pearl and Pascagoula River drainages. *Herpetol. Nat. Hist.* 4:23-34.
- Lindsay, H.L.; Randolph, J.C.; Carroll, J. 1983. Updated survey of the fishes of the Poteau River, Oklahoma and Arkansas. *Proceedings of the Oklahoma Academy of Science* 63: 42-48.
- Litvaitis, J.A. 2001. Importance of early successional habitats to mammals in eastern forests. *Wildlife Society Bulletin*, 29(2):466-473.
- Liu, J.; Dunning, Jr., J.B.; Pulliam, H.R. 1995. Potential Effects of a Forest Management Plan on Bachman's Sparrow (*Aimophila aestivalis*): Linking a Spatially Explicit Model with GIS. *Conservation Biology.* 9(1): 62-75
- Logan, J.M. 1997. Report on *Calamagrostis porteri* ssp. *insperata* and *Calamovilfa arcutata* survey. Unpublished report to Arkansas Natural Heritage Inventory, Little Rock, AR. 31pp.

- Lohofener, R.; Jones, R.L. 1991. Field survey report of Ouachita endemic salamanders. U. S. Fish Wildl. Ser., Unpubl. Rep., Endangered Species Office, Jackson, Mississippi. 23 p.
- Loomis, R.B.; Webb, O.L. 1951. *Eurycea multiplicata* collected at the restricted type locality. *Herpetologica* 7:141-142.
- Lowther, P.E.; Lanyon, S.M.; Thompson, C.W. 1999. Painted Bunting (*Passerina ciris*). *The Birds of North America*, No. 398 [Poole, A.; Gill, F., eds.] *The Birds of North America*, Inc., Philadelphia, PA.
- MacGregor, J.R.; Kiser, J.D.; Gumbert, M.W.; Reed, T.O. 1999. Autumn roosting habitat of male Indiana bats (*Myotis sodalis*) in a managed forest setting in Kentucky. Stringer, J. W and D.L. Loftis. *Proceedings of the 12th Central Hardwood Conference*; Lexin
- Maddox, D.; Bartgis, R. 1990. *Harperella* (*Ptilimnium nodosum* (Rose) Mathias) Agency Draft Recovery Plan. Prepared by Maryland Natural Heritage Program. US Fish and Wildlife Service, Newton Corner, Massachusetts.
- Maddox, D.; Bartgis, R. 1990. *Harperella* (*Ptilimnium nodosum* (Rose) Mathias) Agency Draft Recovery Plan. Prepared by Maryland Natural Heritage Program. US Fish and Wildlife Service, Newton Corner, Massachusetts.
- Magoulick, D. D. and R. J. DiStefano. 2007. Invasive crayfish *Orconectes neglectus* threatens native crayfishes in the Spring River drainage of Arkansas and Missouri. *Southeastern Naturalist* 6: 141-150.
- Mahmoud, I.Y. 1967. Courtship behavior and sexual maturity on four species of kinosternid turtles. *Copeia* 1967:314-319.
- Mahmoud, I.Y. 1968. Feeding behavior in kinosternid turtles. *Herpetologica* 24:300-305.
- Mahmoud, I.Y. 1969. Comparative ecology of the kinosternid turtles of Oklahoma. *Southwestern Naturalist*. 14: 31-66.
- Marsh, D. 1996. Plantain Sunflower (*Helianthus occidentalis* subsp. *Plantagineus*) in Arkansas. *Proc. Ark. Acad. Science* Vol. 50:
- Martin, M.M. 1981. A herpetological survey of Polk County, Arkansas. M.S. Thesis. Northeast Louisiana Univ., Monroe. 103 pp.
- Martin, W.H. 1992. Phenology of the timber rattlesnake (*Crotalus horridus*) in an unglaciated section of the Appalachian Mountains. Pp. 259-277. In *Biology of the Pitvipers* (J. A. Campbell and E. D. Brodie, Jr., eds.). Selva, Tyler, Texas.
- Martin, W.H. 1993. Reproduction of the timber rattlesnake (*Crotalus horridus*) in the Appalachian Mountains. *J. Herpetol.* 27:133-143.
- Martin, K.W. 2001. Effects of passage manipulation on cave climate and bat behavior: management implications for cave-dwelling bats: Oklahoma State University.
- Martin, T.E.; Finch, D.M. 1995. *Ecology and management of neotropical migratory birds*. Oxford Univerisity Press. 489p.

Martin, K.W.; Puckette, W.L.; Hensley, S.L.; Leslie, D.M. Jr. 2000. Internal cave gating as a means of protecting cave-dwelling bat populations in eastern Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 80:133-137.

Martof, B. 1955. Observations on the life history and ecology of the amphibians of the Athens area, Georgia. *Copeia* 1955:167.

Master, L. 1990. The imperiled status of North American aquatic animals. *Biodiversity Network News* 3: 1-2, 7-8.

Masters, J. H. 1968. *Euphydryas phaeton* in the Ozarks. *Entomological News* 79:85-91.

Masters, R.E. 1991. Effects of timber harvest and prescribed fire on wildlife habitat and use in the Ouachita Mountains of eastern Oklahoma. Ph. D. Thesis, Oklahoma State Univ., Stillwater. 351p.

Masters, R.E.; Skeen, J.E.; Whitehead, J. 1995. Preliminary fire history of McCurtain County Wilderness Area and implications for red-cockaded woodpecker management: [Kulhavy, David L.; Hopper, Robert G.; Costa, Ralph, eds.]. *Red-cockaded woodpecker: spe*

Masters, R.E.; Skeen, J.E.; Whitehead, J. 1995. Preliminary fire history of McCurtain County Wilderness Area and implications for red-cockaded woodpecker management: [Kulhavy, David L.; Hopper, Robert G.; Costa, Ralph, eds.]. *Red-cockaded woodpecker: spe*

Masters, R.E.; Wilson, C.W. 1994. Effects of midstory vegetation removal and fire on breeding birds and plant community composition in red-cockaded woodpecker clusters. Final report for a Challenge Cost-Share Grant. Ouachita NF, Dec. 1994.

Mather, C.M. 1990. Status survey of the western fanshell and the Neosho mucket in Oklahoma. Final report to the Oklahoma Dept. of Wildlife Conservation. 22 pp. + appendices.

Matthews, M. 2007. Freshwater bivalve (Mollusca: Unionidae, Corbiculidae) assemblages in an Ozark river: structure and role in nutrient recycling. M.S. Thesis Arkansas State University. 197 pp.

Matthews, W.L.; Hough, D.J.; Robison, H.W. 1992. Similarities in fish distribution and water quality patterns in streams of Arkansas; congruence of multivariate analyses. *Copeia* 1992(2): 296-305.

Matthews, W.J.; Robison, H.W. 1988. The distribution of fishes of Arkansas: a multivariate analysis. *Copeia* 1988(2):358-374.

Matthews, W.L.; Robison, H.W. 1998. Influence of drainage connectivity, drainage area and regional species richness on fishes of the Interior Highlands in Arkansas. *American Midland Naturalist* 139(1): 1-19.

Mayden, R.L. 1985. Biogeography of Ouachita Highland fishes. *Southwestern Naturalist*. 30(2):195-211.

Mayden, R.L. 1987a. Historical ecology and North American Highlands fishes: a research program in community ecology. pp. 210-220. In: W.J. Matthews and D.C. Heins, eds. *Community and evolutionary ecology of North American stream fishes*. Univ. Okla. Press.

Mayden, R.L. 1987b. Pleistocene glaciation and historical biogeography of North American central-highlands fishes. pp. 141-152. In: W.C. Johnson, ed. Quaternary environments of Kansas. Kansas Geol. Surv. Guidebook Ser. 5. Kansas Geol. Surv. Kansas Cit

Mayden, R.L. 1988. Vicariance biogeography, parsimony, and evolution in North American freshwater fishes. *Systematic Zoology* 37: 329-355.

Mayden, R.L.; Burr, B.M.; Page, L.M.; Miller, R.R. 1992. The native freshwater fishes of North America, pp. 827-863. In: R.L. Mayden (ed.). Systematics, historical ecology, and North American freshwater fishes. Stanford Univ. Press. Stanford, CA.

McAllister, C.T. 1980a. Ecological observations of the eastern collared lizard, *Crotaphytus collaris collaris* (Say), in northcentral Arkansas. M.S. Thesis, Arkansas State Univ., Jonesboro. 124 pp.

McAllister, C.T. 1983. Aquatic behavior of collared lizards, *Crotaphytus collaris collaris*. *Herpetol. Rev.* 14:11

McAllister, C.T. 1985b. Food habits and feeding behavior of *Crotaphytus collaris collaris* (Iguanidae) from Arkansas and Missouri. *Southwestern Naturalist.* 30:597-600.

McAllister, C.T. 1987a. *Eumeces septentrionalis obtusirostris*, reproduction. *Herpetol. Rev.* 18:75.

McAllister, C.T.; Fitzpatrick, L.C. 1985. Thermal acclimation and oxygen consumption rates in neotenic grey-belly salamanders, *Eurycea multiplicata griseogaster* (Plethodontidae), from an Arkansas cave. *J. Therm. Biol.* 10:14

McAllister, C.T., Trauth, S.E.; Ubelaker, J.E. 1985. *Oochoristica crotaphyti* n. sp. (Eucestoda: Linstowiidae) from *Crotaphytus collaris* (Sauna: Iguanidae) in northern Arkansas. *J. Parasitol.* 71:803-807.

McAllister, C.T.; Upton, S.J.; Trauth, S.E. 1990a. A new species of *Eimeria* (Apicomplexa: Eimeriidae) from the green water snake, *Nerodia cyclopion* (Reptilia: Serpentes), in Arkansas, U.S.A. *Trans. Amer. Microsc. Soc.* 109:69-73.

McAllister, C.T.; Trauth, S.E.; Hinck, L.W. 1991b. *Sphyrnura euryceae* (Monogenea) on *Eurycea* spp. (Amphibia: Caudata), from north central Arkansas. *J. Helminthol. Soc. Wash.* 58:137-140.

McAllister, C.T.; Goldberg, S.R.; Holshuh, H.J.; Trauth, S.E. 1993a. Disseminated mycotic dermatitis in a wild-caught timber rattlesnake, *Crotalus horridus* (Serpentes: Viperidae), from Arkansas. *Texas J. Sci.* 45:279-281.

McAllister, C.T.; Trauth, S.E.; Upton, S.J.; Jamieson, D.H. 1993b. Endoparasites of the bird-voiced treefrog, *Hyla avivoca* (Anura: Hylidae), from Arkansas. *J. Helminth. Soc. Wash.* 60:140-143.

McAllister, C.T.; Upton, S.J.; Trauth, S.E. 1994c. New host and geographic records for coccidia (Apicomplexa: Eimeriidae) from North American turtles. *J. Parasitol.* 80:1045-1049.

McAllister, C.T.; Trauth, S.E.; Gage, L.D. 1995. Vertebrate fauna of abandoned mines at Gold Mine Springs, Independence County, Arkansas. *Proceedings of the Arkansas Academy of Science.* 45:184-187.

McAllister, C.T.; Bursey, C.R.; Upton, S.J.; Trauth, S.E.; Conn, D.B. 1995b. Parasites of *Desmognathus brimleyorum* (Caudata: Plethodontidae) from the Ouachita Mountains of Arkansas and Oklahoma. *J.*

Heiminthol. Soc. Wash. 62:150-156.

McAllister, C.T.; Trauth, S.E.; Bursey, C.R. 1995c. Metazoan parasites of the graybelly salamander, *Eurycea multiplicata griseogaster* (Caudata: Plethodontidae), from Arkansas. *J. Helminthol. Soc. Wash.* 62:70-73.

McAllister, C.T.; Trauth, S.E.; Cochran, B.G. 1995d. Endoparasites of the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), from Arkansas. *Southwestern Naturalist.* 40:327-330.

McAllister, C.T.; Upton, S.J.; Trauth, S.E.; Dixon, J.R. 1995h. Coccidian parasites (Apicomplexa) from snakes in the southcentral and southwestern United States: new host and geographic records. *J. Parasitol.* 81:63-68.

McAllister, C.T.; Bursey, C.R.; Trauth, S.E. 2002. Parasites of four species of endemic *Plethodon* from Arkansas and Missouri. *Proceedings of the Arkansas Academy of Science.* 56:239-242.

McAllister, C. T., W. C. Starnes, H. W. Robison, R. E. Jenkins, and M. E. Raley. 2009. Distribution of the silver redhorse *Moxostoma anisurum* (Cypriniformes: Catostomidae), in Arkansas. *The Southwestern Naturalist* 54(4):514-518.

McAllister, C. T., and H. W. Robison. 2010. Distribution of the endemic Redspotted Crayfish, *Orconectes acares* (Decapoda: Cambaridae), in Arkansas. *Journal of the Arkansas Academy of Science.* 64:136-140.

McAllister, C.T.; Trauth, S.E. 1982. An instance of the eastern collared lizard, *Crotaphytus collaris collaris* (Sauria: Iguanidae), feeding on *Sigmodon hispidus* (Rodentia: Cricetidae). *Southwestern Naturalist.* 27:358-359.

McAllister, C.T.; Trauth, S.E. 1985. Endoparasites of *Crotaphytus collaris collaris* (Sauria: Iguanidae) from Arkansas. *Southwestern Naturalist.* 30:363-370.

McAllister, C.T.; Trauth, S.E. 1996a. Food habits of paedomorphic mole salamanders, *Ambystoma talpoideum* (Caudata: Ambystomatidae), from northeastern Arkansas. *Southwestern Naturalist.* 41: 62-64.

McComb W.C. & Noble R.E. 1981. Nest-box and natural-cavity use in three mid-south forest habitats. *The Journal of Wildlife Management,* 45, 93-101.

McDaniel, V.R. 1975. Geographic Distribution. *Ambystoma annulatum.* *Herpetol. Rev.* 6:115.

McDaniel, V.R.; Gardner, J.E. 1977. Cave fauna of Arkansas: Vertebrate taxa. *Arkansas Academy of Science Proceedings.* 31:68-71.

McDaniel, V.R.; Huggins, J.C.; Huggins, J.A.; Hinson, M.W. 1978. A summary of the status of harvest mice, Cricetidae: *Reithrodontomys* in Arkansas. *Proceedings of the Arkansas Academy of Science.* 32:63-64.

McDaniel, V.R.; Harvey, M.J.; Tumblison, R.; Paige, K.N. 1982. Status of the small-footed bat, *Myotis leibii*, in the southern Ozarks. *Arkansas Academy of Science Proceedings.* 36(92-94).

McDaniel, V.R.; Saugey, D.A. 1977. Geographic Distribution. *Ambystoma annulatum.* *Herpetol. Rev.* 8:38.

- McDonald, M.V. 1998. Kentucky Warbler (*Oporornis formosus*). The Birds of North America, No. 324 [Poole, A.; Gill, F., eds.]. The Birds of North America, Inc., Philadelphia, PA.
- McGuire, J.A. 1996. Phylogenetic systematics of crotaphytid lizards (Reptilia: Iguania: Crotaphytidae). Bull. Carnegie Mus. Nat. Hist. 32:1-143.
- McKellar, A. E., Kesler, D. C., Mitchell, R. J., Delaney, D. K., & Walters, J. R. 2014. Geographic variation in fitness and foraging habitat quality in an endangered bird. *Biological Conservation* 175:52-64.
- McVay, J. D. and B. Carstens. 2013. Testing monophyly without well-supported gene trees: Evidence from multi-locus nuclear data conflicts with existing taxonomy in the snake tribe *Thamnophiini*. *Molecular Phylogenetics and Evolution* 68(2013):425–431.
- Meanley, B. 1969. Natural history of the king rail. North American Fauna (67). Bureau of Sport Fisheries and Wildlife.
- Means, D.B. 1974. The status of *Desmognathus brimleyorum* Stejneger and an analysis of the genus *Desmognathus* (Amphibia, Urodela) in Florida. Bull. Florida State Mus., Biol. Ser. 18: 1
- Means, D.B. 1999. *Desmognathus brimleyorum*. Cat. Amer. Amphib. Rept. 6821-682.4.
- Medlin Jr., R.E., S.C. Brandebura, H.B. Fokidis, and T.S. Risch. 2006. Distribution of Arkansas's bottomland bats. *Journal of the Arkansas Academy of Science* 60: 189-191.
- Medlin Jr., R.E., M.B. Connior, K.F. Gaines, and T.S. Risch. 2010. Responses of Bats to Forest Fragmentation in the Mississippi River Alluvial Valley, Arkansas, USA. *Diversity* 2: 1146-1157.
- Medlin Jr., R.E. and T.S. Risch. 2008. Habitat Associations of Bottomland Bats, with Focus on Rafinesque's Big-Eared Bat and Southeastern *Myotis*. *American Midland Naturalist* 160: 400-412.
- Meek, S.E. 1886. A list of fishes and mollusks collected in Arkansas and Indian Territory in 1894. *Bulletin of the United States Fish Commission*, 15:341-349.
- Meek, S.E.; Clark, H.W. 1912. The mussels of the Big Buffalo Fork of the White River, Arkansas. U. S. Bureau of Fisheries Document 759:1-20.
- Mehlhop-Cifelli, P.; Miller, E.K. 1989. Status and distribution of *Arkansia wheeleri* Ortmann & Walker, 1912 (syn. *Arcidens wheeleri*) in the Kiamichi River, Oklahoma. Report to the U.S. Fish and Wildlife Service, Tulsa, OK.
- Menzel, M.A.; Menzel, J.M.; Carter, T.C.; Ford, W.M.; Edwards, J.W. 2001. Review of the forest habitat relationships of the Indiana bat (*Myotis sodalis*). USDA Forest Service; Gen. Tech. Rep. NE-284.
- Meshaka, W.E., Jr.; McLarty, P. 1988. Geographic distribution: *Ambystoma talpoideum*. *Herpetol. Rev.* 19:17.
- Meshaka, W.E., Jr.; Wilhide, J.D.; Trauth, S.E. 1988c. Geographic Distribution. *Sternotherus carinatus*. *Herpetol. Rev.* 19:22.

Meshaka, W.E., Jr.; Trauth, S.E. 1995. Reproductive cycle of the Ozark zigzag salamander, *Plethodon dorsalis angusticlavius* (Caudata, Plethodontidae), in north central Arkansas. *Alytes* 12:175-182.

Mikel, G.A., G.A. Heidt, and D.W. Clark. Distribution of the southeastern shrew (*Sorex longirostris longirostris*) in Arkansas. *Journal of the Arkansas Academy of Science* 64: 97-100.

Miller, R.R. 1972. Threatened freshwater fishes of the United States. *Trans. Amer. Fish. Soc.* 101(2):239-252.

Miller, A.C.; Harris, J.L. 1987. A survey for molluscs in the White River Near Newport, Arkansas, 1986. Misc. Paper EL-87-5, U.S. Army Corps of Engineers Waterways Exp. Station, Vicksburg, MS. 25 p., Appendix A.

Miller, R.J.; Robison, H.W. 2003. *The Fishes of Oklahoma*. 2nd ed. University of Oklahoma Press. Norman, OK (In Press).

Minton, S.A., Jr.; Minton, J.E. 1948. Notes on a herpetological collection from the middle Mississippi Valley. *American Midland Naturalist*. 40:378-390.

Mittleman, M.B. 1942. A new long-tailed *Eurycea* from Indiana, and notes on the *longicauda* complex. *New England Zoo. Club Proc.* 21:101-105.

Momot, W.T. 1995. Redefining the role of crayfish in aquatic ecosystems. *Reviews in Fisheries Science* 3: 33-63.

Monroe, A. 2010. Winter bird habitat use at multiple scales in a heterogeneous tallgrass prairie. M. S. thesis, Oklahoma State University, Stillwater, OK.

Montague, W.G.; Neal, J.C.; Johnson, J.E.; James, D.A. 1995. Techniques for excluding southern flying squirrels from cavities of red-cockaded woodpeckers. In: Kulhavy, David L.; Hooper, Robert G.; Costa, Ralph, eds. *Red-cockaded woodpecker: species recove*

Moore, G.A. 1948. *Notropis perpallidus* Hubbs and Black in Oklahoma. *Copeia* (1): 63.

Moore, G.A. and F. B. Cross. 1950. Additional Oklahoma fishes with validation of *Poeciliichthys parvipinnis* (Gilbert and Swain). *Copeia* 1950 2:139-148.

Mount, R.H. 1975. *The Reptiles and Amphibians of Alabama*. Auburn Univ. Agric. Exp. Sta., Auburn. 347 pp.

Mumford, R.E; Cope, J.B. 1964. Distribution and status of the Chiroptera of Indiana. *American Midland Naturalist*. 72(2):473-489.

Murray, S.W.; Kurta, A. 2003. Nocturnal activity of the endangered Indiana bat (*Myotis sodalis*). *Journal of Zoology* (In Press).

- Mushinsky, H.R.; Hebrard, J.J. 1977. Food partitioning by five species of water snakes in Louisiana. *Herpetologica* 33:162-166.
- Mushinsky, H.R.; Hebrard, J.J.; Vodopich, D.S. 1982. Ontogeny of water snake foraging ecology. *Ecology* 63:1624-1629.
- Myers, R.F. 1964. Ecology of three species of myotine bats in the Ozark Plateau. Columbia, MO: University of Missouri-Columbia.
- Myers, J.W. 1977. Fishes of the Little Missouri River, southwest Arkansas. M.S. Thesis. Northeast La. Univ. Monroe, LA. 25p.
- North American Bird Conservation Initiative, U.S. Committee. 2014. The State of the Birds 2014 Report. U.S. Department of Interior, Washington, D.C. 16 pages.
- National Audubon Society (2010). The Christmas Bird Count Historical Results [Online]. Available <http://www.christmasbirdcount.org> [accessed: 8 January, 2015]
- NatureServe. 2003. International Ecological Classification Standard: Terrestrial Ecological Systems of the United States. Natural Heritage Central Databases. NatureServe, Arlington, VA.
- NatureServe. 2003a. NatureServe Explorer: An online encyclopedia of life (web application). Version 1.8. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>.
- NatureServe. 2015. NatureServe Explorer: An online encyclopedia of life [web application]. NatureServe, Arlington, Virginia. <http://www.natureserve.org/explorer>.
- Neal, J.C. 1992. Factors affecting breeding success of red-cockaded woodpeckers in the Ouachita National Forest, Arkansas. M.Sci. thesis, University of Arkansas, Fayetteville, AR.
- Neal, J.C.; Montague, W.G.; James, D.A. 1992. Sequential occupation of cavities by red-cockaded woodpeckers and red-bellied woodpeckers in the Ouachita National Forest. *Proceedings of the Arkansas Academy of Science* 46: 106-108.
- Neal, J.C.; James, D.A.; Montague, W.G.; Johnson, J.E. 1993a. Effects of weather and helpers on survival of nestling red-cockaded woodpeckers. *Wilson Bulletin* 105: 666-673.
- Neal, J.C.; Montague, W.G.; James, D.A. 1993b. Climbing by black rat snakes on cavity trees of red-cockaded woodpeckers. *Wildlife Society Bulletin* 21: 160-165.
- Neal, J.C.; Montague, W.G.; Richardson, D.M.; Withgott, J.H. 1998. Exclusion of rat snakes from red-cockaded woodpecker cavities. *Wildlife Society Bulletin* 26: 851-854.
- Near, T.J. 2002. Phylogenetic relationships of Percina (Percidae: Etheostomatinae). *Copeia* 2002(1): 1-14.
- Neill, W.T. 1963. *Hemidactylium scutatum*. *Cat. Amer. Amphib. Rept.* 2.1-2.2.
- Neill, W.T. 1964. Ranges and taxonomic allocations of amphibians and reptiles in the southeastern United States. *Publ. Res. Div. Ross Allen's Rept. Instit.* 1:75-96.

- Nelson, T.A.; Saugey, D.A.; Carolan, L.E. 1991. Range extension of the endangered gray bat, *Myotis grisescens*, into the Arkansas River Valley. *Proceedings of the Arkansas Academy of Science*. 45:129-131.
- Nelson, J.S. (Chairman); Crossman, E.J.; Espinosa-Perez, H.; Finley, L.T.; Gilbert, C.R.; Lea, R.N.; Williams, J.D. 2003. Common and scientific names of fishes from the United States, Canada, and Mexico. 6th ed., Spec. Publ. XX, Amer. Fish. Soc. Bethesda
- Nelson, J. S., E. J. Crossman, H. Espinosa-Perez, L. T. Findley, C. R. Gilbert, R. N. Lea, and J. D. Williams. 2004. Common and scientific names of fishes from the United States, Canada, and Mexico. American Fisheries Society Special Publication 29, Bethesda, Maryland, 386 pp.
- Neves, R.J.; Moyer, S.N. 1988. Evaluation of techniques for age determination of freshwater mussels (Unionidae). *American Malacological Bulletin* 6(2):179-188.
- New, K.C.; Hanula, J.L. 1998. Effect of time elapsed after prescribed burning in longleaf pine stands on potential prey of the red-cockaded woodpecker. *Southern Journal of Applied Forestry* 22(3):175-183.
- Nickerson, M.A.; Jesmok, G.J.; Baier, J.G. 1979. A serological investigation of three western populations of dusky salamanders, *Desmognathus*. *Milwaukee Mus. Contrib. Biol. Geol.* No. 24, 7 pp.
- Niemiller, M. L., T. J. Near, and B. M. Fitzpatrick. 2011. Delimiting species using multilocus data: diagnosing cryptic diversity in the southern cavefish, *Typhlichthys subterraneus* (Teleostei: Amblyopsidae). *Evolution* 66:846-866.
- Noble, G.K.; Marshall, B.C. 1929. The breeding habits of two salamanders. *Amer. Mus. Novitates* 347:111-112.
- Nolan, V., Jr., Ketterson, E.D.; Buerkle, C.A. 1999. Prairie Warbler (*Dendroica discolor*). *The Birds of North America*, No. 455 [Poole, A.; Gill, F., eds.]. *The Birds of North America, Inc.*, Philadelphia, PA.
- Nupp, T. and J. Watterson. 2007. Examination of Interior Least Tern Nesting Colonies in the Arkansas River Valley, Arkansas, Summer 2007. Report to U.S. Fish and Wildlife Service, Conway, AR.
- Nyman, S.; Wilkinson, R.F.; Hutcherson, I.E. 1993. Cannibalism and size relations in a cohort of larval ringed salamanders (*Ambystoma annulatum*). *J. Herpetol.* 27:78-84.
- Odegard, R. 2003. Ozark mammal database.
- Oesch, R.D. 1995. Missouri naiades: a guide to the mussels of Missouri. Missouri Dept. of Conservation, Jefferson City, Missouri. 271 p.
- Oklahoma Natural Heritage Inventory. 2003. Oklahoma element of occurrence records.
- Opler, P. A. and V. Malikul. 1998. Eastern Butterflies (Peterson Field Guide). Houghton Mifflin Company. New York.
- Opler, P. A., K. Lotts, and T. Naberhaus, Coordinators. 2010. Butterflies and Moths of North America. Bozeman, MT: Big Sky Institute. (<http://www.butterfliesandmoths.org>)

Ortenburger, A.I. 1929. Reptiles and amphibians from southeastern Oklahoma and southwestern Arkansas. *Copeia* 1929:8-12.

Ortenburger, A.I.; Hubbs, C.L. 1926. A report of the fishes of Oklahoma, with descriptions of new genera and species. *Proceedings of the Oklahoma Academy of Science* 6(1926): 126-141.

Ohio River Valley Ecosystem Team, Mollusk Subgroup. Status assessment for the spectaclecase, *Cumberlandia monodonta*, occurring in the Mississippi River system. Final Report. 69 pp. + append.

Owen, W. 1997. Programmatic Biological Assessment of The Ouachita National Forest Amended Land And Resource Management Plan Direction And Measures Relating To The Management Of *Harperella* (*Ptilimnium nodosum*). Unpublished on file at Ouachita NF, Supervisor

Page, L.M. 1985. The crayfishes and shrimps (Decapoda) of Illinois. *Illinois Nat. Hist. Surv. Bull.* 33(4): 335-448.

Page, L.M.; Burr, B.M. 1991. A field guide to freshwater fishes, North America north of Mexico. Peterson Field Guide Series. Boston, Houghton Mifflin Co. 432 pp.

Paillet, F.L. 1993. Growth Form and Life History of American Chestnut and Allegheny and Ozark Chinquapin at Various North American Sites. *Bulletin of the Torrey Botanical Club.* 120: 257-268

Palmer, E.J. 1924. The ligneous flora of Rich Mountain, Arkansas and Oklahoma. *J. Arnold Arboretum* 5:108-134.

Pardew, M.G.; Cochran, B.G.; Posey, W.R. 1993. Range extension of the paleback darter. *Proceedings of the Arkansas Academy of Science.* 47: 86-87.

Parker, M.V. 1947. Notes on the herpetology of Clay and Greene counties, Arkansas. *Proceedings of the Arkansas Academy of Science.* 2:15-30.

Parker, J.W. 1999. Mississippi Kite (*Ictinia mississippiensis*). *The Birds of North America*, No. 402 [Poole, A.; Gill, F., eds.]. *The Birds of North America, Inc., Philadelphia, PA.*

Patterson, K.K. 1978. Life history aspects of paedomorphic populations of the mole salamander, *Ambystoma talpoideum*. *Copeia* 1978:649-655.

Patton, T.M.; Zornes, M.L. 1991. An analysis of stomach contents of the Ouachita madtom (*Noturus lachneri*) in the three streams of the upper Saline River drainage, Arkansas. *Proceedings of the Arkansas Academy of Science.* 45: 78-80.

Payne, B.S.; Miller, A.C. 1989. Growth and survival of recent recruits to a population of *Fusconaia ebena* (Bivalvia: Unionidae) in the lower Ohio River. *American Midland Naturalist.* 121:99-104.

Peck, J.H. Clark, J.D.; Sheldon, T.; Heidt, G.A. 1985. Analysis of Arkansas fur harvest records-1942-1984: II. Species accounts. *Arkansas Academy of Science Proceedings.* 39:84-88.

Penor, J.R.; Karlin, A.V.; Heidt, G.A. 1996. Biodiversity of Camp Joseph T. Robinson Military Installation North Little Rock, Arkansas 1994-1995. *Proceedings of the Arkansas Academy of Science.* 50(91-95).

- Perkins, R.M. 1928. Collecting reptiles near Little Rock, Arkansas. Bull. Antivenin Inst. Amer. 1928:47-50.
- Perkins, R.M.; Lentz, M.J.R. 1932. Contribution to the herpetology of Arkansas. Copeia 1934: 139-140.
- Perry, R.W., R.E. Thill, and D.M. Leslie, Jr. 2008. Scale dependent effects of landscape structure and composition on diurnal roost selection by forest bats. Journal of Wildlife Management 72: 913-925.
- Perry, R.W. and R.E. Thill. 2007. Roost selection by male and female northern long-eared bats in a pine dominated landscape. Forest Ecology and Management 247: 220-226.
- Pert, H.A. 2000. Desired future conditions of riparian areas on southeastern National Forests. Ph. D. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA. 196p.
- Peterson, C.L.; Wilkinson, R.F.; Moll, D.; Holder, T. 1992. Estimating the number of female *Ambystoma annulatum* (Caudata: Ambystomatidae) based on oviposition. Southwestern Naturalist. 37:425-426.
- Petit, L. J. 1999. Prothonotary Warbler (*Protonotaria citrea*). The Birds of North America, No. 408 [Poole, A.; Gill, F., eds.]. The Birds of North America, Inc., Philadelphia, PA.
- Petranka, J.W. 1998. Salamanders of the United States and Canada. Smithsonian Institution Press, Washington, D. C. 587 pp.
- Pflieger, W.L. 1996. The crayfishes of Missouri. Missouri Conservation Dept. Jefferson City. 152 pp.
- Pflieger, W.L. 1997. The fishes of Missouri. Missouri Dept. Conservation. Jefferson City, MO. 372 pp.
- Piaggio, A.J., D.A. Saugey, D.B. Sasse. 2011. Phylogenetic and population genetic assessment of Rafinesque's big-eared bat (*Corynorhinus rafinesquii*). Pages 101-110 In Loeb, S.C.; Lacki, M.J.; Miller, D.A., eds. 2011. Conservation and management of eastern big-eared bats: a symposium. Gen. Tech. Rep. SRS-145. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 157 pp.
- Pigg, J.; Hill, L.G. 1974. Fishes of the Kiamichi River, Oklahoma. Proceedings of the Oklahoma Academy of Science 54: 121-130.
- Pike, J.R.; Shaw, J.H.; Leslie, D.M. Jr. 1997. The mountain lion in Oklahoma and surrounding states. Proceedings of the Oklahoma Academy of Science. 77:39-42.
- Pingjun, L.I. 1994. Breeding Productivity, Microhabitat Requirements, and Parental Care of Neotropical Migrant Birds in the Ozarks of Arkansas. The University of Arkansas. Fayetteville, AR
- Pisani, G.R.; Collins, J.T.; Edwards, S.R. 1973. A re-evaluation of the subspecies of *Crotalus horridus*. Trans. Kansas Acad. Sci. 75:255-263.
- Pitts, R.M.; Choate, J.R.; Clawson, R.L. 1996. The distribution of Missouri bats. Transactions of the Missouri Academy of Science. 30:37-60.
- Plant Conference Call, June 4, 2003, Ozark NF, Attendees: Mike Brod, Theo Witsell, Scott Simon, discussion on list of species for the Ozark-St. Francis NF.

Plant Conference Call, June 4, 2003, Ozark NF, Attendees: Mike Brod, Theo Witsell, Scott Simon, discussion on list of species for the Ozark-St. Francis NF.

Plant Meeting, August 25, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, and Jeff Holmes, entered final data into the database.

Plant Meeting, August 25, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, and Jeff Holmes, entered final data into the database.

Plant Meeting, July 15, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, worked on entering species info into database.

Plant Meeting, July 15, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, worked on entering species info into database.

Plant Meeting, July 18, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, worked on species document as references for the database.

Plant Meeting, July 18, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, worked on species document as references for the database.

Plant Meeting, July 23, 2003 in Hot Springs, AR Attendees: Susan Hooks, Theo Witsell, reviewed each species and its associated targets.

Plant Meeting, July 23, 2003 in Hot Springs, AR Attendees: Susan Hooks, Theo Witsell, reviewed each species and its associated targets.

Plant Meeting, July 8, 2003 in Hot Springs, AR Attendees: Susan Hooks, Scott Simon, Betty Crump, Jeff Holmes, assigned species to targets and revised some key factors.

Plant Meeting, July 8, 2003 in Hot Springs, AR Attendees: Susan Hooks, Scott Simon, Betty Crump, Jeff Holmes, assigned species to targets and revised some key factors.

Plant Meeting, June 17, 2003 in Hector, AR Attendees: Susan Hooks and Mike Brod, reviewed the database and began developing a process for organizing data.

Plant Meeting, June 17, 2003 in Hector, AR Attendees: Susan Hooks and Mike Brod, reviewed the database and began developing a process for organizing data.

Plant Meeting, June 23, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, Jeff Holmes, Betty Crump, Steve Osborne began work on targets, key factors and indicators.

Plant Meeting, June 23, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, Jeff Holmes, Betty Crump, Steve Osborne began work on targets, key factors and indicators.

Plant Meeting, September 3, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, data clean-up.

Plant Meeting, September 3, 2003 in Hot Springs, AR Attendees: Susan Hooks, Mike Brod, data clean-up.

Pflieger, William L. 1996. The crayfishes of Missouri. Missouri Department of Conservation, Jefferson City. 152pp.

Plummer, M.V. 1977f. Geographic Distribution: *Rana areolata circulosa*. Herpetological Review 8:38.

Plummer, M.V. 1980b. Geographic Distribution. *Regina septemvittata*. Herpetol. Rec. 11:81.

Plummer, M.V. 1982. The status of the Caddo Mountain and Fourche Mountain salamanders (*Plethodon caddoensis*, *P. fourchensis*) in Arkansas. Rept. Arkansas Nat. Herit. Comm. Little Rock.

Plummer, M.V.; Dye, B.A. 1992. Geographic Distribution: *Ambystoma talpoideum*. Herpetol. Rev. 23:84.

Plummer, M.V.; White, J.D. 1992. Geographic Distribution: *Rana areolata circulosa*. Herpetol. Rev. 23:87.

Polechla, P.J. 1987. Fur trade records from Arkansas Factory, Arkansas Post, Louisiana Territory, 1805-1810. Proceedings of the Arkansas Academy of Science. 41:69-72

Poole, A.; Gill, F. 1998 eds. The Birds of North America, No.110 Philadelphia: The Academy of Natural Sciences; Washington, DC. The American Ornithologists' Union.

Pope, C.H. 1964. *Plethodon caddoensis*. Cat. Amer. Amphib. Rept. 14.1.

Pope, C.H.; Pope, S.H. 1951. A study of the salamander, *Plethodon ouachitae* and the description of an allied form. Bull. Chicago Acad. Sci. 9:129-152.

Posey, W.R. II. 1997. Location, species composition, and community estimates for mussel beds in the St. Francis and Ouachita rivers in Arkansas. M.S. thesis, Dept. Biological Sciences, Arkansas State University, State University, AR. 178 p.

Posey, W.R. II; Harris, J.L.; Harp, G.L. 1996. New distributional records for freshwater mussels in the Ouachita River, Arkansas. Proceedings of the Arkansas Academy of Science. 50:96-98.

Posey, W.R. J.L. Harris and G.L. Harp 1996. New distributional records for freshwater mussels in the Ouachita River, Arkansas. Proceedings of the Arkansas Academy of Science. Vol. 52. Pp. 96-98.

Prather, J.W.; Briggler, J.T. 2002. Use of small caves by Ozark Big-eared bats (*Corynorhinus townsendii ingens*) in Arkansas. American Midland Naturalist. 148:193-197.

- Preston, J.R.; Sealander, J.A. 1969. Unusual second record of *Notiosorex* from Arkansas. *Journal of Mammalogy*. 50(3):641-642.
- Probst, J.R.; Thompson, F.R., III. 1996. A Multi-Scale Assessment of the Geographic and Ecological Distribution of Midwestern Neotropical Migratory Birds. *Management of Midwestern Landscapes for the Conservation of Neotropical Migratory Birds* [Thompson, F
- Pyron, M.; Taylor, C.M. 1993. Fish community of Oklahoma Gulf coastal plains. *Hydrobiologia* 257: 29-35.
- Quinn, J. W., W. R. Posey, II, F. J. Leone, and R. L. Limbird. 2009. Management of the Arkansas River commercial paddlefish fishery with check stations and special seasons. *American Fisheries Society Symposium* 66:261-275.
- Rabeni, C.F. 1992. Trophic linkage between stream centrarchids and their crayfish prey. *Canadian Journal of Fisheries and Aquatic Sciences* 49: 1714-1721.
- Rabinowitz, A.; Tuttle, M.D. 1980. Status of summer colonies of the endangered gray bat in Kentucky. *Journal of Wildlife Management*. 44(4):955-960.
- Raney, H. 2012. Arkansas Butterfly Checklist. [www.hr-rna.com/RNA/Bflypages/ARButterflymaplist.htm]
- Raymond, L.R.; Hardy, L.M. 1990. Demography of a population of *Ambystoma talpoideum* (Caudata: Ambystomatidae) in northwestern Louisiana. *Herpetologica* 46:371-382.
- Raymond, L.R.; Hardy, L.M. 1991. Effects of a clearcut on a population of the mole salamander, *Ambystoma talpoideum*, in an adjacent unaltered forest. *J. Herpetol.* 25:509-512.
- Reagan, D. P. 1974a. Threatened native amphibians of Arkansas. Pp. 93-99. In *Arkansas Natural Area Plan* Arkansas Department of Planning. Little Rock.
- Reddin, C. 2014. Small mammal community associations and habitat use at Pea Ridge National Military Park, Benton County, Arkansas. Masters Thesis, University of Arkansas at Fayetteville, 54 pp.
- Reeves, J.D. 1953. The fishes of the Little River system in Oklahoma. Ph.D. Thesis. Okla. State Univ. Stillwater. 95 pp.
- Reimer, R.D. 1963. The crawfish of Arkansas. M.S. Thesis. University of Arkansas. Fayetteville. 170 pp.
- Reimer, RD. 1966. Two new species of the genus *Cambarus* from Arkansas (Decapoda, astacidae). *Tulane studies in zoology*. 13 (1):9-15.
- Reimer, R.D. 1969a. A taxonomic study of the gracilis section of the genus *Procambarus*. Ph.D. dissertation. Tulane Univ. New Orleans. 178 pp.

Reimer, R.D. 1969b. A report on the crawfishes (Decapoda, Astacidae) of Oklahoma. Proceedings of the Oklahoma Academy of Science. 48:49-65.

Riccardi, A.; Whoriskey, F.G.; Rasmussen, J.B. 1995. Predicting the intensity and impact of *Dreissena polymorpha* infestation on native unionid bivalves from *Dreissena* field density. Can. J. Fish. Aq. Sci. 52:1449-1461.

Rich, T.D., C.J. Beardmore, H. Berlanga, P.J. Blancher, M.S.W. Bradstreet, G.S. Butcher, D.W. Demarest, E.H. Dunn, W.C. Hunter, E.E. Iñigo-Elias, and others. 2004. Partners in Flight North American landbird conservation plan. Cornell Laboratory of Ornithology, Ithaca, New York.

Richardson, M.; Brauning, D.W. 1995. Chestnut-sided Warbler (*Dendroica pensylvanica*). The Birds of North America, No. 190 [Poole, A.; Gills, F., eds.]. The Academy of Natural Sciences, Philadelphia. The American Ornithologists' Union, Washington, D.C

Richter, B.D.; Braun, D.P.; Mendelson, M.A.; Master, L.L. 1997. Threats to imperiled freshwater fauna. Cons. Biol. 11(5): 1081-1093.

Rigsby, J. M. 2009. Status and genetics of the stargazing darter in Arkansas. Master's thesis, Arkansas Tech University. 118 pp

Robbins, M.B.; Easterla, D.A. 1992. Birds of Missouri: Their Distribution and Abundance. University of Missouri Press, Columbia, MO

Robbins, C.S.; Fitzpatrick, J.W; Hamel, P.B. 1989. A Warbler in Trouble: (*Dendroica cerulea*). Ecology and Conservation of Neotropical Migrant Landbirds [Hagan, J.M.; Johnston, W., eds.]. Manomet Symposium. Smithsonian Institution Press, Washington, DC.

Robertson, S. M. 2015. Life history, oviposition patterns, and management of the Ozark Baltimore Checkerspot (*Euphydryas phaeton ozarkae*). MS Thesis. University of Arkansas at Little Rock.

Robinson, S.R.; Thompson, F.R., III; Donovan, T.M.; Whitehead, D.R.; Faaborg. 1995. Regional Forest Fragmentation and the Success of Migratory Birds. Science 267:1987-1990.

Robinson, S.R.; Heske, E.J.; Brawn, J.D. 1999. Factors Affecting the Nesting Success of Edge and Shrubland Birds. Final Report to Illinois Department of Natural Resources, Federal Aid project, No. W-125-R.

Robison, H.W. 2001. A survey of the Oklahoma endemic crayfish, *Orconectes saxatilis* Bouchard and Bouchard. Final Report to USDA Forest Service. Ouachita National Forest. Hot Springs, AR.

Robison, H.W. 2001. Distribution and status of the Kiamichi shiner, *Notropis ortenburgeri* Hubbs (Cyprinidae). Final Report to USDA Forest Service. Hot Springs, AR 50 pp.

Robison, H.W. 1992a. Distribution and status of the Ouachita River form of the longnose darter in the Ouachita National Forest, Arkansas. Final Report to U.S. Forest Service, Ouachita National Forest. Hot Springs, AR 58 p.

Robison, H.W. 1992b . Distribution and status of the longnose darter, *Percina nasuta* (Bailey), in the Ozark National Forest, Arkansas. Final Report to U.S. Forest Service, Ouachita National Forest. Hot Springs, AR 58 p.

Robison, H.W. 1993. Effects of barite mining on the distribution, life history aspects, and status of the Caddo madtom, *Noturus taylori* Douglas (Pisces: Ictaluridae) in the Ouachita National Forest, Arkansas. Final Report to USDA Forest Service. Ouachit

Robison, H.W. 1997. Crayfishes of the Ouachita National Forest in Arkansas. Final Report to USDA Forest Service. Ouachita National Forest. Hot Springs, AR

Robison, H.W. 2000a. Crayfishes of the Ouachita National Forest, Arkansas and Oklahoma. Final Report to USDA Forest Service. Ouachita National Forest. Hot Springs, AR

Robison, Henry W. 2001. Final report: A status survey of the Arkansas endemic crayfish, *Fallicambarus petilicarpus* Hobbs and Robison. Report to USFWS Conway Arkansas. 17pp.

Robison, H.W. 2001a. Status Survey of the peppered shiner, *Notropis perpallidus* Hubbs and Black, in Arkansas. Final Report to USDA Forest Service. Hot Springs, AR. 41 pp.

Robison, H.W. 2002. Computerization of the crayfishes of Arkansas. Final Report to Arkansas Game and Fish Commission. Little Rock. 24 pp.

Robison, H. W. 2005. Distribution and status of the Kiamichi Shiner, *Notropis Ortenburgeri* Hubbs (Cyprinidae). *Journal of the Arkansas Academy of Science* 59: 137-147.

Robison, H. W. 2006. Status of the Arkansas Endemic Crayfish, *Bouchardina robisoni* Hobbs. State Wildlife Grant Project T26R-11 Final Report to Arkansas Game and Fish Commission, Little Rock, Arkansas. 51 pp. + appendices.

Robison, H. W. 2006. Status survey of the peppered shiner, *Notropis perpallidus* Hubbs and Black, in Arkansas and Oklahoma. *Journal of the Arkansas Academy of Science* 60:101-107.

Robison, H. W. 2008. Distribution, Life History Aspects, and Conservation Status of Three Ouachita Mountain Crayfishes: *Procambarus tenuis*, *P. reimeri*, and *Orconectes menae*. Final Report to U.S.D.A. Forest Service, Hot Springs, Arkansas. 32 pp.

Robison, Henry W., and Robert T. Allen. 1995. Only in Arkansas: A study of the endemic plants and animals of the state. University of Arkansas Press, Fayetteville. 121pp.

Robison, H.W.; Buchanan, T.M. 1988. Fishes of Arkansas. Univ. Arkansas. Fayetteville. 536 pp.

Robison, Henry W. and Keith Crandall, in preparation. Status and genetics of *Procambarus ferrugineus* Hobbs and Robison. State Wildlife Grant Project Report to Arkansas Game and Fish Commission.

Robison, Henry W. and Betty Crump, 2004. Distribution, natural history aspects, and status of the Arkansas endemic crayfish, *Fallicambarus harpi* Hobbs and Robison, 1985. *Journal of the Arkansas Academy of Science*. 58:91-94.

Robison, H.W.; Douglas, N.H. 1979. First records of *Eumeces obsoletus* in Arkansas. *Southwestern Naturalist*. 23:538-539.

Robison, H., C. McAllister, C. Carlton, and G. Tucker. 2008. The Arkansas Endemic Biota: An Update with Additions and Deletions. *Journal of the Arkansas Academy of Science*. 62:84-96.

Robison, H. W., K. A. Crandall, and B. K. Wagner. 2009. Distribution, Genetics, and Conservation Status of Three Arkansas Crayfishes. State Wildlife Grant Project T2-1-11 Final Report to Arkansas Game and Fish Commission, Little Rock, Arkansas. 17 pp.

Robison, H. W., R. C. Cashner, M. E. Raley, and T. J. Near. 2014. A new species of darter from the Ouachita highlands in Arkansas related to *Percina nasuta* (Percidae: Etheostomatinae). *Bulletin of the Peabody Museum of Natural History* 55(2):237-252.

Robison, Henry W., and Brian K. Wagner, in press. Status survey of the Arkansas endemic crayfish, *Fallicambarus gilpini* Hobbs and Robison. *Proceedings of the Arkansas Academy of Science*.

Robison, H. W. and B. K. Wagner. 2005. Status survey of the endemic crayfish, *Fallicambarus gilpini* Hobbs and Robison. *Journal of the Arkansas Academy of Science*. 59:158-162.

Robison, H.W.; Winters, S.A. 1978. Geographic Distribution. *Ambystoma talpoideum*. *Herpetol. Rev.* 9:21.

Rodewald, P.G.; James, R.D. 1996. Yellow-Throated Vireo (*Vireo flavifrons*). *The Birds of North America*, No. 247 [Poole, A.; Gill, F., eds.]. The Academy of Natural Sciences, Philadelphia, PA; The American Ornithologists' Union, Washington, DC.

Rodewald, P.G.; Smith, K.G. 1998. Short-Term Effects of Understory and Overstory Management on Breeding Birds in Arkansas Oak-Hickory Forests. *Journal of Wildlife Management* 62: 1411-1417.

Roe, K.J. 2002. Conservation assessment for the snuffbox (*Epioblasma triquetra*) (Rafinesque, 1820). Final Report USDA Forest Service, Eastern Region. 12 pp.

Roe, K.J., and P.J. Chong. 2014. Species Delineation and Estimation of Genetic Diversity in the Freshwater Mussel Genus *Cyprogenia* (Bivalvia: Unionidae). Final Report. USFWS-Arkansas Field Office. 27 pp.

Romero, A., and M. Conner. 2007. Status report for the southern cavefish, *Typhlichthys subterraneus* in Arkansas. Final Report, State Wildlife Grant T20-1, Arkansas State University. 38 pages.

Rosenberg, K.V.; Barker, S.E.; Rohrbaugh, R.W. 2000. An Atlas of Cerulean Warbler Populations. Cornell Lab of Ornithology, Ithaca, NY.

- Rosene, W. 1969. *The Bobwhite Quail: Its Life and Management*. Rutgers University Press, New Brunswick, N.J. 418 p.
- Rossman, D.A. 1958. A race of *Desmognathus* from the southcentral United States. *Herpetologica* 14:158-160.
- Roth, R.R.; Johnson, M.S.; Underwood, T.J. 1996. Wood Thrush (*Hylocichla Mustelina*). *The Birds of North America*, No. 246 [Poole, A.; Gill, F., eds.]. The Academy of Natural Sciences, Philadelphia, PA; The American Ornithologists' Union, Washington, DC.
- Rudolph, D.C. 1978. Aspects of the larval ecology of five plethodontid salamanders of the western Ozarks. *American Midland Naturalist*. 100:141-159.
- Rudolph, D.C. 2002. Is the Diana fritillary (*Speyeria diana*) a fire dependent species in the Interior Highlands? Abstract only. Lepidopterists' Society Annual Meeting July 26-29, 2002. Corvallis, OR.
- Rudolph, D.C.; Ely, C.A. 2000a. Lepidopteron (butterflies and skippers) survey of the Ouachita National Forest (with particular attention to the Caddo Ranger District) in relation to habitat. Interim Report.
- Rudolph, D.C.; Ely, C.A. 2000b. The influence of fire on lepidopteron abundance and community structure in forested habitats of eastern Texas. *Texas Journal of Science*. 52(4) Supplement: 127-138.
- Rudolph, D. C., R. N. Conner, D. K. Carrie, and R. R. Shaefer. 1992. Experimental reintroduction of red-cockaded woodpeckers. *Auk* 109:914-916.
- Rudolph, D. C., C. A. Ely, R. R. Schaefer, J. H. Williamson, and R. E. Thill. 2006. The Diana Fritillary (*Speyeria diana*) and Great Spangled Fritillary (*S. cybele*): Dependence on fire in the Ouachita Mountains of Arkansas. *Journal of the Lepidopterists' Society* 60:218-226.
- Rusch, D. H., C. D. Ankney, H. Boyd, J. R. Longcore, F. Montalbano, J. K. Ringelman, and V. D. Stotts. 1989. Population ecology and harvest of the American black duck. *Wildlife Society Bulletin* 17:379-406.
- Rust, P. J. 1993. Analysis of the commercial mussel beds in the Black, Spring, Strawberry and Current rivers in Arkansas. M.S. thesis, Dept. Biological Sciences, Arkansas State University, State University, AR. 118 p.
- Rutherford, D.A.; Echelle, A.A.; Maughan, O.E.1992. Drainage-wide effects of timber harvesting on the structure of stream assemblages in southwestern Oklahoma. *Trans. Amer. Fish. Soc.* 121: 716-728.
- Salveter, A.L. 1994. Effects of Prescribed Burning on Neotropical Migrant and Resident Birds in Pine Forests of the Arkansas Ozarks. M.S. Thesis, University of Arkansas, Fayetteville, AR. 65 p.
- Sasse, D.B. 2005. Pesticide residues in guano of gray bats (*Myotis grisescens*) in Arkansas. *Journal of the Arkansas Academy of Science* 59: 214-217.
- Sasse, D.B. and M.E. Gompper. 2006. Geographic distribution and harvest dynamics of the eastern spotted skunk in Arkansas. *Journal of the Arkansas Academy of Science* 60: 119-124.
- Sasse, D. B., G. Heidt, R. Sikes, T. Risch, S. Brandenbura, November 17, 2004. Species list/peer review.

- Sasse, D.B., R.L. Clawson, M.J. Harvey, and S.L. Hensley. 2007. Status of western populations of the endangered gray bat. *Southeastern Naturalist* 6(1): 165-172.
- Sasse, D.B., D.A. Saugey, and R.W. Perry. 2011. Current status of the Little brown bat (*Myotis lucifugus*) in Arkansas. *Journal of the Arkansas Academy of Science* 65: 180-182.
- Sasse, D.B., D.A. Saugey, and D.R. England. 2011. Winter roosting behavior of Rafinesque's big-eared bat in southwestern Arkansas. Pages 123-128 In Loeb, S.C.; Lacki, M.J.; Miller, D.A., eds. 2011. Conservation and management of eastern big-eared bats: a symposium. Gen. Tech. Rep. SRS-145. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 157 pp.
- Sasse, D.B., T.S. Risch, D.A. Saugey, M.J. Harvey, J.D. Wilhide, R.K. Redman, J.J. Jackson, T. Klotz, and P.R. Moore. 2013. New records of the eastern small-footed bat (*Myotis leibii*) in Arkansas. *Journal of the Arkansas Academy of Science*. 67: 214-216.
- Sasse, D.B., M.L. Caviness, M.J. Harvey, J.L. Jackson, P.N. Jordan, T.L. Klotz, P.R. Moore, R.W. Perry, R.K. Redman, T.S. Risch, D.A. Saugey, and J.D. Wilhide. (In Press 2014). New records and notes on the ecology of the northern long-eared bat (*Myotis septentrionalis*) in Arkansas. *Journal of the Arkansas Academy of Science*.
- Sasse, D.B. and D.A. Saugey. 2008. Rabies prevalence among and new distribution records of Arkansas bats. *Journal of the Arkansas Academy of Science* 62: 159-160.
- Sasse, D.B. and D.A. Saugey. 2014. Protection of water wells used as winter roosts by Rafinesque's big-eared bats. *Bat Research News* 55(2): 17-20.
- Saugey, D.A. 1978. Reproductive biology of the gray bat, *Myotis grisescens*, in northcentral Arkansas. Jonesboro, AR: Arkansas State University. M.S. Thesis.
- Saugey, D.A. 2004. Bear Den Cave Activity Report 1989-2004. Ouachita National Forest.
- Saugey, D.A.; Heidt, G.A.; Heath, D.R. 1985. Summer use of abandoned mines by the Caddo salamander, *Plethodon caddoensis* (Plethodontidae), in Arkansas. *Southwestern Naturalist*. 30:318-319.
- Saugey, D.A.; Heath, D.R.; Heidt, G.A. 1989. The bats of the Ouachita Mountains. *Proceedings of the Arkansas Academy of Science*. 43:71-77.
- Saugey, D.A.; Heidt, G.A.; Heath, D.R.; McDaniel, V.R. 1990. Hibernating Indiana bats (*Myotis sodalis*) from the Ouachita Mountains of southeastern Oklahoma. *Southwestern Naturalist* 35(3):342-343.
- Saugey, D.A.; England, D.R.; Chandler-Mozisek, L.R.; McDaniel, V.R.; Rowe, M.C.; Cochran, B.G. 1993. Arkansas range extensions of the eastern small-footed bat, and northern long-eared bat and additional county records for the silver-haired bat, hoary bat,
- Saugey, D.A.; Trauth, S.E. 1991. Distribution and habitat utilization of the four-toed salamander, *Hemidactylium scutatum*, in the Ouachita Mountains of Arkansas. *Proceedings of the Arkansas Academy of Science*. 45:88-91.

- Sayler, A. 1966. The reproductive ecology of the red-backed salamander, *Plethodon cinereus*, in Maryland. *Copeia* 1966:183-193.
- Scharf, W.C.; Kren, J. 1996. Orchard Oriole (*Icterus spurius*). The Birds of North America, No. 255 [Poole, A.; Gill, F., eds.]. The Academy of Natural Sciences, Philadelphia, PA; The American Ornithologists' Union, Washington, DC.
- Schmidt, K.P. 1953. A checklist of North American amphibians and reptiles. 6th ed. Amer. Soc. Ichthyol. Herpetol. 280 pp.
- Schuijer, J. P.; Dickson, J.W.; Harvey, M.J. 1972. Herpetofauna of Sylamore Ranger District, Ozark National Forest, Arkansas: preliminary report. *Proceedings of the Arkansas Academy of Science*. 26:61-66.
- Schurbon, J.M.; Fauth, J.E. 2003. Effects of prescribed burning on amphibian diversity in a southeastern U.S. National Forest. *Conservation Biology* 17(5): 1338-1349
- Schuster, G.A. 1997. Resource management of freshwater crustaceans in the southeastern United States. in *Aquatic Fauna in Peril: The Southeastern Perspective*. Ed. by G. W. Benz and D. E. Collins. Spec. Publ. 1, Southeastern Aquatic Research Institute Deca
- Schwardt, J. 1938. Reptiles of Arkansas. *Bull. Univ. Arkansas Agri. Exp. Sta.* 357:3-47.
- Schweitzer, D. F., M. C. Minno, and D. L. Wagner. 2011. Rare, Declining, and Poorly Known Butterflies and Moths (Lepidoptera) of Forests and Woodlands in the Eastern United States. FHTET-2011-01.
- Scott, J. A. 1986. *The Butterflies of North America: A Natural History and Field Guide*. Stanford University Press, Stanford.
- Scott, Mary 2004. Life history and population biology of the Arkansas fatmucket, *Lampsilis powellii* (Lea, 1852). MS Thesis. Arkansas State University, State University, AR py pp. + append.
- Sealander, J.A. 1956. A provisional check-list and key to the mammals of Arkansas (with Annotations). *American Midland Naturalist*. 56(2):257-296.
- Sealander, J.A. 1960. Some noteworthy records of Arkansas mammals. *Journal of Mammalogy*. 525-526.
- Sealander, J.A. 1967. First record of small-footed myotis in Arkansas. *Journal of Mammalogy*. 48:666.
- Sealander, J.A. 1977. New marginal records for the eastern harvest mouse and southeastern shrew in Arkansas. *Southwestern Naturalist*. 22(1):148-149.
- Sealander, J.A.; Heidt, G.A. 1990. *Arkansas mammals: their natural history, classification, and distribution*. Revised ed. Fayetteville, Arkansas: University of Arkansas Press.
- Sealander, J.A.; Young, H. 1955. Preliminary observations on the cave bats of Arkansas. *Arkansas Academy of Science Proceedings*. 7(21-31).
- Seaman, B. D. and D. G. Krentz. 2000. Movements and survival of Bachman's Sparrows in response to prescribed summer burns in South Carolina. *Proceedings of the Annual Meeting of the Southeastern Association of Fish and Wildlife Agencies* 54:227-240.

- Secor, S.M. 1988. Perch sites of calling male bird-voiced treefrogs, *Hyla avivoca* in Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 68:71-73.
- Semlitsch, R.D. 1985 Reproductive strategy of a facultatively paedomorphic salamander *Ambystoma talpoideum*. *Oecologia (Ben.)*. 65:306-313.
- Semlitsch, R.D. 1987a. Relationship of pond drying to the reproductive success of the salamander *Ambystoma talpoideum*. *Copeia* 1987:61 -69.
- Semlitsch, R.D. 1987b. Density-dependent growth and fecundity in the paedomorphic salamander *Ambystoma talpoideum*. *Ecology* 68:1003-1008.
- Sever, D.M.; Trauth, S.E. 1990. Cloacal anatomy of female salamanders of the plethodontid subfamily *Desmognathinae* (Amphibia: Urodela). *Trans. Amer. Microsc. Soc.* 109:193-204.
- Sharov, A., M. Wilbery, and J. Robinson. 2014. Developing biological reference points and identifying stock status for management of paddlefish (*Polyodon spathula*) in the Mississippi River basin. Final Report to the Association of Fish and Wildlife Agencies. 210 pages
- Shepard, D. B. and F. T. Burbrink. 2008. Lineage diversification and historical demography of a sky island salamander, *Plethodon ouachitae*, from the Interior Highlands. *Molecular Ecology*, (2008)17:5315-5335.
- Shepard, D. B. and F. T. Burbrink. 2009. Phylogeographic and demographic effects of Pleistocene climatic fluctuations in a montane salamander, *Plethodon fourchensis*. *Molecular Ecology*, (2009)18:2243–2262.
- Shepard, D. B. and F. T. Burbrink. 2011. Local-scale environmental variation generates highly divergent lineages associated with stream drainages in a terrestrial salamander, *Plethodon caddoensis*. *Molecular Phylogenetics and Evolution*, (2011) 59:399–411.
- Shepard, W.D.; Covich, A.P. 1982. The unionid fauna of Ft. Gibson Reservoir and the Grand (Neosho) River in Oklahoma: Comments on a proposed increase in water level. *Southwestern Naturalist*. 27(3):359-361.
- Shepard, D. B., K. J. Irwin, and F. T. Burbrink. 2011. Morphological Differentiation in Ouachita Mountain Endemic Salamanders. *Herpetologica*, 67(4):355-368.
- Shepherd, M. D. 2005. Species Profile: *Callophrys irus*. In Shepherd, M. D., D. M. Vaughn, and S. H. Black (Eds.) *Red List of Pollinator Insects of North America*. The Xerces Society for Invertebrate Conservation.
- Shoop, C.R. 1960. The breeding habits of the mole salamander *Ambystoma talpoideum* (Holbrook) in southeastern Louisiana. *Tulane Stud. Zool.* 8:65-82.
- Shoop, C.R. 1964. *Ambystoma talpoideum*. *Cat. Amer. Amphib. Rept* 8.1-8.2.
- Showen, L.L. 2006. Effects of oak woodland restoration on small mammals in the Ozark National Forest. Masters Thesis, Arkansas Tech University.

- Sievert, D. 1986. An investigation of the distribution and population status of the Rich Mountain salamander (*Plethodon ouachitae*) in Oklahoma. Final Report. Oklahoma Department of Wildlife Conservation. 30 pp.
- Simons, A.M. 1991. Phylogenetic relationships of the crystal darter, *Crystallaria asprella*. *Copeia* 1991: 927-96.
- Skagen, S. K., and F. L. Knopf. 1994. Migrating shorebirds and habitat dynamics at a prairie wetland complex. *Wilson Bulletin* 106:91-105.
- Slay, M. E. 2014. Recharge Delineation for a New Population of Hell Creek Cave Crayfish and Survey of Potential Cave Crayfish Habitat in Marion County, Arkansas. Section 6 Grant Project E1510-02 Final Report to Arkansas Game and Fish Commission, Little Rock, Arkansas. 150 pp.
- Smallwood, J.A.; Bird, D.M. 2002. American Kestrel (*Falco sparverius*). *The Birds of North America*, No. 602 [Poole, A.; Gill, F., eds.]. *The Birds of North America, Inc., Philadelphia, PA*.
- Smallwood, J.A. and D. M. Bird. 2002. American Kestrel (*Falco sparverius*). In *The Birds of North America*. No. 602 (A. Poole and F. Bill., eds.), *The Birds of North America, Inc., Philadelphia, PA*.
- Smith, P.W. 1948. Food habits of cave dwelling amphibians. *Herpetologica* 4:205-208.
- Smith, C.C. 1959. Notes on the salamanders of Arkansas #1: life history of a neotenic stream-dwelling form. *Proceedings of the Arkansas Academy of Science*. 13:66-74.
- Smith, C.C. 1960. Notes on the salamanders of Arkansas #2: the status of *Desmognathus* in Arkansas. *Proc. Arkansas Acad. Sci*, 14:14-19.
- Smith, P.W. 1961. The amphibians and reptiles of Illinois. *Illinois Nat. Hist. Surv. Bull.* 28:1-298.
- Smith, P.W. 1963. *Plethodon cinereus*. *Cat. Amer. Amphib. Rept.* 5.1-5.3.
- Smith, C.C. 1964. The problem of hybridization of the red cave salamander, *Eurycea* (Raf), and the long-tailed salamander, *Eurycea longicauda melanopleura* (Green). *Proceedings of the Arkansas Academy of Science* 18:59-62.
- Smith, P.W. 1966a. *Pseudacris streckeri*. *Cat. Amer. Amphib. Rept.* 27.1-27.2.
- Smith, P.W. 1966b. *Hyla avivoca*. *Cat. Amer. Amphib. Rept.* 28.1-28.2. *Species Bulletin* 28(2): 10-11.
- Smith, C. C. 1968. A new *Typhlotriton* from Arkansas (Amphibia: Caudata). *Wasmann J. Biol.* 26:155-159.
- Smith, D.G. 2001. *Ecology and Evolution of the Freshwater Mussels Unionoida*. Springer. G. Bauer and K. Wachtler (Eds.) 400 pp.

Smith, K.L.; Pell, W.F.; Rettig, J.H.; Davis, R.H.; Robison, H.W. 1984. Arkansas's Natural Heritage. August House Publ., Little Rock. 116 pp.

Smith, K.G.; Prather, J.W. 2000. Effects of Tornado Damage on Forest Bird Populations in the Arkansas Ozarks.

Sparks, J.C., R.E. Masters, D.M. Engle, M.E. Payton & G.A. Bukenhofer. 1999. Influence of fire season and fire behavior on woody plants in red-cockaded woodpecker clusters. *Wildlife Society Bulletin*. 1999. 27(1):124-133.

Spencer, L. A. 2006. Arkansas Butterflies and Moths. Ozark Society Foundation, Little Rock.

Spetich, M.A., ed. 2004. Upland oak ecology symposium: history, current conditions, and sustainability. Gen. Tech. Rep. SRS-73. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 311 p.

Spotila, J.R. 1972. Role of temperature and water in the ecology of lungless salamanders. *Ecol. Monog.* 42:95-125.

Spotila, I.R.; Beumer, R.J. 1970. The breeding habits of the ringed salamander, *Ambystoma annulatum* (Cope), in northwestern Arkansas. *American Midland Naturalist*. 84:77-87

Spotila, J. R., and P. H. Ireland. 1970. Notes on the eggs of the gray-bellied salamander, *Eurycea multiplicata* griseogaster. *Southwestern Naturalist*. 14:366-368.

Stansbery, D. 1970. Eastern freshwater mollusks (1) the Mississippi and St. Lawrence River systems. *Malacologia* 10:9-21.

Stansbery, D.H.; Stein, C.B. 1982. The unionid mollusks of the lower Saint Francis River in Arkansas. Museum of Zoology, Ohio State University, Columbus. Report to the U. S. Fish and Wildlife Service, Atlanta, GA. 23 pp. + appendices.

Steeves, Tanner K., Shannon B. Kearney-McGee, Margaret A. Rubega, Calvin L. Cink and Charles T. Collins. 2014. Chimney Swift (*Chaetura pelagica*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the *Birds of North America Online*: <http://bna.birds.cornell.edu/bna/species/646>

Steffen, M. A., K. J. Irwin, A. L. Blair, and R. M. Bonett. 2014. Larval masquerade: A new species of paedomorphic salamander (Caudata: Plethodontidae: *Eurycea*) from the Ouachita Mountains of North America. *Zootaxa* 3786(4):423-442.

Stein, R.A. 1977. Selective predation, optimal foraging, and the predator-prey interactions between fish and crayfish. *Ecology* 58: 1237-1253.

Stein, C.B.; Stansbery, D.H. 1980. Final report on the distribution of naiad mollusks of the White River in the vicinity of the proposed U.S. Route 67 bridge, Jackson County, Arkansas. 9 p.

- Stejneger, L. 1894. Description of a new salamander from Arkansas with notes on *Ambystoma annulatum*. Proc. U.S. Nat. Mus. 17:597-598.
- Stejneger, L.; Barbour, T. 1917. A Check List of North American Amphibians and Reptiles. Harvard University Press, Cambridge. 125 pp.
- Steward, T.W. 1988. Distributions and habitat affinities of the mammals of southwest Arkansas. Proceedings of the Arkansas Academy of Science. 40:72-73.
- Stewart, J.H. 1995. Relocation of *Potamilus capax* from Ditch 10 of the St. Francis Floodway Poinsett County, Arkansas. Submitted to Memphis District, U. S. Army Corps of Engineers, Memphis, TN. No pagination.
- Stober, J. M. and D. G. Kremetz. 2000. Survival and reproductive biology of the Bachman's Sparrow. Proceedings of the Annual Meeting of the Southeastern Association of Fish and Wildlife Agencies 54:383-390.
- Stoddard, H.L., Sr. 1931. The Bobwhite Quail – Its Habits, Preservation, and Increase. Charles Scribners's Sons, New York, NY. 559 p.
- Stoeckel, J.; Moles, K. 2002. Status survey for the scaleshell mussel, *Leptodea leptodon*, with a summary of baseline data on other freshwater mussel species, of the South fourche LaFave River, Arkansas. 25p.
- Stoeckel, J.N.; Lewis, L.; Harlan, J. 1996. Mulberry River freshwater mussel survey. Prepared for the U.S.D.A. Forest Service, Ozark-St. Francis National Forest, Russellville, AR. 52 p.
- Stoeckel, J.N.; Davidson, C.L.; Antwine, M.; Jones, C.; Brod, M.; Mole, K. 2000. Location and notes on freshwater mussels (Bivalvia: Unionacea) inhabiting Big Piney Creek, and East and Middle Forks Illinois Bayou within the Ozark-St. Francis National Fore
- Stoeckel, J. N., C. J. Gagen, and R. W. Standadge. 2011. Feeding and reproductive biology of the Ouachita madtom. American Fisheries Society Symposium 77:267-279.
- Stone, W. 1904. A collection of reptiles and salamanders from Arkansas, Indiana Territory, and western Texas. Proc. Acad. Nat. Sci. Philadelphia 55:538-558.
- Straight, C.A.; Cooper, R.J. 2000. Chuck-Will's Widow (*Caprimulgus carolinensis*). The Birds of North America, No. 499 [Poole, A.; Gill, F., eds.]. The Birds of North America, Inc., Philadelphia, PA.
- Strecker, J.K. 1924. Notes on the herpetology of Hot Springs, Arkansas. Baylor Bull. 27:29-47.
- Strecker, J.K.; Williams, W.J. 1928. Field notes on the herpetology of Bowie County, Texas. Contr. Baylor Univ. Mus. 17:1-19.
- Stroman, J. A. 2014. Examining the population status of the stargazing darter, *Percina uranidae*, in the Saline River, Arkansas. Unpublished report, University of Arkansas at Little Rock.

- Stys, B. 1993. Ecology and habitat protection needs of the Southeastern American Kestrel (*Falco sparverius* Paulus) on large-scale development sites in Florida. Florida Game and Freshwater Fish Commission Nongame Wildlife Program. Technical Report #13. Tallahassee Fl. 35 pp.
- Sullivan, J.N.; Terry, J.E. 1970. Drainage areas of streams in Arkansas: Arkansas River Basin. U. S. G. S. Open-File Report prepared in cooperation with the Arkansas State Highway Commission. Little Rock. 75 p.
- Sutton, K B.; Paige, K.N. 1980. Geographic Distribution. *Ambystoma talpoideum*. Herpetol. Rev. 11:13.
- Szymanski, J. 1998. Leptodea leptodon (scaleshell mussel) rangewide status assessment 1998. U. S. Fish and Wildlife Service, Endangered Species Division, Ft. Snelling, MN. 16 pp. + appendices.
- Taylor, E.H. 1935. Arkansas amphibians and reptiles in the Kansas University Museum. Univ. Kansas Sci. Bull. 22:207-218.
- Taylor, C.M. 1994. Distribution and abundance of *Lythrurus snelsoni* (Robison), an endemic species from the Ouachita Mountain uplift. Final Report to USDA Forest Service. Hot Springs, AR.
- Taylor, C.M. 1996. Abundance and distribution within a guild of benthic stream fishes: local processes and regional patterns. *Freshwater Biology* 36:385-396.
- Taylor, C.M. 1997. Fish species richness and incidence patterns in isolated and connected stream pools: effects of pool volume and spatial position. *Ooecologia* 110: 560-566.
- Taylor, C.M. 1999. A large-scale comparative analysis of riffle and pool fish communities in an upland stream system. *Environmental Biol. Fish.* pp.1-7.
- Taylor, C.M.; Lienesch, P.W. 1995. Environmental correlates of distribution and abundance for *Lythrurus snelsoni*: a range-wide analysis of an endemic fish species. *Southwestern Nat.* 40(4): 373-378.
- Taylor, C.M.; Lienesch, P.W. 1996. Regional parapatry of the congeneric cyprinids *Lythrurus snelsoni* and *L. umbratilis*: species replacement along a complex environmental gradient. *Copeia* (2): 493-497.
- Taylor, C.L.; Wilkinson, R.F., Jr.; Peterson, C.L. 1990. Reproductive patterns of five plethodontid salamanders from the Ouachita Mountains. *Southwestern Naturalist.* 35:468-472.
- Taylor, C.M.; Pyron, M.; Winston, M R. 1993. Zoogeographic implications for the first record of *Crystallaria asprella* (Percidae) from the Kiamichi River drainage, and for the occurrence of *Notropis boops* (Cyprinidae) and *Luxilus chrysocephalus* (Cyprinidae)
- Taylor, C.A.; Warren, M.L.; Fitzpatrick, J.F., Jr.; Hobbs, H.H., III; Jezerinac, R.F.; Pflieger, W.L.; Robison, H.W. 1996. Conservation status of crayfishes of the United States and Canada. *Fisheries* 21(4): 25-38.
- Taylor, J.; Wade, F. 1972. Biological inventory of the Glover Creek basin, Oklahoma. Final Report, Dept. of the Army Corps of Engineers. Tulsa District. Contract No. DACW56-72-C-0086. Tulsa, OK.
- Templeton, A.R.; Robertson, R.J.; Brisson, J.; Strasberg, J. 2001. Disrupting evolutionary processes: the effect of habitat fragmentation on collared lizards in the Missouri Ozarks. *Proc. Natl. Acad. Sci.* 98(10):5426-5432.

- Thomas, S.R. 2005. Status and distribution of Crawford's gray shrew (*Notiosorex crawfordi*) in Arkansas. Masters Thesis, University of Arkansas at Little Rock, 96 pp.
- Thompson, F.R., III. 1993. Simulated Responses of a Forest Interior Bird Population to Forest Management Options in Central Hardwood Forests of the United States. *Conservation Biology*. 7(2): 325-333.
- Thompson, F.R., III. 1995. Management of Midwestern Landscapes for the Conservation of Neotropical Migratory Birds. GTR NC-187. St. Paul, MN; U.S. Department of Agriculture, Forest Service. 208 p.
- Thompson, S.G. 2011. The distribution, occupancy, and habitat affinities of Bewick's Wrens (*Thyromanes bewickii*) in Arkansas. Thesis. Arkansas State University, Jonesboro, Arkansas.
- Thompson, F.R., III; Degraff, R.M. 2001. Conservation Approaches for Woody, Early Successional Communities in the Eastern United States. *Wildlife Society Bulletin* 29: 483-494.
- Thompson, F.R., III; Fritzell, E.K. 1990. Bird Densities and Diversity in Clearcut and Mature Oak-Hickory Forests. USDA Forest Service North Central Experiment Station Research Paper NC-293. St. Paul, MN.
- Thompson, F.R., III; Dijak, W.D.; Kuloweic, T.G.; Hamilton, D.A. 1992. Breeding Bird Populations in Missouri Ozark Forests With and Without Clearcutting. *Journal of Wildlife Management* 56: 23-30.
- Thompson, F.R., III; Lewis, S.J.; Green, J.; Ewert, D. 1993. Status of Neotropical Landbirds in the Midwest: Identifying Species of Management Concern. Status and Management of Neotropical Migratory Birds. [Finch, D.M.; Stangel, P.W., eds.]. Fort Collins,
- Thompson, F.R., III; Probst, J.R.; Raphael, M.G. 1995. Impacts of Silviculture: Overview and Management Recommendations. *Ecology and Management of Neotropical Migratory Birds* [Martin, T.E.; Finch, D.M., eds.]. New York: Oxford University Press: 201-219.
- Thompson, F.R., III; Robinson, S.K.; Whitehead, D.R.; Brawn, J.D. 1996. Management of Central Hardwood Landscapes for the Conservation of Migratory Birds. Management of Midwestern Landscapes for the Conservation of Neotropical Migratory Birds [Thompson, F
- Thurow, G.R. 1957. Relationships of the red-backed and zig-zag plethodons in the west. *Herpetologica* 13:91-99.
- Thurow, G.R. 1966. *Plethodon dorsalis*. *Cat. Amer. Amphib. Rept.* 29.1-29.3.
- Thurow, G.R. 1976. Aggression and competition in eastern *Plethodon* (Amphibia, Urodela, Plethodontidae). *Journal of Herpetology*. 10:277-291.
- Tihen, J.A. 1958. Comments on the osteology and phylogeny of ambystomatid salamanders. *Bull. Florida State Mus., Biol. Ser.* 3:1-50.
- Timmerman, L.B. 1993. Characteristics of a storm drain utilized by the gray bat, *Myotis grisescens*. Arkansas State University. M.S. Thesis.

- Timmermann, L.; McDaniel, V. R. 1992. A maternity colony of gray bats in a non-cave site. *Proceedings of the Arkansas Academy of Science*. 46:108-109.
- Tinkle, D.W. 1958a. The systematics and ecology of the *Sternotherus carinatus* complex (Testudinata, Chelydridae). *Tulane Stud. Zool.* 6:1-56.
- Tinkle, D.W. 1959. Observations of reptiles and amphibians in a Louisiana swamp. *American Midland Naturalist*. 62:189-205.
- Titus, T.A.; Larson, A. 1997. Molecular phylogenetics of desmognathine salamanders (Caudata: Plethodontidae): a reevaluation of evolution in ecology, life history, and morphology. *Syst. Biol.* 45:451-472.
- The Nature Conservancy, Ouachita Ecological Conservation Planning Tool. 2003. Arkansas Chapter, The Nature Conservancy, 601 North University Avenue, Little Rock, Arkansas.
- Trani, M.K.; Brooks, R.T.; Schmidt, T.L.; Rudis, V.A.; Gabbard, C.M. 2001. Patterns and trends of early successional forests in the eastern United States. *Wildlife Society Bulletin*, 29(2):413-424.
- Trapp, M.M. 1956 (1957). Range and natural history of the ringed salamander, *Ambystoma annulatum* (Cope) (Ambystomatidae). *Southwestern Naturalist*. 1:78-82.
- Trapp, M.M. 1959. Studies on the life history of *Ambystoma annulatum* (Cope). M.S. Thesis. University of Arkansas, Fayetteville. 36 pp.
- Trauth, S.E. 2000. Winter breeding as a common occurrence in the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), in the Ozark National Forest of northcentral Arkansas. *Proceedings of the Arkansas Academy of Science*. 54:157-158.
- Trauth, S.E. 1974. Demography and reproduction of the eastern collared lizard, *Crotaphytus collaris collaris* (Say), from northern Arkansas. M.S. Thesis. Univ. Arkansas, Fayetteville. 109 pp.
- Trauth, S.E. 1978. Ovarian cycle of *Crotaphytus collaris* (Reptilia, Lacertilia, Iguanidae) from Arkansas with emphasis on corpora albicantia, follicular atresia, and reproductive potential. *J. Herpetol.* 12:461-470.
- Trauth, S.E. 1979. Testicular cycle and timing of reproduction in the collared lizard (*Crotaphytus collaris*) in Arkansas. *Herpetologica* 35:184-192.
- Trauth, S.E. 1980b . Geographic Distribution. *Ambystoma annulatum*. *Herpetol. Rev.* 11:37.
- Trauth, S.E. 1986b. Geographic Distribution. *Crotalus atrox*. *Herpetol. Rev.* 17:67.
- Trauth, S.E. 1988a. Egg clutches of the Ouachita dusky salamander, *Desmognathus brimleyorum* (Caudata: Plethodontidae), collected in Arkansas during a summer drought. *Southwestern Naturalist*. 33:234-236.
- Trauth, S.E. 1988g. Geographic Distribution. *Regina septemvittata*. *Herpetol. Rev.* 19:20.

- Trauth, S.E. 1989a. Distributional survey of the eastern collared lizard, *Crotaphytus collaris collaris* (Squamata: Iguanidae), within the Arkansas River valley of Arkansas. *Proceedings of the Arkansas Academy of Science*. 43:101-104.
- Trauth, S.E. 1990. Flooding as a factor in the decimation of a population of green water snakes (*Nerodia cyclopion cyclopion*) from Arkansas. *Bull. Chicago Herpetol. Soc.* 25:1-3.
- Trauth, S.E. 1991a. Distribution, scutellation, and reproduction in the queen snake, *Regina septemvittata* (Serpentes: Colubridae), from Arkansas. *Proceedings of the Arkansas Academy of Science*. 45:103-106.
- Trauth, S.E. 1992b. Distributional survey of the bird-voiced treefrog, *Hyla avivoca* (Anura: Hylidae) in Arkansas. *Proceedings of the Arkansas Academy of Science*. 46:80-82.
- Trauth, S. E. 2011. Rapid reservoir inundation causes complete extirpation of the Eastern Collared Lizard (*Crotaphytus collaris*) along the shoreline of Bull Shoals Lake in northern Arkansas. *Journal of Arkansas Academy of Science*, 65:133–137.
- Trauth, S.E.; Caldwell, R.S. 1986. Geographic Distribution. *Hemidactylium scutatum*. *Herpetol. Rev.* 17:92.
- Trauth, S.E.; Cartwright, M.E. 1989. An albino larva in the ringed salamander, *Ambystoma annulatum*, from Arkansas. *Bull. Chicago Herpetol. Soc.* 24:128.
- Trauth, S.E.; McAllister, C.T. 1995. Vertebrate prey of selected Arkansas snakes. *Proceedings of the Arkansas Academy of Science*. 49:188-192.
- Trauth, S.E.; McCallum, M.L. 2001. Alligator mississippiensis. Winter mortality. *Herpetol. Rev.* 32:250-251
- Trauth, S.E.; Cartwright, M.E.; Meshaka, W.E. 1989b. Winter breeding in the ringed salamander, *Ambystoma annulatum* (Caudata: Ambystomatidae), from Arkansas. *Southwestern Naturalist*. 34:145-146.
- Trauth, S.E.; Cox, R.L.; Butterfield, B.P.; Saugey, D.A.; Meshaka, W.E. 1990. Reproductive phenophases and clutch characteristics of selected Arkansas amphibians. *Proceedings of the Arkansas Academy of Science*. 44:107-113.
- Trauth, S.E., Cox, R.L.; Butterfield, B.P.; Saugey, D.A.; Meshaka, W.E. 1990. Reproductive phenophases and clutch characteristics of selected Arkansas amphibians. *Proceedings of the Arkansas Academy of Science*. 44:107-113.
- Trauth, S.E.; Cochran, B.G.; Saugey, D.A.; Posey, W.R.; Stone, W.A. 1993a. Distribution of the mole salamander, *Ambystoma talpoideum* (Urodela: Ambystomatidae), in Arkansas with notes on paedomorphic populations. *Proceedings of the Arkansas Academy of Science*.
- Trauth, S.E.; Smith, R.D.; Cheng, A.; Daniel, P. 1993b. Histology of the caudal hedonic glands in the dark-sided salamander, *Eurycea longicauda melanopleura* (Urodela: Plethodontidae). *Proceedings of the Arkansas Academy of Science*. 47:151-153.
- Trauth, S.E.; Cox, R.L., Jr.; Meshaka, W.E.; Butterfield, B.P.; Holt, A. 1994. Female reproductive traits in selected Arkansas snakes. *Proceedings of the Arkansas Academy of Science*. 48:196-209.

- Trauth, S.E.; Cox, R.L., Jr.; Wilhide, J.D.; H.J. Worley. 1995b. Egg mass characteristics of terrestrial morphs of the mole salamander, *Ambystoma talpoideum* (Caudata: Ambystomatidae), from northeastern Arkansas and clutch comparisons with other *Ambystoma*
- Trauth, S.E.; McCallum, M.L.; Ball, B.J.; Hoffman, V.E. 2000a. *Plethodon caddoensis* (Caddo Mountain salamander) and *Plethodon serratus* (Southern redback salamander). Nocturnal climbing activity. *Herpetol. Rev.* 31:232-233.
- Trauth, S.E.; Robison, H.W.; Plummer, M.V. 2004. The amphibians and reptiles of Arkansas. University of Arkansas Press, Fayetteville. In press.
- Trauth, J. B., R. L. Johnson, and S. E. Trauth. 2007. Conservation implications of a morphometric comparison between the Illinois Chorus Frog (*Pseudacris streckeri illinoensis*) and Strecker's Chorus Frog (*P.s. streckeri*) (Anura: Hylidae) from Arkansas, Illinois, Missouri, Oklahoma, and Texas. *Zootaxa* 1589:23–32.
- Trauth, S.E.; Robinette, J.W. 1990a. Notes on distribution, mating activity, and reproduction in the bird-voiced treefrog, *Hyla avivoca*. *Arkansas. Bull. Chicago Herpetol. Soc.* 25:218-219
- Trauth, S.E.; Robinette, J.W. 1990b. Geographic Distribution. *Hyla avivoca*. *Herpetol. Rev.* 21:95.
- Trauth, S.E.; Wilhide, J.D. 1999. Status of three plethodontid salamanders (genus *Plethodon*) from the Ouachita National Forest of southwestern Arkansas. *Proceedings of the Arkansas Academy of Science.* 53:125-137.
- Trauth, S.E.; Cochran, B.G. 1991. *Hemidactylium scutatum*. Predation. *Herpetol. Rev.* 22:55.
- Trauth, S.E.; Cochran, B.G. 1992. In search of western diamondback rattlesnakes (*Crotalus atrox*) in Arkansas. *Bull. Chicago Herpetol. Soc.* 27:89-94.
- Trexler, J.; Turner, T. 1994. Molecular genetic studies of the Ouachita and Ozark populations of the longnose darter, *Percina nasuta*. Report to the U.S. Forest Service, Forest Hydrology Laboratory, Oxford, MS. 42 p.
- Tucker, J. W., Jr., W. D. Robinson, and J. B. Grand. 2006. Breeding productivity of Bachman's Sparrows in fire-managed longleaf pine forests. *Wilson Journal of Ornithology* 118:131-137. <http://dx.doi.org/10.1676/05-022.1>
- Tucker, G.E. 1989. Interim Management Guide for Ozark Chinquapin.
- Tucker, G.E. 1989a. Interim Management Guide for Moore's Delphinium (Gary Tucker 12/14/89 unpublished report).
- Tumlison, R. and K. Benjamin. 2011. Occurrence of two rare prairie insects, *Tetraloniella albata* (Cresson) and *Microstylum morosum* (Loew), at Terre Noire Natural Area, Clark County, Arkansas. *Journal of the Arkansas Academy of Science* 65:183-186.

Tumlison, R. and K. Benjamin. 2013. Observations of the Behavior of the Giant Prairie Robberfly, *Microstylum morosum* Loew (Diptera: Asilidae), at Terre Noire Natural Area, Clark County, Arkansas. *Journal of the Arkansas Academy of Science* 67:217-220.

Tumlison, R, D.B. Sasse, M.E. Cartwright, S.C. Brandebura, and T. Klotz. 2012. The American badger (*Taxidea taxus*) in Arkansas, with emphasis on expansion of its range into northeastern Arkansas. *Southwestern Naturalist* 57(4): 467-471.

Tumlison, R. and H.W. Robison. 2010. New records and notes on the natural history of selected vertebrates from southern Arkansas. *Journal of the Arkansas Academy of Science* 64: 145-150.

Tumlison, R. 1995. Morphological discrimination of crania of big-eared bats in Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 75:57-58.

Tumlison, R. 2001. Report of the study of bats on the Jessieville Ranger District, Ouachita National Forest, including a survey to determine the presence of the endangered Indiana bat (*Myotis sodalis*). Henderson State University, Arkadelphia, AR

Tumlison, R, and H. W. Robison. 2010. New records and notes on the natural history of selected vertebrates from southern Arkansas. *Journal of the Arkansas Academy of Science* 64:145-150.

Tumlison, R.; Tumlison, C. 1996. A survey of the fishes in streams draining the Jack Mountain area, Hot Spring and Garland counties, Arkansas, with notes on the Ouachita madtom (*Noturus lachneri*). *Proceedings of the Arkansas Academy of Science*. 50: 153-1

Turgeon, D.D.; Bogan, A.E.; Coan, E.V.; Emerson, W.K.; Lyons, W.G.; Pratt, W.L.; Roper, C.F.E.; Scheltema, A.; Thompson, F.G.; Williams, J.D. 1988. Common and scientific names of aquatic invertebrates from the United States and Canada: mollusks. *American*

Turgeon, D.D.; Quinn, Jr., J.F.; Bogan, A.E.; Coan, E.V.; Hochberg, F.G.; Lyons, W.G.; Mikkelsen, P.M.; Neves, R.J.; Roper, C.F.E.; Rosenberg, G.; Roth, B.; Scheltema, A.; Thompson, F.G.; Vecchione, M.; Williams, J.D. 1998. Common and scientific names of a

Turner, T.F.; Trexler, J.C.; Kuhn, D.N. 1996. Life-history variation and comparative phylogeography of darters (*Pisces: Percidae*) from the North American central highlands. *Evolution* 50(5): 2023-2036.

Turner, T.F.; Trexler, J.C.; Harris, J.L.; Haynes, J.L. 2000. Nested cladistic analysis indicates population fragmentation shapes genetic diversity in a freshwater mussel. *Genetics* 154: 777-785.

Turner, Thomas, F., and H. W. Robison. 2006. Genetic diversity of the Caddo madtom, *Noturus taylori*, with comments on factors that promote genetic divergence in fishes endemic to the Ouachita highlands. *The Southwestern Naturalist* 51(3):338-345.

Turnipseed, G. 1976. Geographic Distribution. *Hyla avivoca*. *Herpetol. Rev.* 7:178-1 79.

Turnipseed, G. 1980b . Geographic Distribution. *Hyla avivoca*. *Herpetol. Rev.* 11:14.

Turnipseed, G.; Gallagher, M. 1991. Geographic Distribution. *Ambystoma annulatum*. *Herpetol. Rev.* 22:133.

Turnipseed, G.; Shepherd, B. 1985. Geographic Distribution. *Pseudacris streckeri streckeri*. Herpetol. Rev. 16:115.

Tyler, J.D.; Gilliland, A.R. 1979. Status of *Notiosorex crawfordi* in Oklahoma and new distributional records. *Southwestern Naturalist*. 24(2):375-376.

U.S. Fish and Wildlife Service. 1980. "Amorpha ouachitensis Status Report".

Upton, S.J.; McAllister, C.T; Trauth, S.E. 1991b. Description of the oocysts of *Eimeria septemvittata* n. sp. (Apicomplexa: Eimeriidae) from queen snakes, *Regina septemvittata* (Serpentes: Colubridae), in Arkansas. *Syst. Parasit.* 20:199-201.

U.S. Fish and Wildlife Service. 2013. Petition to list the Rattlesnake-Master Borer Moth (*Papaipema eryngii*) as an endangered or threatened species. *Federal Register* 78(157): 49422-49440. [Wednesday, August 14, 2013]

U.S. Army Corps of Engineers (USACE). 1996. Deauthorization of water resources projects. *Federal Register* 61(244):66654-66656.

USDA Forest Service. 1991. Baseline Vegetation Inventory Study Caney Creek Wilderness Area.

U.S. Department of Agriculture, Forest Service, Region 8 Old-Growth Team. 1997. Guidance for conserving and restoring old-growth forest communities on National Forests in the Southern Region.

U.S. Department of Agriculture, Forest Service. 1997. Management of Early-Successional Communities in Central Hardwood Forests (With special emphasis on Oaks, Ruffed Grouse, and Forest Songbirds). North Central Forest Experiment Station. General Technic

U.S. Department of Agriculture, Forest Service (USDA FS). 1999. Ozark-Ouachita Highlands Assessment: Reports 1-5. Gen.Tech. Rep. SRS 31-35. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. 317p.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1990. Endangered and threatened wildlife and plants; threatened status determined for the Arkansas fatmucket, *Lampsilis powelli*. *Federal Register* 55(66):12797-12801.

USDI Fish and Wildlife Service. 1991. American Burying Beetle (*Nicrophorus americanus*) Recovery Plan. Newton Corner Massachusetts. 80 pp.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1992. Arkansas fatmucket mussel (*Lampsilis powelli*) recovery plan. U.S. Department of Interior, Fish and Wildlife Service, Jackson, MS. 19 p.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1994. Ouachita rock-pocketbook *Arkansia wheeleri* Ortmann and Walker, 1912. Recovery plan. Albuquerque, NM. 90 p.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1996. Endangered and threatened wildlife and plants; review of plant and animal taxa that are candidates for listing as endangered or threatened species. *Federal Register* 61(40):7596-7

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1998. Range wide status assessment for scaleshell mussel (*Leptodea leptodon*). Fort Snelling, MN. 30 pp.

U.S. Department of the Interior, Fish and Wildlife Service (USDI FWS). 1999. Endangered and threatened wildlife and plants; proposed rule to list the scaleshell mussel as endangered. Federal Register 64(156):44171-44182.

U. S. Fish and Wildlife Service. 2003. Recovery Plan for the Red-Cockaded Woodpecker (*Picoides borealis*): second revision. U.S. Fish and Wildlife Service, Atlanta, GA. 296p.

U.S. Fish and Wildlife Service 1985. Recovery plan for the Tuberculed-blossom pearly mussel *Epioblasma (=Dysonmia) torulosa torulosa* (Rafinesque, 1820), Turgid-blossom pearly mussel *Epioblasma (=Dysonmia) turgidula* (Lea, 1858) and Yellow-blossom pearly mussel *Epioblasma (=Dysnomia) florentina florentina* (Lea, 1857). U.S. Fish and Wildlife Service. January 25, 1985. 42 pp.

United States Fish and Wildlife Service (USFWS) 1988. *Cambarus zophonastes* Recovery Plan. Atlanta, Georgia. 18pp.

United States Fish and Wildlife Service (USFWS). 1993. Final listing rules approved for 39 species. Endangered species technical bulletin. XVIII (2): 13.

United States Fish and Wildlife Service (USFWS) 1996. Recovery plan for the cave crayfish (*Cambarus aculabrum*). Atlanta, Georgia. 37pp.

U.S. Fish and Wildlife Service 2004. Endangered and threatened wildlife and plants; review of plant and animal taxa that are candidates for listing as endangered or threatened species. Federal Register 69(86):24876-24879.

U.S. Fish and Wildlife Service (USFWS). 2011. Ozark cavefish (*Amblyopsis rosae* Eigenmann 1898). 5-year review: summary and evaluation. USFWS, Arkansas Ecological Services Field Office, Conway, Arkansas. 29 pp.

U.S. Fish and Wildlife Service. 2013. Interior Least Tern (*Sternula antillarum*) 5-Year Review: Summary and Evaluation. Mississippi Field Office, Jackson, MS. 73 pp.

USFWS. 2013. Endangered and Threatened Wildlife and Plants; Endangered Status for the Neosho Mucket and Threatened Status for the Rabbitsfoot. Final Rule. Vol 78 (180): 57076-57097.

U.S. Fish and Wildlife Service. 2014. Adaptive Harvest Management: 2014 Hunting Season. U.S. Department of Interior, Washington, D.C. 63 pp. Available online at <http://www.fws.gov/migratorybirds/CurrentBirdIssues/Management/AHM/AHM-intro.htm>

Vance, T. 1965. Annotated checklist and bibliography of Arkansas reptiles. Smithsonian Herpetol. Serv. No. 63.

Vance, T. 1987. A new county record and range extension of the western diamondback rattlesnake in Arkansas. Herpetology 17:7-9.

Vaughan, D. M. and M. D. Shepherd. 2005. Species Profile: *Euphues dukesi*. In Shepherd, M. D., D. M. Vaughan, and S. H. Black (Eds.) Red List of Pollinator Insects of North America. The Xerces Society for Invertebrate Conservation.

Vaughn, C.C. 1996. Survey of mussel assemblages in the Glover River. Final report to The Nature Conservancy, OK Field Office. 4 pp. + appendices.

Vaughn, C.C.; Pyron, M.; Certain, D. 1993. Habitat use and reproductive biology of *Arkansia wheeleri* in the Kiamichi River, Oklahoma - Final Report. Unpublished report to the Oklahoma Dept. Wildlife Cons., Oklahoma City, OK. 104 pp.

Vaughn, C.C.; Taylor, C.M.; Eberhard, K.J.; Craig, M. 1994. Survey for *Arkansia wheeleri* and other rare unionids in the Tiak District. Final report to the U.S.D.A. Forest Service, Ouachita National Forest, Hot Springs, AR. 30 pp.

Vaughn, C.C.; Mather, C.M.; Pyron, M.; Mehlhop, P.; Miller, E.K. 1996. The current and historical mussel fauna of the Kiamichi River, Oklahoma. *Southwestern Naturalist*. 41(3):325-328.

Vaughn, C.C.; Taylor, C.M.; Eberhard, K.J. 1997. A comparison of the effectiveness of timed searches vs. quadrat sampling in mussel surveys. Pages 157-162 in K.S. Cummings, A.C. Buchanan, C.A. Mayer, and T.J. Naimo, eds. *Conservation and management of fre*

Vaughn, C.C.; Pyron, M. 1995. Population ecology of the endangered Ouachita rock pocketbook mussel, *Arkansia wheeleri* (Bivalvia: Unionacea), in the Kiamichi River, Oklahoma. *Amer. Malacol. Bull.* 11:145-151.

Vaughn, C.C.; Spooner, D. 2000. Mussel survey of the Mountain Fork River. Oklahoma Biological Survey, University of Oklahoma, Norman. Report submitted to USDA Forest Service, Ouachita National Forest, Hot Springs, AR. 8 pp. + appendices.

Vaughn, C.C.; Taylor, C.M. 1999. Impoundments and the decline of Freshwater mussels: a case study of an extinction gradient. *Cons. Biol.* 13(4):912-920.

Verrell, P. 1997. Courtship behaviour of the Ouachita dusky salamander, *Desmognathus brimleyorum*, and a comparison with other desmognathine salamanders. *J. Zool., Lend.* 243:21-27.

Vogt, N. E. 2013. Spatial transition of the fish community and environmental characteristics in the White River below Bull Shoals Dam. Master's thesis, Arkansas Tech University, Russellville. 63 pp.

Volpe, E.P.; Wilkens, M.A.; Dobie, J.L. 1961. Embryonic and larval development of *Hyla avivoca*. *Copeia* 1961:340-349.

Wagner, B.A.; Echelle, A.A.; Maughan; O.E. 1985. Status and distribution of the longnose darter, *Percina nasuta*, and the Neosho madtom, *Noturus placidus*, in Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 65: 59-60.

Wagner, B. K., C. A. Taylor, and M. D. Kottmyer. 2008. Stream Crayfish of the Northeast Arkansas Ozarks. State Wildlife Grant Project T20-8 Final Report to Arkansas Game and Fish Commission, Little Rock, Arkansas. 76 pp.

Wagner, B. K., C. A. Taylor, and M. D. Kottmyer. 2010. Status and Distribution of the Gapped Ringed Crayfish, *Orconectes neglectus chaenodactylus*, in Arkansas. *Journal of the Arkansas Academy of Science*. 64:115-122.

- Wagner, B. K., C. A. Taylor, and M. D. Kottmyer. 2010. Status and Distribution of *Orconectes williamsi* (Williams' Crayfish) in Arkansas, with New Records from the Arkansas River Drainage. *Southeastern Naturalist*. Volume 9, Special Issue 3:175-184.
- Wagner, B. K., C. A. Taylor, and M. D. Kottmyer. 2010. Status and Distribution of the Gapped Ringed Crayfish, *Orconectes neglectus chaenodactylus*, in Arkansas. *Journal of the Arkansas Academy of Science*. 64:115-122.
- Wagner, B. K., M. D. Kottmyer, and M. E. Slay. 2011. Summary of previous and new records of the Arkansas darter (*Etheostoma cragini*) in Arkansas. *Journal of the Arkansas Academy of Science* 65: 138-142.
- Wagner, B.K., M. D. Kottmyer, and M. E. Slay. 2012. Summary of previous and new records of the least darter (*Etheostoma microperca*) in Arkansas. *Journal of the Arkansas Academy of Science* 66:173-179.
- Walters, J. R., L. B. Crowder, and J. A. Priddy. 2002. Population viability analysis for red-cockaded woodpeckers using an individual-based model. *Ecological Applications* 12:249-260.
- Warren, R.E. 1991. Ozarkian fresh-water mussels (Unionidae) in the upper Eleven Point River, Missouri. *Amer. Malacol. Bull.* 8(2) (1991):131-137.
- Warren, M.L.; Burr; B.M. 1994. Status of the freshwater fishes of the United States; overview of an imperiled fauna. *Fisheries* 19: 6-18.
- Warren, M.L.; Hlass, L. 1999. Diversity of fishes. Pp.100-115. In: USDA Forest Service. Ozark-Ouachita Highlands Assessment: aquatic conditions. Report 3 of 5. Gen. Tech. Rep. SRS-33. U.S. Department of Agriculture, Forest Service, Southern Research Station
- Warren, M.L.; Robison, H.W.; Tinkle, K. 1999. Diversity of crayfishes. pp. 132-139. In: U.S. Department of Agriculture, Forest Service. 1999. Ozark-Ouachita Highlands Assessment: aquatic conditions. Report 3 of 5. Gen. Tech. Rep. SRS-33. U.S. Department of Agriculture, Forest Service, Southern Research Station
- Warren, M.L., Jr.; Burr, B.M.; Walsh, S.J.; Bart, H.L. Jr.; Cashner, R.C.; Etnier, D.A.; Freeman, B.J.; Kuhajda, B.R.; Mayden, R.L.; Robison, H.W.; Ross, S.T.; Starnes, W.C. 2000. Diversity, distribution, and conservation, status of the native freshwater fishes.
- Warren, M.L.; Tinkle, K. 1999. Endangered, threatened, and other aquatic species of special concern. pp. 132-139. In: USDA Forest Service. Ozark-Ouachita Highlands Assessment: aquatic conditions. Report 3 of 5. Gen. Tech. Rep. SRS-33. USDA Forest S
- Warrillow, J., M. Culver, E. Hallerman, and M. Vaughan. 2001. Subspecific affinity of black bears in the White River National Wildlife Refuge. *Journal of Heredity* 92:226-233.
- Watt, C.L.; Tappe, P.A.; Roth, M.F. 2002. Concentrations of American alligator populations in Arkansas. *Proceedings of the Arkansas Academy of Science*. 56:243-249.

Wear, B. J. 2003. Reintroducing black bears to the Arkansas Gulf Coastal Plain. Thesis, University of Tennessee, Knoxville, Tennessee, USA.

Weatherby, C.A. 1974. Population genetics of the queen snake, *Regina septemvittata*. M.S. Thesis. Miami University, Oxford, Ohio. 32 pp.

Webb, R.G. 1970. Reptiles of Oklahoma. Univ. Oklahoma Press. Norman. 370 pp.

Wenny, D.G.; Clawson, R.L.; Faaborg, J.; Sheriff, S.L. 1993. Population Density, Habitat Selection and Minimum Area Requirements of Three Forest-Interior Warblers in Central Missouri. *Condor* 95: 968-979.

Werler, J.E.; Dixon, J.R. 2000. Texas Snakes: Identification, Distribution, and Natural History. Univ. Texas Press, Austin. 437 pp.

Westhoff, J. T., J. A. Guyot, and R. J. Distefano. 2006. Distribution of the imperiled Williams' crayfish (*Orconectes williamsi*) in the upper White River drainage of Missouri: Associations with multi-scale environmental variables. *American Midland Naturalist* 156(2): 273-288.

Wethington, T.A. 1994. Foraging activity, habitat use, and cave selection by the endangered Ozark big-eared bat: Oklahoma State University.

Wethington, T.A.; Leslie, D.M. 1996. Prehibernation habitat use and foraging activity by endangered Ozark big-eared bats (*Plecotus townsendii ingens*). *American Midland Naturalist*. 135:218-230.

Wheeler, H.E. 1914. The unioned fauna of Cache River, with description of a new *Fusconaia* from Arkansas. *The Nautilus* 28(7):72-78.

Wheeler, H.E. 1918. The Mollusca of Clark County, Arkansas. *The Nautilus* 31(4):109-125.

White, D.S. 1977. Changes in the freshwater mussel populations of the Poteau River system, LeFlore County, Oklahoma. *Proceedings of the Oklahoma Academy of Science*. 57:103-105.

Whitehead, D.R.; Taylor, T. 2002. Acadian Flycatcher (*Empidonax virescens*). *The Birds of North America*, No. 614 [Poole, A.; Gill, F., eds.]. *The Birds of North America, Inc.*, Philadelphia, PA.

Wilbur, R.L. 1975. A Revision of the North American genus *Amorpha* (Leguminosae-Psoraleae). *Rhodora* 77:337-409.

Wilbur, R.L. 1975. A Revision of the North American genus *Amorpha* (Leguminosae-Psoraleae). *Rhodora* 77:337-409.

Wilhide, J.D.; Harvey, M.J.; McDaniel, V.R.; Hoffman, V.E. 1998. Highland pond utilization by bats in the Ozark National Forest, Arkansas. *Proceedings of the Arkansas Academy of Science*. 52:110-112.

Wilhide, J.D.; McDaniel, V.R.; Harvey, M.J.; White, D.R. 1998. Telemetric observations of foraging Ozark big-eared bats in Arkansas. *Proceedings of the Arkansas Academy of Science*. 52:113-116.

Wilkes, Samuel. 1999. Report describing location and habitat type for *Valerianella nuttallii* (T. & G.) Walp. in Arkansas. Unpublished report for the Arkansas Natural Heritage Inventory.

Wilkes, Samuel. 1999. Report describing location and habitat type for *Valerianella nuttallii* (T. & G.) Walp. in Arkansas. Unpublished report for the Arkansas Natural Heritage Inventory.

Wilkinson, R.F.; Peterson, C.L.; Moll, D.; Holder, T. 1993. Reproductive biology of *Plethodon dorsalis* in northwestern Arkansas. *J. Herpetol.* 27:85-87.

Williams, A.B. 1954. Speciation and distribution of the crayfishes of the Ozark Plateaus and Ouachita Provinces. *University of Kansas Science Bulletin* 34: 961-1012.

Williams, Austin B. 1954. Speciation and distribution of crayfishes of the Ozark plateaus and Ouachita provinces. *University of Kansas Science Bulletin*. 36(12):803-918.

Williams, A.B.; Abele, L.G.; Felder, D.L. (and others). 1989. Common and scientific names of aquatic invertebrates from the United States and Canada: decapod crustaceans. *Spec. Publ. 17. Amer. Fish. Soc.* Bethesda, MD. 77 p.

Williams, J.E.; Johnson, J.E.; Hendrickson, D.A.; Contreras-Balderas, S.; Williams, J.D.; Navarro-Mendoza, M.D.; McAllister, E.; Deacon, J.E. 1989. Fishes of North America endangered, threatened, or of special concern. *Fisheries* 14(6): 2-20.

Williams, J.D.; Fuller, S.L.H.; Grace, R. 1992. Effects of impoundment on freshwater mussels (Mollusca: Bivalvia: Unionidae) in the main channel of the Black Warrior and Tombigbee rivers in western Alabama. *Bulletin Alabama Museum of Natural History*. 13:1

Williams, J.D.; Warren, Jr., M.L.; Cummings, K.S.; Harris, J.L.; Neves, R.J. 1993. Conservation status of freshwater mussels of the United States and Canada. *Fisheries*. 18(9):6-22.

Willis, L.D. 1984. Distribution and habitat requirements of the Ozark cavefish, *Amblyopsis rosae*. M.S. Thesis. Univ. Arkansas. Fayetteville, AR 25 p.

Wilson, L.A. 1995. Land manager's guide to the amphibians and reptiles of the south. The Nature Conservancy, Southeastern Region, Chapel Hill, NC. 360 pp.

Wilson, C.W.; Masters, R.E.; Bukenhofer, G.A. 1995. Breeding Bird Response to Pine-Grassland Community Restoration for Red-Cockaded Woodpeckers. *The Journal of Wildlife Management*. 59(1): 56–67.

Wood, P.B., J. Sheehan, P. Keyser, D. Buehler, J. Larkin, A. Rodewald, S. Stoleson, T.B. Wigley, J. Mizel, T.J. Boves, G. George, M. Bakermans, T. Beachy, A. Evans, M. McDermott, F. Newell, K. Perkins, and M. White. 2013. Management guidelines for enhancing Cerulean Warbler breeding habitat in Appalachian hardwood forests. American Bird Conservancy. The Plains, Virginia. 28 pp.

Woods, A. J., T. L. Foti, S. S. Chapman, J. M. Omernik, J. A. Wise, E. O. Murray, W. L. Prior, J. B. Pagan (Jr.), J. A. Comstock, and M. Radford. 2004. Ecoregions of Arkansas (color poster with map, descriptive text, summary tables, and photographs): Reston, Virginia, U.S. Geological Survey (map scale 1:1,000,000).

Wootton, J. Timothy. 1996. Purple Finch (*Haemorhous purpureus*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/208>

Yosef, Reuven. 1996. Loggerhead Shrike (*Lanius ludovicianus*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/231doi:10.2173/bna.231>